

similia similibus curenur!

# HOMÖOPATHIE MANUFAKTUR

ARZNEIMITTELVERZEICHNIS



- 1 DIE HOMÖOPATHISCHE ARZNEIPOTENZIERUNG
- 2 LIEFERBARE POTENZSTUFEN
- 3 ALLGEMEINES
  - UNSER LIEFERPROGRAMM
  - GEBRAUCH DES ARZNEIMITTELVERZEICHNIS
  - REZEPTPFLICHT
  - HALTBARKEIT UND EINNAHME
- 4 ARZNEIMITTELVERZEICHNIS
  - 146 DUNHAM
  - 147 FINCKE
  - 162 LANTHANIDEN

## IMPRESSUM

Remedia Homöopathie  
Mag. pharm. Robert Müntz GmbH  
Hauptstraße 4, 7000 Eisenstadt, Austria

T +43 26 82 / 62220, Fax +43 26 82 / 639 19  
[info@remedia.at](mailto:info@remedia.at)  
[www.remedia.at](http://www.remedia.at)

Öffnungszeiten  
Mo–Fr 8–18 Uhr

DVR 0307751  
UID ATU20778200

RAIKA Eisenstadt  
IBAN: AT89330000001091909  
BIC: RLBBAT2E



## DIE HOMÖOPATHISCHE ARZNEIPOTENZIERUNG

Samuel Hahnemann hat die Homöopathie entdeckt und die homöopathische Arzneipotenzierung entwickelt. Seine Herstellvorschriften wurden zur weltweiten Grundlage für die homöopathische Arzneipotenzierung. Als bester Weg erschien es uns daher, die anerkannten Errungenschaften der Arzneiherstellung Hahnemanns genauestens zu studieren und diese mit den modernsten pharmazeutischen Erkenntnissen zu kombinieren, um optimale homöopathische Arzneimittel herzustellen.

Wir verwenden dazu natürliche Arzneimittel und beziehen unsere Rohstoffe von biologischen Standorten, woraus wir Verreibungen selbst herstellen. Arzneiherstellung und analytische Qualitätskontrolle erfolgen gemäß Österreichischen Arzneimittelgesetz 1983, Arzneibuchverordnungen und nach den Vorschriften des Homöopathischen Arzneibuches HAB 2014, um durch standardisierte Herstellungsbedingungen zuverlässige Therapieergebnisse zu gewährleisten.

## LIEFERBARE POTENZSTUFEN

Wir potenzieren die D-, C-, LM- und Q-Potenzen ausschließlich händisch in der Mehrglasmethode sowie K- und FC-Potenzen nach der Einglasmethode durch spezielle maschinelle Potenzierungsverfahren.

D-Potenzen  
Die Potenzierung erfolgt durch händische Verschüttelung im Verhältnis 1:10 durch 10 kräftige Schüttelschläge auf einen elastischen Körper oder durch Verreibung auf Laktose. Für die Anfertigung von Globuli verwenden wir Saccharose Streukügelchen der Größe 3 des HAB, das entspricht ca. 120 Stück pro Gramm.

C-Potenzen  
Die Potenzierung erfolgt durch händische Verschüttelung im Verhältnis 1:100 durch 10 kräftige Schüttelschläge auf einen elastischen Körper oder durch Verreibung auf Laktose. Für die Anfertigung von Globuli verwenden wir Saccharose Streukügelchen der Größe 3 des HAB, das entspricht ca. 120 Stück pro Gramm.

### LM-Potenzen

Die Potenzierung erfolgt aus der C3-Trituration nach Vorschrift 6 oder 17 des HAB 2014 durch händische Verschüttelung mit exakt 100 Schüttelschlägen gegen eine harte und elastische Unterlage, wonach Globuli der Größe 1 im Verhältnis 1:50.000 benetzt werden.

### Q-Potenzen

Die Arzneiaufarbeitung der Q-Potenzen erfolgt gemäß Herstellervorschrift 59 durch sorgfältige C3-Handverreibung von Mineralien, tierischen Giften oder Frischpflanzen und Potenzierung im Verhältnis 1:50.000. Samuel Hahnemann hat diese Vorgangsweise für fast alle Rohstoffe empfohlen, da die vollkommene Erhaltung der Inhaltsstoffe zu besonders kraftvollen Wirkungen führt.

### K-Potenzen

Korsakoff-Potenzen werden bis zur 100MK durch maschinelle Verschüttelung mit 10 kräftigen Schüttelschlägen potenziert. Die Remedia-Methode startet dabei mit einer händisch angefertigten C200 aus der Mehrglasvariante.

### FC-Potenzen

Fluxionspotenzen werden seit 100 Jahren nach dem kontinuierlichen Verdünnungsprinzip angefertigt, ihre zuverlässige und kräftige Wirkung wurde auch von Kent gelobt. Die in unserem Labor hergestellten Arzneien werden nach der Fincke'schen Methode bis zur FC100M maschinell potenziert.

Die tiefst- und höchst-lieferbaren Potenzen für Dilutionen, Globuli, D-, C-, K, LM-, Q- und FC-Potenzen sind aus den Tabellen ersichtlich.

D	Globuli (Streukügelchen)	D1-7, 9, 10, 12, 15, 30, 60, 100, 200
	Dilution (flüssig)	D1-7, 9, 10, 12, 15, 30, 60, 100, 200
C	Globuli (Streukügelchen)	C1-7, 9, 10, 12, 15, 30, 60, 100, 200
	Dilution (flüssig)	C1-7, 9, 10, 12, 15, 30, 60, 100, 200
C aus C3 Trit	Globuli (Streukügelchen)	C12, 15, 30, 60, 100, 200
LM	Globuli (Streukügelchen)	LM1 – 30
	Dilution (flüssig)	LM1 – 120
Q	Globuli (Streukügelchen)	Q1 – 30
	Dilution (flüssig)	Q1 – 30
Korsakoff-Potenzen	Globuli (Streukügelchen)	1M, 5M, 10M, 50M
Fluxionspotenz	Globuli (Streukügelchen)	FC1M, FC5M, FC10M, FC50M, FC100M

## UNSER LIEFERPROGRAMM

Globuli  
Urtinkturen  
Dilutionen  
Salben

## GEBRAUCH DES ARZNEIMITTELVERZEICHNIS

Das vorliegende Verzeichnis beinhaltet alle sofort lieferbaren homöopathischen Arzneien mit Angabe der tiefst lieferbaren Potenzen und weiterer Vermerke. Im Verzeichnis nicht angeführte Arzneimittel, Potenzgrade und Sonderanfertigungen können auf Anfrage zubereitet werden.

## REZEPTPFLICHT

Die Angabe rezeptpflichtiger Arzneimittel ist aus den Anmerkungen der Tabelle ersichtlich. Sie gelten für Urtinkturen, für Dilutionen bis einschließlich D3 bzw. C1 und für Globuli bis einschließlich D1 bzw. C1.

- + Separandum - giftig - vorsichtig aufzubewahren
- ++ Venenum - sehr giftig - sehr vorsichtig aufzubewahren
- \* Rezeptpflicht

## HALTBARKEIT UND EINNAHME

Bei der langfristigen Aufbewahrung sind Wärme, Licht und elektromagnetische Strahlungseinwirkungen zu vermeiden. Unmittelbar vor und nach der Einnahme der Arznei soll nichts getrunken oder gegessen werden. Dilutionen werden vor Gebrauch 10 mal kräftig geschüttelt und danach entweder in einem Glas Wasser oder direkt auf der Zunge verabreicht.

Name	Rp	D		C		HV C3 Globuli	LM		Q		FC Globuli	Korsakoff Globuli
		Dilution	Globuli	Dilution	Globuli		Dilution	Globuli	Dilution	Globuli		
(RS)-2,3-Bis(sulfanyl)propan-1-sulfonsäure Natriumsalz 1 H2O	† *			C6 - C200	C7 - C200							1M - 10M
1-Octen-3-ol		D5 - D5	D3 - D5	C2 - C200	C3 - C200		LM1 - LM1	LM1 - LM1				
6-facher Impfstoff 1	*	D30 - D200	D12 - D200	C6 - C200	C9 - C200							1M - 10M
6-facher Impfstoff 2	*			C6 - C200	C9 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
ACT-HIB-plus-DPT	*	D30 - D30	D30 - D30	C6 - C200	C9 - C200							1M - 10M
ACTH	† *	D12 - D200	D12 - D200	C6 - C200	C9 - C200		LM2 - LM30	LM2 - LM30			FC1M - FC100M	1M - 50M
Abelia parvifolia				C12 - C200			LM1 - LM1					1M - 10M
Abeliophyllum distichum				C12 - C12								
Abelmoschus		D9 - D60	D6 - D60	C7 - C200	C9 - C200		LM1 - LM12	LM1 - LM12				1M - 10M
Abies alba				C6 - C200	C7 - C200							1M - 10M
Abies canadensis		D6 - D200	D4 - D200	C3 - C200	C4 - C200		LM1 - LM9	LM1 - LM9				1M - 10M
Abietinella abietina				C12 - C30								
Abroma augusta				C60 - C200	C60 - C200		LM2 - LM8	LM2 - LM8				1M - 50M
Abrus precatorius	†	D30 - D200	D12 - D200	C6 - C200	C7 - C200		LM1 - LM8	LM1 - LM8				1M - 1M
Abutilon megapotamicum				C12 - C30								
Acacia erioloba			D12 - D30	C6 - C200			LM1 - LM18				FC1M - FC10M	1M - 10M
Acaena microphylla				C12 - C30								
Acalypha indica		D7 - D60	D6 - D60	C4 - C200	C5 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC5M	1M - 10M
Acanthaster planci						C12 - C200	LM1 - LM12		Q1 - Q5		FC1M - FC50M	1M - 100M
Acantholimon acerosum				C12 - C200			LM1 - LM6					1M - 1M
Acantholimon ulicinum				C12 - C200			LM1 - LM9					1M - 1M
Acanthoscurria geniculata						C12 - C200						1M - 10M
Acanthus hungaricus				C12 - C200			LM1 - LM6					1M - 10M
Acanthus spinosus				C12 - C200			LM1 - LM1					1M - 10M
Acca sellowiana				C12 - C200			LM1 - LM6					
Accipiter gentilis				C6 - C200			LM1 - LM8				FC1M - FC5M	1M - 100M
Acer campestre		D12 - D200	D10 - D200	C6 - C200	C7 - C200	C12 - C30	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 1M
Acer mandshuricum				C12 - C30								
Acer palmatum						C12 - C200	LM1 - LM2	LM1 - LM2	Q1 - Q1	Q1 - Q1		1M - 1M
Acer platanoides		D15 - D200	D12 - D200	C5 - C200	C6 - C200							1M - 1M
Acer pseudoplatanus		D4 - D200	D2 - D200	C5 - C200	C6 - C200							1M - 10M
Acer saccharum				C6 - C200	C7 - C200							1M - 10M
Acetanilidum	†	D15 - D30	D12 - D30	C6 - C200	C7 - C200		LM1 - LM6	LM1 - LM6				1M - 10M
Acetessigsäureaethylester		D30 - D200	D12 - D200									
Acetonum		D15 - D30	D12 - D30	C6 - C200	C7 - C200							1M - 1M
Acetylcholinum chloratum		D6 - D200	D2 - D200	C6 - C200	C7 - C200		LM1 - LM30	LM1 - LM30				1M - 50M
Acetylcysteinum		D5 - D30	D3 - D30	C2 - C200	C3 - C200		LM1 - LM1	LM1 - LM1				
Acherontia atropos						C12 - C200	LM1 - LM120		Q1 - Q20			1M - 10M
Achillea millefolium		D0 - D200	D1 - D200	C1 - C200	C0 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
Achyranthes aspera						C12 - C200		LM1 - LM6				1M - 1M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Achyranthes calea				C31 - C200	C32 - C200							1M - 10M
Acicarpha tribuloides				C12 - C200			LM1 - LM6					1M - 1M
Aciclovir	*	D9 - D200	D7 - D200	C4 - C200	C5 - C200							1M - 10M
Acidum aceticum	† *	D7 - D200	D4 - D200	C4 - C200	C5 - C200		LM1 - LM120	LM1 - LM30			FC1M - FC1M	1M - 100M
Acidum acetylosalicylicum	*	D30 - D200	D15 - D200	C6 - C200	C7 - C200		LM1 - LM18	LM1 - LM18				1M - 10M
Acidum alpha Ketoglutaricum		D6 - D200	D5 - D200	C3 - C200	C4 - C200							1M - 1M
Acidum arsenicosum	†† *	D6 - D200	D5 - D200	C3 - C200	C3 - C200		LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	0M - 100M
Acidum ascorbicum		D3 - D200	D2 - D200	C2 - C200	C2 - C200	C12 - C60	LM1 - LM48	LM1 - LM30	Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 10M
Acidum benzoicum e resina		D4 - D200	D3 - D200	C6 - C200	C7 - C200		LM1 - LM36	LM1 - LM30	Q1 - Q12	Q1 - Q12	FC1M - FC100M	1M - 100M
Acidum boricum	*	D9 - D200	D9 - D200	C6 - C200	C7 - C200		LM1 - LM17	LM1 - LM17				1M - 10M
Acidum butyricum		D9 - D200	D4 - D200	C6 - C200	C7 - C200	C12 - C30	LM1 - LM30	LM1 - LM30	Q1 - Q3	Q1 - Q3		1M - 10M
Acidum carbolicum	† *	D6 - D200	D4 - D200	C5 - C200	C6 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q18	Q1 - Q18	FC1M - FC100M	1M - 100M
Acidum chrom-sulfuricum	† *			C6 - C200	C6 - C200		LM1 - LM10	LM1 - LM10				
Acidum chromicum	† *	D30 - D30	D15 - D30	C6 - C200	C6 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 50M
Acidum citricum		D4 - D200	D2 - D200	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q4	Q1 - Q4		1M - 100M
Acidum fluorosilicicum	*			C6 - C200	C6 - C200							1M - 10M
Acidum folicum	*	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM120	LM1 - LM30	Q1 - Q1	Q1 - Q1		1M - 10M
Acidum formicicum	† *	D6 - D200	D4 - D200	C3 - C200	C3 - C200		LM1 - LM30	LM1 - LM30				1M - 100M
Acidum fumaricum		D4 - D200	D2 - D200	C2 - C200	C3 - C200		LM2 - LM12	LM2 - LM12				1M - 50M
Acidum gallicum		D30 - D200	D12 - D200	C6 - C200	C6 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q12	Q1 - Q12		1M - 50M
Acidum gamma-aminobutyricum		D6 - D200	D3 - D200	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30				
Acidum glutaminicum		D10 - D200	D10 - D200	C10 - C200	C10 - C200							1M - 50M
Acidum hexafluorophosphoricum	*			C6 - C200							FC1M - FC10M	1M - 1M
Acidum hippuricum		D9 - D200	D6 - D200	C5 - C200	C6 - C200		LM1 - LM18	LM1 - LM18				1M - 10M
Acidum hydrobromicum	†	D12 - D200	D9 - D200	C6 - C200	C7 - C200		LM1 - LM30	LM1 - LM30				1M - 50M
Acidum hydrochloricum	† *	D4 - D200	D4 - D200	C4 - C200	C5 - C200	C12 - C200	LM1 - LM36	LM1 - LM30	Q1 - Q29	Q1 - Q29	FC1M - FC100M	1M - 100M
Acidum hydrocyanicum	†† *	D12 - D200	D12 - D200	C6 - C200	C6 - C200		LM2 - LM30	LM2 - LM30				1M - 100M
Acidum hydrofluoricum	†† *	D6 - D200	D8 - D200	C5 - C200	C3 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Acidum lacticum	† *	D5 - D200	D4 - D200	C3 - C200	C3 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q18	Q1 - Q18	FC1M - FC10M	1M - 50M
Acidum malicum (DL)		D6 - D200	D2 - D200	C6 - C200	C7 - C200		LM1 - LM18	LM1 - LM18				1M - 50M
Acidum nicotinicum	*	D5 - D200	D4 - D200	C6 - C200	C6 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Acidum nitricum	† *	D6 - D200	D4 - D200	C3 - C200	C2 - C200	C12 - C200	LM1 - LM90	LM1 - LM30	Q1 - Q31	Q1 - Q30	FC1M - FC100M	0M - 100M
Acidum nitro-hydrochloricum	†	D15 - D30	D12 - D30	C6 - C200	C6 - C200	C12 - C30	LM1 - LM30	LM1 - LM30				1M - 100M
Acidum oroticum						C12 - C200						1M - 1M
Acidum oxalaceticum		D6 - D200	D5 - D200									
Acidum oxalicum	† *	D4 - D200	D2 - D200	C6 - C200	C6 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q18	Q1 - Q18	FC1M - FC10M	1M - 100M
Acidum phosphoricum	*	D4 - D200	D3 - D200	C2 - C200	C2 - C200	C12 - C200	LM1 - LM60	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
Acidum phosphoricum ossae						C12 - C200	LM1 - LM24		Q1 - Q14		FC1M - FC10M	1M - 1M
Acidum phthalicum		D12 - D30	D12 - D30	C6 - C200	C6 - C200							
Acidum picrinicum	† *	D12 - D200	D9 - D200	C4 - C200	C4 - C200		LM1 - LM44	LM1 - LM30			FC1M - FC100M	1M - 100M
Acidum propionicum		D3 - D200	D3 - D200	C6 - C200	C6 - C200		LM1 - LM18	LM1 - LM18				

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Acidum pyrogallicum		D9 - D30	D7 - D30	C5 - C200	C5 - C200							1M - 100M
Acidum salicylicum	† *	D7 - D200	D5 - D200	C3 - C200	C5 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 100M
Acidum sarcolacticum	†	D5 - D200	D3 - D200	C3 - C200	C2 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 100M
Acidum silicum		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM120	LM1 - LM30	Q1 - Q42	Q1 - Q30	FC1M - FC100M	1M - 100M
Acidum sorbicum		D6 - D12	D4 - D12	C5 - C200	C6 - C200							1M - 1M
Acidum succinicum		D4 - D200	D2 - D200	C6 - C200	C6 - C200	C12 - C30	LM1 - LM30	LM1 - LM30	Q1 - Q16	Q1 - Q16	FC1M - FC10M	1M - 100M
Acidum sulfuricum	† *	D4 - D200	D3 - D200	C4 - C200	C4 - C200	C12 - C200	LM1 - LM60	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Acidum sulfurosum		D15 - D200	D12 - D200	C6 - C200	C7 - C200							1M - 10M
Acidum tannicum		D15 - D100	D12 - D100	C6 - C200	C6 - C200		LM1 - LM10	LM1 - LM10			FC1M - FC10M	1M - 10M
Acidum tartaricum		D6 - D30	D4 - D30	C6 - C200	C7 - C200		LM1 - LM24	LM1 - LM24				1M - 100M
Acidum uricum		D15 - D200	D12 - D200	C10 - C200	C10 - C200		LM2 - LM30	LM2 - LM30				1M - 100M
Acidum valerianicum		D12 - D30	D12 - D30	C6 - C200	C6 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Acidum valproinicum	*	D15 - D15	D12 - D15	C7 - C200	C9 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Acidum wolframatophosphoricum				C10 - C200			LM1 - LM12		Q1 - Q1			1M - 1M
Acinonyx jubatus						C12 - C200						1M - 50M
Acinos alpinus				C12 - C200								
Acipenser sturio ex oviis						C12 - C200						
Acne Nos.	*	D10 - D200	D9 - D200	C6 - C200	C9 - C200				Q1 - Q6		FC1M - FC10M	1M - 10M
Acnistus arborescens				C12 - C200			LM1 - LM1					1M - 1M
Acokanthera oblongifolia				C12 - C200								1M - 1M
Aconitum	†† *			C7 - C200	C9 - C200							1M - 50M
Aconitum ferox	† *			C5 - C200	C6 - C200							1M - 1M
Aconitum lycocotonum	† *			C5 - C200	C6 - C200							1M - 100M
Aconitum napellus	†† *	D4 - D200	D2 - D200	C2 - C200	C2 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Acorus calamus		D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C30	LM1 - LM17	LM1 - LM17	Q1 - Q1	Q1 - Q1		1M - 10M
Acradenia frankliniae				C12 - C200								1M - 1M
Acridotheres tristis						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 50M
Acromyrmex octospinosa						C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 10M
Actaea spicata	†	D9 - D200	D6 - D200	C2 - C200	C3 - C200		LM1 - LM24	LM1 - LM24				1M - 100M
Actinidia chinensis e flores femineibus						C12 - C200			Q1 - Q1		FC1M - FC10M	1M - 1M
Actinomyces bovis	*			C7 - C200	C9 - C200							
Adalimumab	*			C5 - C200	C5 - C200							
Adamas		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q9	Q1 - Q9	FC1M - FC10M	1M - 100M
Adansonia grandiflora						C12 - C200			Q1 - Q1			1M - 100M
Adelheid Aqua				C5 - C200	C6 - C200		LM1 - LM9	LM1 - LM9				
Adenanthera pavonina				C12 - C30								
Adenanthes glabrescens				C12 - C30								
Adenium obesum						C12 - C200			Q1 - Q1			1M - 10M
Adenocarpus decorticans				C12 - C30			LM1 - LM1					
Adenophora liliifolia				C12 - C200			LM1 - LM1					1M - 1M
Adenosintriphosphat		D7 - D200	D5 - D200									

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Adenosinum diphosphoricum		D6 - D15	D4 - D15	C3 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				
Adenosinum monophosphoricum		D10 - D200	D9 - D200	C5 - C200	C6 - C200		LM1 - LM18	LM1 - LM18				1M - 100M
Adenostyles alpina				C12 - C12								
Adeps Struthio Camelus						C12 - C200						1M - 10M
Adeps anseris						C12 - C200	LM1 - LM7		Q1 - Q1			1M - 10M
Adeps lanae		D12 - D30	D12 - D30									
Adeps suillus		D9 - D200	D7 - D200			C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 1M
Adlumia fungosa	† *	D7 - D200	D6 - D200	C6 - C200	C6 - C200		LM1 - LM30	LM1 - LM30				1M - 100M
Adnexitis	*	D12 - D200	D12 - D200									
Adonis vernalis	† *	D4 - D200	D2 - D200	C2 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1	FC1M - FC100M	1M - 10M
Adoxa moschatellina						C12 - C200			Q1 - Q1			1M - 1M
Adrenalinum	†† *	D12 - D200	D12 - D200	C6 - C200	C9 - C200		LM1 - LM60	LM1 - LM30				1M - 10M
Aechmea chantinii					C12 - C200		LM1 - LM30					1M - 1M
Aegiceras corniculatum					C12 - C30		LM1 - LM1					
Aeginetia indica					C12 - C200							1M - 1M
Aegle marmelos					C4 - C200	C5 - C200						1M - 10M
Aegopodium podagraria						C12 - C200			Q1 - Q3			1M - 50M
Aeonium lindleyi					C12 - C200							
Aepyrceros melampus						C12 - C200	LM1 - LM19	LM1 - LM19	Q1 - Q3	Q1 - Q3		1M - 100M
Aepyornis maximus						C12 - C200			Q1 - Q1			
Aerangis distincta						C12 - C200						1M - 1M
Aerides odoratum					C12 - C12							
Aerobacter aerogenes	*	D12 - D200	D12 - D200									
Aerobacter c. coli	*	D15 - D200	D15 - D200									
Aeschynanthus micranthus					C12 - C200		LM1 - LM1					1M - 10M
Aesculinum	*	D9 - D9	D6 - D6	C3 - C30	C3 - C30							
Aesculus carnea Bach		D3 - D30	D2 - D30	C2 - C200	C2 - C200							1M - 10M
Aesculus glabra		D30 - D30	D30 - D30	C10 - C200	C11 - C200		LM1 - LM30	LM1 - LM30				
Aesculus hippocastanum		D0 - D200	D1 - D200	C1 - C200	C0 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q28	Q1 - Q28	FC1M - FC100M	1M - 100M
Aethanolum		D30 - D200	D15 - D200	C5 - C200	C6 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q12	Q1 - Q12	FC1M - FC100M	1M - 100M
Aethephyllum pinnatifidum					C12 - C200		LM1 - LM1					1M - 1M
Aethereum		D30 - D200	D12 - D200	C12 - C200	C12 - C200		LM1 - LM18	LM1 - LM18			FC1M - FC10M	1M - 50M
Aetheroleum Thymi				D4 - D200	C4 - C30		LM1 - LM6					
Aetheroleum rosmarini					C1 - C200	C2 - C200						
Aethionema armenum					C12 - C200							1M - 1M
Aethusa cynapium	† *	D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Aflatoxin	*	D21 - D200	D21 - D200	C15 - C200	C15 - C200						FC1M - FC10M	1M - 10M
Aframomum angustifolium					C12 - C200							
Agapanthus praecox					C12 - C200		LM1 - LM18					1M - 1M
Agapetes serpens					C12 - C200		LM1 - LM1					1M - 1M
Agapornis roseicollis						C12 - C200	LM2 - LM12	LM2 - LM12			FC1M - FC10M	

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Agar agar				C6 - C200	C7 - C200							1M - 10M
Agaricus emeticus	† *	D12 - D200	D12 - D200	C6 - C200	C9 - C200		LM1 - LM6	LM1 - LM6				
Agaricus pantherinus	† *					C12 - C200						1M - 50M
Agaricus phalloides	† *	D12 - D30	D12 - D30	C6 - C200	C8 - C200	C12 - C200	LM1 - LM120	LM1 - LM30				1M - 10M
Agastache rugosa				C12 - C30								
Agathis australis				C6 - C200	C6 - C200							1M - 100M
Agave americana	*	D30 - D200	D30 - D200	C5 - C200	C6 - C200	C12 - C30	LM1 - LM1	LM1 - LM1	Q1 - Q3	Q1 - Q3		1M - 10M
Ageratina ligustrina				C12 - C200								
Ageratum conyzoides				C12 - C200								1M - 1M
Agkistrodon Bilineatus taylori	††			C6 - C200			LM1 - LM3					1M - 50M
Agkistrodon contortrix	††	D12 - D200	D12 - D200	C7 - C200	C8 - C200	C12 - C200	LM1 - LM118	LM1 - LM30	Q1 - Q18	Q1 - Q18	FC1M - FC100M	1M - 100M
Agkistrodon piscivorus	††					C12 - C200	LM1 - LM14		Q1 - Q9		FC1M - FC100M	1M - 50M
Aglaonema commutatum				C12 - C30								
Agraphis nutans		D9 - D200	D9 - D200	C6 - C200	C6 - C200		LM1 - LM8	LM1 - LM8			FC1M - FC10M	1M - 50M
Agrimonia eupatoria		D3 - D200	D1 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q3	Q1 - Q3	FC1M - FC10M	1M - 10M
Agrimony (Bachflower)				C2 - C200	C1 - C200							1M - 1M
Agrostemma githago	†			C12 - C200	C15 - C200							1M - 10M
Agrostis gigantea				C12 - C30								
Ailanthus altissima		D15 - D200	D9 - D200	C5 - C200	C6 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC100M	1M - 100M
Ainsworthia trachycarpa				C12 - C30								
Ajuga reptans				C12 - C12								
Akebia quinata				C12 - C200			LM1 - LM1					1M - 1M
Akute Pulpitis Nos.	*	D9 - D200	D9 - D200									
Alabaster				C6 - C200	C6 - C200							1M - 1M
Alangium platanifolium				C12 - C30								
Alberta magna				C12 - C200								1M - 1M
Albizia anthelmintica						C12 - C200						1M - 1M
Albizia lebbeck						C12 - C200			Q1 - Q1	Q1 - Q1		1M - 1M
Albuca setosa						C12 - C200			Q1 - Q1			1M - 1M
Alchemilla vulgaris		D6 - D200	D4 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 100M
Alcohol Isopropylicus		D12 - D200	D12 - D200									
Alcoholus amylicus			D12 - D200	C4 - C200			LM1 - LM6					
Alectryon coriaceus				C12 - C30								
Aletris farinosa		D6 - D200	D4 - D200	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC1M	1M - 100M
Aleurites moluccana						C12 - C200			Q1 - Q1			1M - 50M
Alfa alfa		D0 - D200	D2 - D200	C2 - C200	C0 - C200	C12 - C200	LM1 - LM29	LM1 - LM29	Q1 - Q3	Q1 - Q3		1M - 100M
Alkanna tinctoria herba				C12 - C200			LM1 - LM1					1M - 1M
Allamanda cathartica						C12 - C200			Q1 - Q1			
Allantoin		D6 - D12	D7 - D12	C4 - C200	C3 - C200		LM1 - LM1	LM1 - LM1				
Allergen Gesamtkomplex						C12 - C200	LM1 - LM30					1M - 10M
Allergenmischung Bäume				C6 - C30	C6 - C30							

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Allergenmischung Feder				C6 - C30	C6 - C30							
Allergenmischung Frühblüher				C6 - C30	C6 - C30							
Allergenmischung Gräser				C6 - C30	C6 - C30							
Allergenmischung Haare				C6 - C200	C6 - C200							
Allergenmischung Mehl				C6 - C30	C6 - C30							
Allergenmischung Schimmelpilze	*	D12 - D200	D12 - D200	C6 - C200	C9 - C200							
Alliaria petiolata				C12 - C30								
Alligator mississippiensis				C7 - C200	C9 - C200							1M - 50M
Allium cepa		D1 - D200	D2 - D200	C2 - C200	C1 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q12	Q1 - Q12	FC1M - FC10M	1M - 100M
Allium sativum		D3 - D200	D1 - D200	C1 - C200	C2 - C200	C12 - C30	LM1 - LM30	LM1 - LM30	Q1 - Q5	Q1 - Q5	FC1M - FC10M	1M - 100M
Allium sectivum						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 10M
Allium siculum				C12 - C200								
Allium ursinum		D3 - D200	D2 - D200	C2 - C200	C2 - C200	C12 - C30	LM1 - LM1	LM1 - LM1	Q1 - Q10	Q1 - Q10		1M - 50M
Allocasuarina inophloia				C12 - C200								1M - 1M
Alloplectus tetragonos				C12 - C200								
Allopurinol	† *					C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 10M
Alloxanum				C6 - C200	C7 - C200		LM1 - LM24	LM1 - LM24				1M - 50M
Almeidea rubra				C12 - C30								
Alnus serrulata		D15 - D30	D12 - D30	C6 - C200	C7 - C200							1M - 50M
Alocasia zebrina				C12 - C30			LM1 - LM1					
Aloe	*	D5 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC50M	1M - 100M
Aloe vera	*	D15 - D30	D12 - D30	C6 - C200	C6 - C200		LM1 - LM30	LM1 - LM30				1M - 50M
Alonsoa meridionalis				C12 - C200			LM1 - LM1					1M - 100M
Alopecurus pratensis				C12 - C30								
Aloysia citriodora				C12 - C200			LM1 - LM6					1M - 1M
Alpinia officinarum		D5 - D200	D4 - D200	C2 - C200	C4 - C200	C12 - C12	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		
Alpinia zerumbet				C12 - C200								
Alprazolam	*			C3 - C200	C3 - C200							1M - 10M
Alsine media		D3 - D200	D2 - D200	C2 - C200	C2 - C200		LM1 - LM36	LM1 - LM30			FC1M - FC10M	1M - 1M
Alstonia scholaris		D9 - D200	D7 - D200	C6 - C200	C7 - C200							1M - 10M
Alstroemeria aurea				C12 - C200			LM1 - LM1					1M - 1M
Alternanthera aquatica				C12 - C200			LM1 - LM1					
Alternanthera ficoidea				C12 - C200								1M - 1M
Alternaria alternata (Allergen)	*	D12 - D200	D12 - D200	C6 - C200	C9 - C200							1M - 1M
Althaea		D4 - D200	D1 - D200	C1 - C200	C2 - C200	C12 - C30	LM1 - LM8	LM1 - LM8	Q1 - Q6	Q1 - Q6		1M - 50M
Alumen chromicum	† *	D10 - D30	D10 - D30	C10 - C200	C10 - C200		LM1 - LM12	LM1 - LM12	Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 1M
Alumina silicata		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM29	LM1 - LM29	Q1 - Q18	Q1 - Q18	FC1M - FC10M	1M - 10M
Aluminium aceticum basicum						C12 - C200	LM1 - LM12	LM1 - LM12	Q1 - Q1	Q1 - Q1		1M - 1M
Aluminium arsenicosum	†† *					C12 - C200	LM1 - LM18				FC1M - FC100M	1M - 10M
Aluminium bromatum	*		D2 - D12			C12 - C200	LM1 - LM18		Q1 - Q1			1M - 100M
Aluminium carbonicum				C10 - C200	C10 - C200		LM1 - LM6	LM1 - LM6	Q1 - Q3	Q1 - Q3		1M - 100M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Aluminium chloratum	†	D12 - D30	D12 - D30	C6 - C200	C6 - C200	C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q9	Q1 - Q9	FC1M - FC10M	1M - 100M
Aluminium fluoratum	*					C12 - C200	LM1 - LM45	LM1 - LM30				1M - 100M
Aluminium hydroxydatum				C10 - C200	C10 - C200							1M - 10M
Aluminium jodatum	*					C12 - C200	LM1 - LM18		Q1 - Q9		FC1M - FC100M	1M - 100M
Aluminium lacticum				C4 - C200	C5 - C200							
Aluminium metallicum		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM2 - LM30	LM2 - LM30			FC1M - FC10M	1M - 50M
Aluminium nitricum		D3 - D30	D2 - D30			C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q9	Q1 - Q9		1M - 10M
Aluminium oxalicum						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 10M
Aluminium oxydatum	*	D10 - D200	D10 - D200	C10 - C200	C12 - C200		LM1 - LM60	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Aluminium phosphoricum		D12 - D30	D12 - D30	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q12	Q1 - Q12	FC1M - FC10M	1M - 100M
Aluminium selenicosum	*					C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 1M
Aluminium silicum				C10 - C200	C10 - C200		LM1 - LM18	LM1 - LM18	Q1 - Q12	Q1 - Q12		1M - 100M
Aluminium sulfuricum		D9 - D200	D6 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q24	Q1 - Q24		1M - 100M
Aluminium-kalium-sulfuricum		D5 - D200	D5 - D200	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q12	Q1 - Q12	FC1M - FC1M	1M - 50M
Alunit						C12 - C30			Q1 - Q1	Q1 - Q1		
Alyssoides utricularia				C12 - C30								
Alyssum lenense				C12 - C12								
Alyssum saxatile				C3 - C200	C3 - C200							
Alyssum smolikanum				C12 - C30								
Alyxia buxifolia				C12 - C200								1M - 1M
Alzatea verticillata				C12 - C200								1M - 1M
Amanita muscaria	† *	D12 - D200	D6 - D200	C6 - C200	C9 - C200	C12 - C200	LM1 - LM60	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Amanita ovoidea	*					C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 1M
Amanita rubescens				C12 - C12								
Amaranth		D5 - D12	D4 - D12	C4 - C200	C4 - C200							1M - 10M
Amaranthus caudatus				C12 - C30								
Amaranthus cruentus						C12 - C200			Q1 - Q3	Q1 - Q3		1M - 1M
Amaranthus retroflexus				C12 - C200			LM1 - LM18					1M - 10M
Amaranthus spinosus						C12 - C200			Q1 - Q1			1M - 1M
Amaranthus tricolor				C12 - C12								
Amblystegium serpens				C12 - C30								
Ambra		D6 - D200	D5 - D200	C3 - C200	C4 - C200	C12 - C200	LM1 - LM90	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC50M	1M - 100M
Ambrosia artemisiaefolia		D4 - D200	D3 - D200	C9 - C200	C10 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q2	Q1 - Q2		1M - 10M
Ambystoma mexicana				C4 - C200			LM1 - LM6					1M - 50M
Amelanchier lamarckii				C12 - C12								
Amethyst						C12 - C200	LM1 - LM24	LM1 - LM24	Q1 - Q6	Q1 - Q6		1M - 50M
Amiodaron hydrochlorid	*			C5 - C200	C6 - C200							
Amischotolype mollissima				C12 - C200								1M - 1M
Amitryptilinum hydrochloricum	*	D10 - D200	D9 - D200									
Ammannia senegalensis				C12 - C200								1M - 1M
Ammi majus				C12 - C30			LM1 - LM1					

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Ammi visnaga		D5 - D30	D3 - D30	C2 - C200	C3 - C200		LM1 - LM18	LM1 - LM18				1M - 100M
Ammobium alatum				C12 - C200								1M - 1M
Ammoniacum		D30 - D200	D30 - D200	C6 - C200	C7 - C200	C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q1	Q1 - Q1	FC1M - FC1M	1M - 10M
Ammonit				C10 - C200								1M - 10M
Ammonium aceticum				C5 - C200	C6 - C200							
Ammonium arsenicosum	†† *			C5 - C200	C5 - C200		LM1 - LM29	LM1 - LM29				1M - 100M
Ammonium benzoicum		D6 - D200	D4 - D200	C3 - C200	C3 - C200		LM1 - LM6	LM1 - LM6				1M - 10M
Ammonium bromatum	† *	D4 - D200	D2 - D200	C3 - C200	C5 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q5	Q1 - Q5	FC1M - FC10M	1M - 100M
Ammonium carbonicum		D3 - D200	D3 - D200	C2 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
Ammonium causticum		D6 - D30	D5 - D30	C4 - C200	C4 - C200		LM1 - LM30	LM1 - LM30				1M - 100M
Ammonium chloratum		D10 - D200	D10 - D200	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
Ammonium citricum		D3 - D6	D3 - D6	C2 - C200	C2 - C200		LM1 - LM9	LM1 - LM9				1M - 1M
Ammonium fluoratum	† *	D12 - D30	D12 - D30	C6 - C200	C7 - C200		LM1 - LM30	LM1 - LM30				1M - 50M
Ammonium jodatum	† *	D6 - D30	D4 - D30	C6 - C200	C6 - C200		LM1 - LM50	LM1 - LM30			FC1M - FC10M	1M - 10M
Ammonium nitricum				C10 - C200	C10 - C200		LM1 - LM18	LM1 - LM18				1M - 100M
Ammonium phosphoricum		D5 - D30	D4 - D30	C5 - C200	C6 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q31	Q1 - Q30		1M - 100M
Ammonium picratum	† *			C5 - C200	C5 - C200		LM1 - LM12	LM1 - LM12				1M - 100M
Ammonium sulfuricum		D9 - D200	D6 - D200	C4 - C200	C4 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q15	Q1 - Q15	FC1M - FC10M	1M - 50M
Ammonium tartaricum				C5 - C200	C6 - C200							
Ammonium valerianicum		D10 - D200	D9 - D200	C2 - C200	C3 - C200		LM1 - LM18	LM1 - LM18				1M - 10M
Ammonium vanadinicum	†			C5 - C200	C6 - C200		LM2 - LM18	LM2 - LM18				1M - 1M
Ammophila arenaria				C3 - C200			LM1 - LM6					1M - 10M
Amnion bovis				C5 - C200	C6 - C200							1M - 10M
Amoeba proteus				C7 - C200	C8 - C200							
Amorpha canescens				C12 - C30								
Amorphophallus titanum						C12 - C200						1M - 1M
Amoxicillin	*			C3 - C200	C4 - C200							
Amoxicillin + Clavulansäure	*					C12 - C200	LM1 - LM6	LM1 - LM6				1M - 10M
Ampelopsis quinquefolia	†					C12 - C200			Q1 - Q4	Q1 - Q4	FC1M - FC10M	1M - 10M
Amphisbaena vermicularis				C36 - C200								1M - 10M
Amphitecna latifolia				C12 - C200								1M - 1M
Amsinckia calycina				C12 - C12								
Amsonia tabernaemontana				C12 - C200								1M - 1M
Amygdalinum	†† *	D10 - D30	D5 - D30	C3 - C200	C5 - C200							1M - 10M
Amygdalus persica dermis						C12 - C200			Q1 - Q2	Q1 - Q2		1M - 1M
Amygdalus persica e cortice		D5 - D30	D3 - D30	C3 - C200	C4 - C200		LM1 - LM18	LM1 - LM18				1M - 50M
Amylium nitrosum	† *	D5 - D30	D2 - D30	C5 - C200	C6 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 50M
Amylium hydroxyaethylicum						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 50M
Amyris gileadensis				C6 - C200	C6 - C200							1M - 1M
Anacamptis pyramidalis				C1 - C200			LM1 - LM1					1M - 1M
Anacardium occidentale	†			C6 - C200	C7 - C200		LM1 - LM120	LM1 - LM30				1M - 100M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Anadenanthera						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 1M
Anaerococcus tetradius Nos.				C4 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				
Anaesthesinum	† *					C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 10M
Anagallis arvensis		D5 - D30	D3 - D30	C5 - C200	C6 - C200	C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q5	Q1 - Q5		1M - 100M
Anagallis foemina				C6 - C200	C6 - C200							1M - 1M
Anagallis monelli				C12 - C30			LM1 - LM1					
Anamirta cocculus	† *	D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM90	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC50M	1M - 100M
Ananas sativus				C6 - C200	C6 - C200						FC1M - FC10M	1M - 100M
Anantherum muricatum		D5 - D12	D4 - D12	C4 - C200	C5 - C200		LM1 - LM40	LM1 - LM30				1M - 100M
Anaphalis margaritacea				C12 - C200								1M - 1M
Anarrhinum bellidifolium				C12 - C200								1M - 10M
Anas barbariae cordis et hepatis	*			C9 - C200	C10 - C200						FC1M - FC5M	1M - 100M
Anas europaea				C8 - C200	C8 - C200							1M - 10M
Anas indica						C12 - C200	LM1 - LM24	LM2 - LM24	Q1 - Q18	Q1 - Q18	FC1M - FC100M	1M - 100M
Anastatica hierochuntica				C7 - C200	C9 - C200							1M - 10M
Anchomanes difformis				C12 - C12								
Anchusa arvensis						C12 - C200			Q1 - Q1			1M - 1M
Anchusa officinalis				C12 - C200			LM1 - LM4					1M - 1M
Ancylometes bogotensis						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 10M
Andiroba						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 1M
Androctonus				C7 - C200	C9 - C200		LM2 - LM30	LM2 - LM30				1M - 100M
Androctonus bicolor	† *			C12 - C200								1M - 1M
Andrographis paniculata		D4 - D12	D4 - D12	C2 - C200	C4 - C200							1M - 1M
Androsace lanuginosa				C12 - C30								
Androsace sarmentosa				C12 - C200			LM1 - LM1					1M - 1M
Androstanolon	† *	D12 - D200	D12 - D200	C6 - C200	C9 - C200							
Anemarrhena asphodeloides				C12 - C12								
Anemia mandiocana				C12 - C30								
Anemia mexicana				C12 - C200								
Anemone nemorosa	†	D4 - D30	D2 - D30	C1 - C200	C2 - C200	C12 - C12	LM1 - LM6	LM1 - LM6	Q1 - Q1	Q1 - Q1		1M - 10M
Anemopsis californica				C12 - C200			LM1 - LM1					1M - 1M
Anethum graveolens		D30 - D30	D30 - D30	C6 - C200	C9 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Angelica archangelica		D4 - D60	D2 - D60	C1 - C200	C2 - C200	C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q16	Q1 - Q16		1M - 10M
Angelica sinensis		D30 - D100	D12 - D100	C9 - C200	C9 - C200	C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 10M
Angelonia biflora						C12 - C200			Q1 - Q1			
Angina Plaut Vincent Nos.	*	D10 - D200	D9 - D200	C5 - C200	C6 - C200							1M - 50M
Angina follicularis Nos.	*	D9 - D30	D8 - D30	C5 - C200	C6 - C200							1M - 10M
Angiopteris evecta				C12 - C30								
Anguillar				C7 - C200	C8 - C200							1M - 10M
Anguis fragilis						C12 - C200	LM1 - LM6		Q1 - Q1			1M - 50M
Anhalonium Lewinii	*	D9 - D200	D7 - D200	C4 - C200	C5 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 50M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Anigozanthus flavidus				C12 - C200			LM1 - LM6					1M - 1M
Anilinum	†			C6 - C200	C7 - C200		LM1 - LM18	LM1 - LM18				1M - 1M
Anisodonta capensis				C12 - C12								
Anisodonta scabrosa				C12 - C30								
Anisodus tanguticus				C12 - C200								1M - 1M
Anisum stellatum		D30 - D200	D15 - D200	C6 - C200	C7 - C200		LM1 - LM30	LM1 - LM30				1M - 10M
Annona montana				C12 - C200			LM1 - LM1					1M - 1M
Anoda cristata				C12 - C200								
Anomodon viticulosus				C12 - C200								1M - 1M
Anredera cordifolia				C12 - C200			LM1 - LM6					1M - 1M
Anser anser						C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q6	Q1 - Q6		1M - 100M
Anser anser ssp dom.						C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q1	Q1 - Q1		1M - 10M
Antedon mediterranea			D12 - D30	C6 - C200								1M - 1M
Antelaea azadirachta e.H.			D6 - D200			C12 - C200	LM1 - LM30		Q1 - Q1			1M - 10M
Antenorion filiforme				C12 - C30								
Anthericum ramosum				C12 - C200			LM1 - LM1					
Anthocleista madagascariensis				C12 - C200								
Anthracinonum		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM3	LM1 - LM3				1M - 50M
Anthracinum	*	D30 - D200	D15 - D200	C9 - C200	C10 - C200						FC1M - FC10M	1M - 100M
Anthrakovali		D10 - D30	D10 - D30	C10 - C200	C10 - C200		LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 1M
Anthriscus cerefolium				C12 - C200			LM1 - LM1					1M - 1M
Anthriscus sylvestris				C12 - C200			LM1 - LM1					1M - 1M
Anthurium gracile				C12 - C12								
Anthurium ranchoanum				C12 - C200								
Anthurium vittariifolium				C12 - C12								
Anthyllis vulneraria		D6 - D6	D4 - D6	C5 - C200	C6 - C200							1M - 100M
Anticlea elegans				C12 - C12								
Antigonon leptopus				C12 - C200								1M - 1M
Antimonium bromatum	† *					C12 - C200						1M - 1M
Antimonium chloratum	† *	D10 - D30	D10 - D30	C10 - C200	C10 - C200		LM7 - LM30	LM7 - LM30				1M - 10M
Antimonium fluoratum	*					C12 - C200	LM1 - LM12	LM1 - LM12	Q1 - Q1	Q1 - Q1		1M - 100M
Antimonium jodatum	† *			C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6		1M - 100M
Antimonium nitricum	*			C6 - C200	C7 - C200							1M - 1M
Antimonium oxydatum	† *					C12 - C200	LM1 - LM15	LM1 - LM15	Q1 - Q1	Q1 - Q1		1M - 1M
Antimonium oxydatum causticum	*					C12 - C200	LM1 - LM6		Q1 - Q1			1M - 1M
Antimonium sulfuratum rubrum	*					C12 - C200	LM1 - LM17	LM1 - LM17				1M - 1M
Antimonium sulfuricum	*	D10 - D30	D10 - D30	C10 - C200	C10 - C200		LM1 - LM15	LM1 - LM15	Q1 - Q9	Q1 - Q9		1M - 100M
Antipyrinum	† *	D30 - D30	D15 - D30	C6 - C200	C7 - C200		LM1 - LM12	LM1 - LM12				1M - 50M
Antirrhinum majus				C12 - C200			LM1 - LM1					1M - 10M
Antirrhinum siculum				C12 - C30								
Anubias barteri				C12 - C200			LM1 - LM6					1M - 1M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Apatit	*			C10 - C200	C10 - C200		LM2 - LM30	LM2 - LM30				1M - 1M
Apeira syringaria						C30 - C200			Q1 - Q3	Q1 - Q3	FC1M - FC10M	1M - 50M
Aphanopetalum resinosum				C12 - C30			LM1 - LM1					
Aphelandra arborea				C12 - C30			LM1 - LM1					
Aphelandra aurantiaca			D2 - D6	C2 - C200			LM1 - LM1					1M - 1M
Aphis chenopodii glauci		D9 - D200	D9 - D200	C7 - C200	C9 - C200							1M - 50M
Apis (Drohne)	*					C12 - C200	LM1 - LM1		Q1 - Q18			1M - 10M
Apis (regia)	*					C12 - C200	LM1 - LM11		Q1 - Q22		FC1M - FC10M	1M - 100M
Apis mellifica	† *	D3 - D200	D1 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Apisinum	† *	D12 - D200	D10 - D200	C10 - C200	C10 - C200							1M - 10M
Apium graveolens			D30 - D200	D30 - D200	C6 - C200	C7 - C200		LM1 - LM22	LM1 - LM22			1M - 1M
Aplastische Anaemie Nos.	*	D12 - D30	D12 - D30									
Apocynum androsaemifolium	†			C6 - C200	C7 - C200							1M - 50M
Apocynum cannabinum	† *	D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 50M
Apodasmia similis				C12 - C12								
Apodolirion buchananii				C12 - C200								1M - 1M
Apomorphinum hydrochloricum	† *	D12 - D200	D12 - D200	C6 - C200	C6 - C200		LM1 - LM30	LM1 - LM30				1M - 10M
Aponogeton distachyos				C12 - C200								
Appendicitis Nos.	*			C5 - C200	C6 - C200							1M - 1M
Aqua Bad Gastein		D30 - D30	D30 - D30	C6 - C200	C6 - C200	C12 - C30	LM1 - LM6	LM1 - LM6	Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 10M
Aqua Bad Vöslau				C2 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				
Aqua Bartfeld		D12 - D200	D12 - D200	C6 - C200	C6 - C200		LM1 - LM9	LM1 - LM9				1M - 10M
Aqua Bath						C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 1M
Aqua Carlsbad				C3 - C200	C4 - C200		LM1 - LM30	LM1 - LM30				1M - 1M
Aqua Fida vetusta				C7 - C200	C9 - C200							1M - 100M
Aqua Gettysburg				C10 - C200	C10 - C200						FC1M - FC100M	1M - 50M
Aqua Hall				C6 - C200								
Aqua Hochstein				C16 - C200	C16 - C200							1M - 10M
Aqua Jacobea						C12 - C200						
Aqua Jod natur				C2 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Aqua Levico	†	D12 - D30	D12 - D30	C6 - C200	C7 - C200		LM1 - LM30	LM1 - LM30				1M - 10M
Aqua Lippspringe				C10 - C200	C12 - C200							1M - 1M
Aqua Pluvia		D30 - D200	D30 - D200									
Aqua Radkersburgii				C6 - C200								
Aqua Rudas				C2 - C200	C2 - C200							1M - 1M
Aqua Sanicula		D15 - D200	D12 - D200	C6 - C200	C7 - C200		LM2 - LM45	LM2 - LM30			FC1M - FC50M	1M - 100M
Aqua St. Georgs Quelle				C2 - C200	C2 - C200							
Aqua St. Leonhard (enteisent)				C2 - C200	C2 - C200		LM1 - LM10	LM1 - LM10				1M - 10M
Aqua St. Leonhard nativ				C2 - C200	C2 - C200		LM1 - LM6	LM1 - LM6				1M - 100M
Aqua Stegersbach				C4 - C200	C4 - C200							
Aqua Teplitz				C2 - C200	C3 - C200		LM1 - LM17	LM1 - LM17				1M - 1M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Aqua Wiesbaden				C31 - C200	C32 - C200							
Aqua Wildbad				C6 - C200	C7 - C200							1M - 10M
Aqua marina		D9 - D200	D6 - D200	C6 - C200	C7 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q24	Q1 - Q24	FC1M - FC100M	1M - 100M
Aquamarin						C12 - C200	LM2 - LM28	LM2 - LM28	Q2 - Q15	Q2 - Q15	FC1M - FC10M	1M - 10M
Aquila chrysaetos						C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q13	Q1 - Q13	FC1M - FC100M	1M - 100M
Aquilegia vulgaris	*	D5 - D30	D3 - D30	C6 - C200	C7 - C200		LM1 - LM30	LM1 - LM30				1M - 10M
Ara macao						C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q1	Q1 - Q1		1M - 100M
Arabis procurrens					C12 - C30		LM1 - LM1					
Arachis hypogaea						C12 - C200	LM1 - LM24		Q1 - Q1			1M - 10M
Arachis pintoi					C12 - C30							
Arachnothryx leucophylla					C12 - C30							
Aralia bipinnata					C12 - C30							
Aralia californica					C12 - C30							
Aralia elata					C12 - C30							
Aralia racemosa	*	D4 - D200	D3 - D200	C3 - C200	C6 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC1M	1M - 100M
Aralia spinosa					C12 - C30							
Aranea avicularia	† *	D9 - D200	D6 - D200	C4 - C200	C4 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
Aranea cucurbitinus						C12 - C200	LM1 - LM50		Q1 - Q1		FC1M - FC10M	1M - 10M
Aranea diademata	† *	D9 - D200	D6 - D200	C6 - C200	C7 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q10	Q1 - Q10	FC1M - FC100M	1M - 100M
Aranea ixobola	† *	D30 - D200	D15 - D200	C6 - C200	C6 - C200	C12 - C30	LM2 - LM120	LM2 - LM30	Q1 - Q12	Q1 - Q12	FC1M - FC100M	1M - 100M
Aranea scinencia					C31 - C200	C31 - C200						1M - 10M
Araninum		D30 - D200	D15 - D200	C9 - C200	C10 - C200		LM2 - LM60	LM2 - LM30				1M - 100M
Araroba		D10 - D30	D10 - D30	C10 - C200	C10 - C200		LM1 - LM11	LM1 - LM11	Q1 - Q1	Q1 - Q1		1M - 10M
Arbutus andrachne					C9 - C200	C10 - C200		LM1 - LM6	LM1 - LM6			1M - 10M
Arbutus menziesii		D12 - D30	D12 - D30	C6 - C200	C7 - C200	C12 - C12	LM1 - LM12	LM1 - LM12	Q1 - Q1	Q1 - Q1		1M - 10M
Arctium lappa		D5 - D60	D3 - D60	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 100M
Arctostaphylos uva ursi		D6 - D200	D4 - D200	C3 - C200	C4 - C200		LM1 - LM18	LM1 - LM18				1M - 10M
Arctotheca populifolia						C12 - C200	LM1 - LM6		Q1 - Q1			1M - 1M
Arctotis arctooides					C12 - C200		LM1 - LM2					1M - 1M
Arctotis aspera						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 10M
Ardea cinerea						C12 - C200	LM1 - LM4		Q1 - Q12			1M - 50M
Ardea herodias					C7 - C200	C9 - C200						1M - 1M
Ardisia palmana					C12 - C30							
Ardisia solanacea					C12 - C200							
Arenaria grandiflora					C12 - C30							
Arenaria interpres						C12 - C200						1M - 10M
Arenaria montana					C12 - C200							
Argania spinosa					C12 - C200		LM1 - LM1					
Argemone					C9 - C200	C10 - C200						1M - 100M
Argentum amalganum	*	D10 - D200	C10 - C200				LM1 - LM60		Q1 - Q30		FC1M - FC10M	1M - 100M
Argentum arsenicosum	†† *			C10 - C200	C10 - C200		LM1 - LM12	LM1 - LM12	Q1 - Q9	Q1 - Q9	FC1M - FC10M	1M - 50M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Argentum boricum	*			C10 - C200	C10 - C200							
Argentum bromatum	† *					C12 - C200	LM1 - LM6		Q1 - Q13		FC1M - FC10M	1M - 1M
Argentum carbonicum	*			C15 - C200	C15 - C200						FC1M - FC10M	1M - 100M
Argentum chloratum	† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM17	LM1 - LM17	Q1 - Q14	Q1 - Q14	FC1M - FC10M	1M - 50M
Argentum colloidale	*	D12 - D30	D9 - D30	C6 - C200	C7 - C200							
Argentum cyanatum	†† *	D10 - D200	D10 - D200									
Argentum fluoratum	*					C12 - C200	LM1 - LM70		Q1 - Q30			1M - 1M
Argentum jodatum	† *			C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q14	Q1 - Q14	FC1M - FC50M	1M - 10M
Argentum metallicum	† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM60	LM1 - LM30	Q1 - Q12	Q1 - Q12	FC1M - FC100M	1M - 100M
Argentum nitricum	† *	D9 - D200	D8 - D200	C5 - C200	C6 - C200	C12 - C200	LM1 - LM90	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC50M	1M - 100M
Argentum oxydatum	† *			C10 - C200	C12 - C200							1M - 100M
Argentum phosphoricum	† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM56	LM1 - LM30	Q1 - Q15	Q1 - Q15	FC1M - FC10M	1M - 10M
Argentum silicicum	*					C12 - C200	LM1 - LM84					1M - 50M
Argentum sulfuratum	*					C12 - C200			Q1 - Q1	Q1 - Q1		1M - 1M
Argentum sulfuricum	† *	D10 - D200	D10 - D200			C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q16	Q1 - Q16	FC1M - FC10M	1M - 50M
Argininum monohydrochloricum		D5 - D30	D3 - D30	C2 - C200	C3 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Argiope bruennichi						C12 - C200	LM1 - LM30		Q1 - Q1			1M - 10M
Argon				C7 - C200	C9 - C200		LM2 - LM30	LM2 - LM30				1M - 50M
Arisaema dracontium				C6 - C200	C6 - C200		LM1 - LM36	LM1 - LM30				1M - 10M
Arisaema triphyllum	† *	D4 - D200	D2 - D200	C2 - C200	C3 - C200		LM1 - LM29	LM1 - LM29			FC1M - FC100M	1M - 100M
Aristea compressa				C12 - C30								
Aristolochia arborea				C12 - C200								
Aristolochia clematitis	† *	D12 - D200	D11 - D200	C6 - C200	C6 - C200	C12 - C200	LM1 - LM60	LM1 - LM30	Q1 - Q12	Q1 - Q12	FC1M - FC100M	1M - 100M
Aristolochia cymbifera	† *			C6 - C200	C9 - C200							1M - 1M
Aristolochia gigantea				C12 - C200								
Aristolochia rotunda	† *			C12 - C12								
Arizona Lava				C5 - C200	C6 - C200							1M - 10M
Armeria maritima				C12 - C200			LM1 - LM1					1M - 1M
Armoracia		D30 - D200	D15 - D200	C7 - C200	C9 - C200		LM1 - LM9	LM1 - LM9			FC1M - FC10M	1M - 10M
Arnaldoa macbrideana				C12 - C200								
Arnica montana	† *	D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q44	Q1 - Q30	FC1M - FC100M	1M - 100M
Arpophyllum giganteum				C12 - C200								
Arsenicum hydrogenisatum	†† *	D15 - D30	D15 - D30	C6 - C200	C9 - C200		LM2 - LM6	LM2 - LM6				1M - 10M
Arsenicum phosphoratum	†† *			C10 - C200	C12 - C200							1M - 100M
Arsenurum bromatum	†† *			C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q20	Q1 - Q20	FC1M - FC10M	1M - 100M
Arsenurum chloratum	†† *			C6 - C200	C7 - C200						FC1M - FC10M	1M - 100M
Arsenurum iodatum	†† *	D6 - D200	D4 - D200	C4 - C200	C4 - C200		LM1 - LM60	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC50M	1M - 100M
Arsenurum metallicum	†† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM2 - LM120	LM2 - LM30	Q1 - Q18	Q1 - Q18	FC1M - FC10M	1M - 10M
Arsenurum nitricum	†† *			C4 - C200	C5 - C200							1M - 100M
Arsenurum sulfuratum flavum	†† *	D10 - D30	D10 - D30	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30		1M - 100M
Arsenurum sulfuratum rubrum	† *			C10 - C200	C12 - C200		LM2 - LM18	LM2 - LM18				1M - 100M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Artemisia abrotanum		D2 - D200	D1 - D200	C1 - C200	C1 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q14	Q1 - Q14	FC1M - FC10M	1M - 100M
Artemisia absinthium		D10 - D200	D6 - D200	C3 - C200	C3 - C200	C12 - C200	LM1 - LM12	LM1 - LM12	Q1 - Q20	Q1 - Q20	FC1M - FC100M	1M - 100M
Artemisia cina		D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM40	LM1 - LM30	Q3 - Q30	Q3 - Q30	FC1M - FC10M	1M - 100M
Artemisia dracunculus				C12 - C200			LM1 - LM1					1M - 1M
Artemisia vulgaris		D4 - D200	D2 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q5	Q1 - Q5	FC1M - FC10M	1M - 50M
Arteriae Gl.		D12 - D200	D12 - D200									
Arthritis urica	*				C6 - C200	C6 - C200						1M - 10M
Arthropodium cirrhatum					C12 - C200							
Arthrostemma ciliatum					C12 - C30							
Arthrostemma parvifolia					C12 - C12							
Articulatio coxae Gl		D7 - D200	D6 - D200									
Articulatio genus Gl		D9 - D200	D6 - D200									
Articulationes intervertebrales cervicales Gl		D8 - D60	D7 - D60									
Articulationes intervertebrales lumbales Gl		D9 - D100	D7 - D100									
Arum maculatum	† *	D4 - D30	D2 - D30	C1 - C200	C2 - C200		LM1 - LM1	LM1 - LM1			FC1M - FC10M	1M - 50M
Aruncus vulgaris					C12 - C200							1M - 10M
Arundina graminifolia					C12 - C200							
Arundo donax						C12 - C200			Q1 - Q1			
Arundo mauretanica ex herba					C12 - C30							
Arundo mauritanica		D5 - D200	D4 - D200	C7 - C200	C9 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 100M
Asa foetida	*	D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM60	LM1 - LM30	Q1 - Q6	Q1 - Q6	FC1M - FC100M	1M - 100M
Asarum europaeum	*	D15 - D200	D15 - D200	C6 - C200	C6 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 100M
Asbest	†		D10 - D200			C12 - C200	LM1 - LM60		Q1 - Q1			1M - 100M
Ascariden Nos.	*	D12 - D200	D12 - D200	C6 - C200	C10 - C200						FC1M - FC100M	1M - 10M
Ascites Nos.	*	D30 - D200	D30 - D200									
Asclepias angustifolia					C12 - C30		LM1 - LM1					
Asclepias curassavica	†	D12 - D30	D12 - D30	C6 - C200	C6 - C200						FC1M - FC10M	1M - 1M
Asclepias incarnata	†				C6 - C200	C6 - C200	LM1 - LM1	LM1 - LM1				1M - 50M
Asclepias syriaca	†	D12 - D30	D12 - D30	C6 - C200	C6 - C200		LM1 - LM5	LM1 - LM5				1M - 10M
Asclepias tuberosa	† *	D15 - D200	D12 - D200	C6 - C200	C7 - C200	C12 - C30	LM1 - LM30	LM1 - LM30	Q1 - Q7	Q1 - Q7		1M - 1M
Asimina triloba					C6 - C200	C7 - C200	LM1 - LM30	LM1 - LM30				1M - 10M
Asparagus densiflorus					C12 - C12							
Asparagus officinalis		D9 - D200	D6 - D200	C6 - C200	C7 - C200		LM1 - LM18	LM1 - LM18				1M - 10M
Asparagus officinalis ex Herba						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 1M
Aspartamum					C3 - C200	C4 - C200	LM1 - LM1	LM1 - LM1				1M - 10M
Aspen (Bach flower)					C2 - C200	C2 - C200	LM1 - LM1	LM1 - LM1				1M - 10M
Aspergillus fumigatus (Allergen)	*	D12 - D30	D12 - D30	C6 - C200	C9 - C200							1M - 100M
Aspergillus niger	*	D15 - D200	D12 - D200	C6 - C200	C9 - C200		LM2 - LM118	LM2 - LM30			FC1M - FC50M	1M - 50M
Aspergillus oryzae	*				C6 - C10	C9 - C10						
Asphodeline lutea					C12 - C30							
Asphodelus aestivus					C12 - C30							

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Aspidosperma quebracho-blanco		D9 - D100	D5 - D100	C1 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30				1M - 50M
Aspidosperminum	†† *			C6 - C200	C7 - C200							1M - 1M
Asplenium trichomanes						C12 - C200	LM1 - LM1	LM1 - LM1				1M - 1M
Astacus		D9 - D200	D9 - D200	C4 - C200	C5 - C200	C12 - C200	LM1 - LM60	LM1 - LM30	Q1 - Q12	Q1 - Q12	FC1M - FC10M	1M - 100M
Astartea fascicularis				C12 - C30								
Asterias rubens		D12 - D200	D9 - D200	C4 - C200	C5 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 100M
Asthma bronchiale Nos.	*	D10 - D200	D9 - D200	C6 - C200	C7 - C200							1M - 1M
Astilbe chinensis				C12 - C200								1M - 1M
Astragalus exscapus				C10 - C200	C11 - C200		LM2 - LM2	LM2 - LM2				
Astragalus membranaceus		D9 - D200	D2 - D200	C1 - C200	C2 - C200							1M - 1M
Astragalus tragacantha		D9 - D200	D6 - D200									
Astrantia major var. rubra				C12 - C200								1M - 100M
Astrophytum capricorne				C12 - C12								
Astydamia latifolia				C12 - C30								
Asyneuma canescens				C12 - C200			LM1 - LM1					1M - 1M
Atenolol				C4 - C200	C2 - C200							1M - 10M
Athamanta oreoselinum				C3 - C200	C5 - C200							1M - 10M
Atheris squamigera				C6 - C200								1M - 1M
Atherom Nos.	*	D12 - D200	D12 - D200									
Athyrium filix-femina				C12 - C12								
Atrax robustus				C12 - C200	C12 - C200	C12 - C30	LM1 - LM8	LM1 - LM8	Q1 - Q18	Q1 - Q18		1M - 50M
Atrichum undulatum				C12 - C200								1M - 1M
Atriplex hortensis		D12 - D30	D12 - D30	C3 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				
Atropa bella-donna	† *	D4 - D200	D2 - D200	C4 - C200	C5 - C200	C12 - C200	LM1 - LM100	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Atropa belladonna var.lutea						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1	FC1M - FC10M	
Atropinum	†† *	D10 - D200	D10 - D200	C6 - C200	C6 - C200		LM1 - LM30	LM1 - LM30				1M - 50M
Atropinum sulfuricum	†† *	D9 - D200	D9 - D200	C3 - C200	C3 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 50M
Aubrieta deltoidea				C12 - C30								
Aulacomnium palustre				C12 - C200			LM1 - LM1					1M - 1M
Auri solutio colloidalis	*	D12 - D200	D9 - D200				LM2 - LM18	LM2 - LM18				
Auricularia auricula-judea				C12 - C12								
Aurum Kaliumcyanatum	†† *			C7 - C200			LM1 - LM60					1M - 1M
Aurum amalganum	† *			C10 - C200	C10 - C200		LM2 - LM18	LM2 - LM18				1M - 10M
Aurum arsenicosum	† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM2 - LM45	LM2 - LM30			FC1M - FC100M	1M - 100M
Aurum bromatum	*			C10 - C200	C12 - C200		LM2 - LM19	LM2 - LM19				1M - 100M
Aurum carbonicum	*					C12 - C200	LM1 - LM12	LM1 - LM12	Q1 - Q7	Q1 - Q7		1M - 100M
Aurum chloratum	† *	D10 - D200	D10 - D200	C4 - C200	C5 - C200		LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Aurum foliatum	*					C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1		1M - 100M
Aurum jodatum	† *	D10 - D200	D10 - D200	C12 - C200	C12 - C200		LM2 - LM18	LM2 - LM18			FC1M - FC100M	1M - 100M
Aurum metallicum	† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	0M - 100M
Aurum muriaticum kalinatum	*			C12 - C200	C12 - C200		LM2 - LM25	LM2 - LM25				1M - 100M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Aurum nitricum	*			C7 - C200	C8 - C200							1M - 100M
Aurum oxydatum	*					C12 - C200	LM1 - LM18		Q1 - Q6		FC1M - FC100M	1M - 100M
Aurum phosphoricum	*			C15 - C200	C15 - C200		LM2 - LM45	LM2 - LM30			FC1M - FC10M	1M - 100M
Aurum rubrum	*					C12 - C200			Q1 - Q8			1M - 10M
Aurum sulfuratum	† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM2 - LM35	LM2 - LM30	Q1 - Q24	Q1 - Q24	FC1M - FC100M	1M - 100M
Avena sativa		D0 - D200	D2 - D200	C2 - C200	C0 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC100M	1M - 100M
Averrhoa bilimbi						C12 - C200			Q1 - Q1			1M - 1M
Averrhoa carambola						C12 - C200	LM1 - LM1		Q1 - Q1		FC1M - FC10M	
Avicennia marina						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 10M
Aylostera fiebrigii				C12 - C12								
Azara dentata				C12 - C30								
Azara uruguayensis				C12 - C30								
Azima tetracantha				C12 - C200								1M - 1M
Azithromycinum	*			C4 - C200	C5 - C200							1M - 10M
Azolla caroliniana						C12 - C200			Q1 - Q1			
Azolla filiculoides						C12 - C200	LM1 - LM1		Q1 - Q1			
Azorella compacta				C12 - C12								
Azorina vidalii				C12 - C30								
BCG Vaccine	*	D30 - D30	D30 - D30	C7 - C200	C9 - C200		LM2 - LM59	LM2 - LM30				1M - 50M
BCG Vaccine 2	*	D12 - D30	D12 - D30	C6 - C200	C9 - C200							1M - 10M
BCG Vaccine 3	*	D12 - D200	D12 - D200	C6 - C200	C9 - C200							1M - 10M
BRSV + PI3 Vaccinum	*			C6 - C200	C9 - C200							1M - 1M
BTV Vacc.	*	D12 - D200	D12 - D200	C6 - C200	C9 - C200							
Baccharis sagittalis				C12 - C30								
Baccharis trimera				C12 - C200			LM1 - LM1					1M - 1M
Bacillium testinum	*			C31 - C200	C31 - C200		LM2 - LM30	LM2 - LM30				1M - 10M
Bacillus Dysenteriae (Bach)	*	D12 - D200	D10 - D200	C9 - C200	C9 - C200		LM2 - LM30	LM3 - LM30				1M - 50M
Bacillus Gärtnner Nos.	*	D9 - D200	D7 - D200	C5 - C200	C5 - C200		LM2 - LM30	LM3 - LM30				1M - 10M
Bacillus Morgan-Gärtnner (Paterson)	*			C9 - C200	C9 - C200		LM2 - LM30	LM2 - LM30				1M - 100M
Bacillus No.10 (Paterson)	*			C15 - C200	C15 - C200							1M - 10M
Bacillus No.7 (Paterson)	*			C15 - C200	C30 - C200							1M - 10M
Bacillus Proteus (Bach)	*	D10 - D200	D7 - D200	C6 - C200	C7 - C200		LM2 - LM30	LM2 - LM30				1M - 100M
Bacopa monnieri				C12 - C200			LM1 - LM24					
Bacterium Morgan Nos.	*	D9 - D200	D7 - D200	C9 - C200	C10 - C200		LM2 - LM30	LM2 - LM30				1M - 100M
Bacterium Morgan pure (Paterson)	*	D60 - D200	D30 - D200	C5 - C200	C6 - C200		LM3 - LM30	LM3 - LM30				1M - 100M
Bacterium acidophilus	*	D15 - D200	D12 - D200	C4 - C200	C5 - C200							1M - 10M
Bacterium coli Nos.	*	D9 - D200	D8 - D200	C8 - C200	C4 - C200			LM1 - LM30				1M - 100M
Bacterium pyocyanus Nos.	*	D15 - D200	D15 - D200	C30 - C200	C30 - C200							1M - 50M
Bacterium subtilis Nos.	*			C2 - C200	C3 - C200							1M - 10M
Bacteroides Nos.	*	D9 - D200	D7 - D200	C5 - C200	C5 - C200							1M - 10M
Bakterielle Vaginose-Impfstoff	*			C6 - C200	C9 - C200		LM1 - LM1	LM1 - LM1				1M - 1M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Bakterienkombination Atemwege				C3 - C200	C4 - C200							1M - 10M
Balantium antarcticum				C12 - C200			LM1 - LM1					
Balbisia verticillata				C12 - C30			LM1 - LM1					
Baldellia ranunculoides				C12 - C200								1M - 100M
Ballota acetabulosa				C12 - C30								
Ballota lanata				C3 - C200	C3 - C200							
Ballota nigra				C12 - C200			LM1 - LM1					
Balsamum peruvianum		D30 - D60	D30 - D60	C6 - C200	C7 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 10M
Bambusa arundinacea		D9 - D200	D7 - D200	C7 - C200	C9 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q35	Q1 - Q30	FC1M - FC100M	1M - 50M
Bang Nos.	*			C7 - C200	C7 - C200							1M - 50M
Banisteriopsis caapi		D15 - D200	D15 - D200	C6 - C200	C7 - C200	C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 50M
Banisteriopsis caapi ex cortice						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		
Banksia robur				C12 - C200			LM1 - LM1					1M - 10M
Banksia solandri						C12 - C200						1M - 10M
Banti Nos.	*	D12 - D30	D12 - D30									
Baptisia	†	D3 - D200	D1 - D200	C1 - C200	C2 - C200		LM1 - LM18	LM1 - LM18			FC1M - FC10M	1M - 100M
Barbarea rupicola				C12 - C200								
Barbula convoluta				C12 - C30								
Barium aceticum	† *	D6 - D100	D4 - D100	C3 - C200	C4 - C200		LM1 - LM18	LM1 - LM19	Q1 - Q3	Q1 - Q3		1M - 10M
Barium arsenicosum	†† *			C12 - C200	C12 - C200		LM2 - LM30	LM2 - LM30			FC1M - FC10M	1M - 100M
Barium bromatum	† *			C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6		1M - 100M
Barium bromicum	† *	D7 - D30	D6 - D30									
Barium carbonicum	† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Barium causticum	† *			C10 - C200	C10 - C200		LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 1M
Barium chloratum	† *	D4 - D200	D4 - D200	C3 - C200	C4 - C200		LM1 - LM120	LM1 - LM30	Q1 - Q24	Q1 - Q24	FC1M - FC100M	1M - 100M
Barium chloricum	*			C5 - C30	C6 - C30		LM1 - LM1	LM1 - LM1				
Barium fluoratum	*	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM2 - LM30	LM2 - LM30				1M - 100M
Barium hexafluorosilicicum	*					C12 - C30	LM1 - LM5	LM1 - LM5	Q1 - Q1	Q1 - Q1		
Barium jodatum	*	D10 - D200	D10 - D200	C6 - C200	C7 - C200		LM1 - LM60	LM1 - LM30	Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 100M
Barium lacticum	*			C5 - C200	C6 - C200							1M - 10M
Barium nitricum	† *			C5 - C200	C6 - C200		LM2 - LM30	LM2 - LM30			FC1M - FC10M	1M - 10M
Barium oxalicum	† *	D10 - D200	D10 - D200	C10 - C12	C10 - C12							1M - 1M
Barium oxalsuccinum	† *	D15 - D200	D12 - D200									
Barium oxydatum	*					C12 - C200	LM1 - LM24	LM1 - LM24	Q1 - Q5	Q1 - Q5		1M - 10M
Barium phosphoricum	† *	D9 - D200	D5 - D200	C3 - C200	C3 - C200		LM1 - LM120	LM1 - LM30	Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 50M
Barium picrinicum	*			C5 - C200	C6 - C200							FC1M - FC10M
Barium silicicum	*			C10 - C200	C10 - C200		LM1 - LM60	LM1 - LM30	Q1 - Q4	Q1 - Q4	FC1M - FC10M	1M - 100M
Barium succinicum	*			C10 - C200	C10 - C200							1M - 10M
Barium sulfuricum		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM33	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Bariumsulfid	††					C12 - C200			Q1 - Q1			1M - 100M
Bariumthiosulfat				C10 - C200	C10 - C200							1M - 100M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Barleria cristata				C12 - C200								1M - 1M
Barnadesia polyacantha				C12 - C30								
Barnardia japonica				C12 - C200								
Barosma crenulata		D15 - D30	D12 - D30	C6 - C200	C6 - C200		LM1 - LM6	LM1 - LM6				1M - 10M
Barringtonia asiatica						C12 - C200	LM1 - LM6		Q1 - Q1			1M - 100M
Basaliom Nosode				C6 - C200	C7 - C200							
Basalt				C10 - C200	C12 - C200		LM2 - LM120	LM2 - LM30				1M - 100M
Basella alba				C12 - C12								
Basilicum		D3 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM12	LM1 - LM12	Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 100M
Bassia scoparia				C12 - C30			LM1 - LM1					
Bauhinia acuminata						C12 - C200						1M - 1M
Bauhinia variegata			D1 - D6	C1 - C200			LM1 - LM1					1M - 1M
Bazzania trilobata				C12 - C30								
Beaucarnea recurvata						C12 - C200	LM1 - LM30					1M - 1M
Beech (Bach flower)				C2 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				
Beesia calthifolia				C12 - C12								
Begonia albopicta				C12 - C30								
Begonia chlorosticta				C12 - C12								
Begonia dregei				C12 - C30			LM1 - LM1					
Begonia foliosa				C12 - C30								
Begonia involucrata				C12 - C30								
Begonia maculata				C12 - C30								
Begonia minor				C12 - C12								
Begonia thelmae				C12 - C30								
Begonia tuberosa		D30 - D30	D30 - D30	C6 - C200	C7 - C200							1M - 10M
Begonia wrightiana				C12 - C12								
Beifuß (Allergen)				C6 - C200	C6 - C200							
Bellevalia paradoxa				C12 - C200			LM1 - LM1					
Bellevalia romana				C12 - C200			LM1 - LM1					1M - 1M
Bellis perennis		D0 - D200	D2 - D200	C2 - C200	C0 - C200	C12 - C200	LM1 - LM36	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
Beloperone guttata				C12 - C200			LM1 - LM1					1M - 1M
Benzanthracenum		D17 - D200	D17 - D200									
Benzin				C3 - C200	C4 - C200		LM1 - LM4	LM1 - LM4				1M - 1M
Benzin Super 95		D6 - D12	D5 - D12	C3 - C200	C4 - C200		LM1 - LM6	LM1 - LM6				1M - 50M
Benzinum dinitricum	† *	D20 - D200	D20 - D200	C6 - C200	C6 - C200		LM1 - LM18	LM1 - LM18				1M - 10M
Benzinum nitricum	†			C3 - C200	C4 - C200		LM1 - LM30	LM1 - LM30				1M - 1M
Benzochinon		D15 - D200	D10 - D200									
Benzoe resina			D15 - D30	D12 - D30	C6 - C200	C7 - C200						1M - 1M
Benzol	† *	D30 - D200	D30 - D200	C9 - C200	C10 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 1M
Benzpyren	†	D20 - D30	D18 - D30	C9 - C200	C10 - C200							1M - 1M
Berberis valdiviana				C12 - C30								

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Berberis vulgaris	† *	D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
Berchemia kulingensis				C12 - C200								
Berchemia racemosa				C12 - C200								
Bergenia ciliata				C12 - C200								1M - 1M
Berkheya multijuga				C12 - C30								
Berteroa incana				C12 - C30			LM1 - LM1					
Berteroa mutabilis				C12 - C30			LM1 - LM1					
Bertholletia excelsa						C12 - C200			Q1 - Q6		FC1M - FC10M	1M - 1M
Beryll						C12 - C200	LM1 - LM8	LM1 - LM8	Q1 - Q1	Q1 - Q1		1M - 1M
Beryllium arsenicosum	†† *					C12 - C200	LM1 - LM10	LM1 - LM10	Q1 - Q1	Q1 - Q1		1M - 100M
Beryllium bromatum	*			C3 - C200			LM1 - LM30					1M - 100M
Beryllium carbonicum	†			C10 - C200	C12 - C200		LM2 - LM22	LM2 - LM22				1M - 100M
Beryllium chloratum				C6 - C200	C7 - C200		LM2 - LM47	LM2 - LM30				1M - 100M
Beryllium fluoratum	† *					C12 - C200	LM1 - LM90	LM1 - LM30	Q1 - Q5	Q1 - Q5		1M - 100M
Beryllium iodatum	*		D12 - D12	C6 - C200			LM1 - LM12					1M - 100M
Beryllium lacticum	††			C6 - C200	C7 - C200							1M - 1M
Beryllium metallicum	† *	D60 - D200	D30 - D200	C10 - C200	C12 - C200		LM2 - LM30	LM2 - LM30			FC1M - FC50M	1M - 100M
Beryllium nitricum						C12 - C200	LM1 - LM18				FC1M - FC10M	1M - 10M
Beryllium oxydatum						C12 - C200	LM1 - LM18		Q1 - Q12			1M - 10M
Beryllium phosphoricum						C12 - C200	LM1 - LM17	LM1 - LM17	Q1 - Q15	Q1 - Q15	FC1M - FC10M	1M - 50M
Beryllium silicum	† *					C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q1	Q1 - Q1		1M - 50M
Beryllium sulfuricum	†† *					C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q7	Q1 - Q7		1M - 50M
Berzelia lanuginosa				C12 - C200			LM1 - LM1					1M - 10M
Bet.v. 1						C12 - C200			Q1 - Q9			1M - 1M
Beta vulgaris		D9 - D60	D5 - D60	C4 - C200	C5 - C200		LM1 - LM18	LM1 - LM18				1M - 1M
Beta vulgaris subsp. rapacea		D3 - D12	D2 - D12	C2 - C200	C2 - C200							1M - 10M
Betamethason	†† *		D12 - D30			C12 - C200	LM1 - LM1		Q1 - Q1			1M - 10M
Betonica officinalis		D12 - D30	D12 - D30	C6 - C200	C7 - C200	C12 - C30	LM1 - LM4	LM1 - LM4	Q1 - Q1	Q1 - Q1		1M - 1M
Betula alba		D3 - D200	D2 - D200	C2 - C200	C2 - C200	C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 50M
Betula pendula e foliis		D0 - D200	D4 - D200	C3 - C200	C0 - C200		LM1 - LM13	LM1 - LM13				1M - 1M
Bibio marci						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 1M
Bidens ferulifolia					C12 - C200		LM1 - LM1					1M - 1M
Bignonia capreolata					C12 - C200							1M - 1M
Bignonia magnifica					C12 - C30							
Bilharzia Nos.	*			C9 - C200	C9 - C200						FC1M - FC10M	1M - 100M
Bilirubinum		D15 - D200	D15 - D200									
Billardiera lehmanniana				C12 - C30								
Billbergia nutans				C12 - C12								
Biotinum		D12 - D200	D9 - D200									
Birke (Allergen)				C6 - C200	C6 - C200							1M - 1M
Bismarckia nobilis				C12 - C30								

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Bismutum amalganum	† *			C10 - C200	C10 - C200		LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 1M
Bismutum arsenicum	*			C10 - C200	C10 - C200		LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 50M
Bismutum carbonicum	*			C12 - C200	C12 - C200							1M - 10M
Bismutum chloratum	*			C6 - C200	C6 - C200							1M - 10M
Bismutum fluoratum	†† *					C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 50M
Bismutum jodatum	*					C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q7	Q1 - Q7		1M - 1M
Bismutum kalium iodatum						C12 - C200						1M - 1M
Bismutum metallicum	† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM2 - LM30	LM2 - LM30			FC1M - FC100M	1M - 100M
Bismutum oxydatum	*					C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q1	Q1 - Q1		1M - 10M
Bismutum phosphoricum	*					C12 - C200	LM1 - LM19	LM1 - LM19	Q1 - Q6	Q1 - Q6		1M - 100M
Bismutum silicicum	*					C12 - C200	LM1 - LM1		Q1 - Q8			1M - 50M
Bismutum subgallicum	† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 10M
Bismutum subnitricum	† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
Bismutum subsalicylicum	*			C10 - C200	C10 - C200							1M - 1M
Bismutum sulfuricum	*					C12 - C200	LM1 - LM15	LM1 - LM15	Q1 - Q3	Q1 - Q3	FC1M - FC10M	1M - 50M
Bison bison				C10 - C200	C10 - C200							1M - 1M
Bisoprolol		D4 - D12	D3 - D12	C2 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Bistorta affinis				C12 - C30								
Bitis arietans	††					C12 - C200	LM1 - LM30		Q1 - Q30		FC1M - FC100M	1M - 50M
Bitis atropos	††			C9 - C200								1M - 50M
Bitis caudalis	††					C12 - C200	LM1 - LM1		Q1 - Q5			1M - 50M
Bitis gabonica rhinoceros	††					C12 - C200	LM1 - LM5		Q1 - Q1			1M - 50M
Bitis nasicornis	††			C12 - C200		C12 - C200			Q1 - Q1			1M - 10M
Bitis parviocula	††			C6 - C200								1M - 100M
Bituminaria bituminosa				C12 - C30								
Bixa orellana						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		
Blackstonia perfoliata				C12 - C200								1M - 10M
Blakea gracilis				C12 - C30								
Blatta americana						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q3	Q1 - Q3		1M - 50M
Blatta orientalis		D4 - D200	D2 - D200	C1 - C200	C2 - C200		LM1 - LM45	LM1 - LM30			FC1M - FC10M	1M - 50M
Blechnum penna-marina				C12 - C30								
Bletilla striata				C12 - C200								
Blighia sapida				C12 - C200								1M - 1M
Blumenbachia hieronymi				C12 - C200								
Blysmus compressus				C12 - C30			LM1 - LM1					
Blütenpollen 1		D12 - D30	D9 - D30	C6 - C200	C6 - C200		LM2 - LM6	LM2 - LM6				1M - 10M
Blütenpollen 1 u 2				C6 - C200	C7 - C200		LM3 - LM6	LM3 - LM6				
Blütenpollen 2		D12 - D30	D9 - D30	C6 - C200	C7 - C200		LM2 - LM6	LM2 - LM6				1M - 10M
Boa constrictor adipis						C12 - C200	LM1 - LM60		Q1 - Q10		FC1M - FC10M	1M - 100M
Bocconia frutescens					C12 - C30		LM1 - LM1					
Boehmeria japonica				C12 - C200			LM1 - LM1					

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Boisduvalia densiflora				C12 - C200								1M - 1M
Boletus edulis	*					C12 - C200	LM1 - LM9	LM1 - LM9	Q1 - Q3	Q1 - Q3	FC1M - FC10M	1M - 10M
Boletus erythropus	*					C12 - C200	LM1 - LM6		Q1 - Q6		FC1M - FC10M	1M - 10M
Boletus satanas	† *					C12 - C200	LM1 - LM8	LM1 - LM8	Q1 - Q1	Q1 - Q1		1M - 10M
Boltonia asteroides				C12 - C30								
Bomarea edulis				C12 - C12								
Bombus pratorum						C12 - C200	LM1 - LM1		Q1 - Q3			1M - 50M
Bombyx mori				C7 - C200	C8 - C200						FC1M - FC100M	1M - 100M
Bombyx processionea		D15 - D200	D12 - D200	C7 - C200	C9 - C200	C12 - C30	LM1 - LM12	LM1 - LM12	Q1 - Q12	Q1 - Q12		1M - 50M
Bonasa umbellus						C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q1	Q1 - Q1	FC1M - FC50M	1M - 10M
Bonellia macrocarpa				C12 - C30								
Bonellia viridis			D12 - D200	C6 - C200								1M - 1M
Boophane disticha	† *					C12 - C200	LM1 - LM1		Q1 - Q1			1M - 50M
Borago officinalis		D3 - D200	D2 - D200	C2 - C200	C2 - C200	C12 - C200	LM1 - LM24	LM1 - LM24	Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 1M
Bordetella pertussis Nos.				C4 - C200	C4 - C200							
Borium bromatum	*					C12 - C200	LM1 - LM8		Q1 - Q1			1M - 10M
Borium carbonisatum						C12 - C200	LM1 - LM14		Q1 - Q6			1M - 10M
Borium oxydatum						C12 - C200	LM1 - LM12	LM1 - LM12	Q1 - Q13	Q1 - Q13		1M - 50M
Borium phosphoricum				C7 - C200		C12 - C200	LM1 - LM6		Q1 - Q2			1M - 100M
Borium silicatum						C12 - C200	LM1 - LM8		Q1 - Q1			1M - 1M
Boron				C10 - C200	C10 - C200		LM1 - LM36	LM1 - LM30	Q1 - Q12	Q1 - Q12	FC1M - FC10M	1M - 100M
Boronia crenulata				C12 - C30								
Borrelia Nos.	*	D12 - D200	D9 - D200	C4 - C200	C4 - C200		LM2 - LM120	LM2 - LM30			FC1M - FC100M	1M - 100M
Bos taurus						C12 - C200	LM1 - LM6		Q1 - Q1			1M - 100M
Boswellia sacra			D9 - D200	C2 - C200		C12 - C200	LM1 - LM18		Q1 - Q30		FC1M - FC100M	1M - 100M
Boswellia serrata		D6 - D200	D4 - D200	C4 - C200	C5 - C200		LM1 - LM120	LM1 - LM30				1M - 100M
Bothriechis schlegelii	††					C12 - C200	LM1 - LM9		Q1 - Q1			1M - 10M
Bothrops atrox	††					C12 - C200	LM1 - LM36		Q1 - Q3			1M - 50M
Bothrops columbiensis	††			C12 - C200		C12 - C200	LM1 - LM10		Q1 - Q1		FC1M - FC10M	1M - 50M
Bothrops diporus	††			C6 - C200								1M - 1M
Bothrops jararaca	††	D12 - D200	D12 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 50M
Bothrops lanceolatus	††	D12 - D200	D12 - D200	C7 - C200	C8 - C200		LM8 - LM60	LM8 - LM30			FC1M - FC10M	1M - 100M
Bothrops venezuelensis	††			C6 - C200			LM1 - LM1					1M - 1M
Botulismus Nos.	*	D12 - D200	D12 - D200	C7 - C200	C7 - C200		LM2 - LM120	LM2 - LM30				1M - 100M
Bougainvillea glabra						C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q1	Q1 - Q1		1M - 50M
Bouteloua gracilis				C12 - C200			LM1 - LM1					1M - 1M
Bouvardia ternifolia				C12 - C12								
Bovigrip.	*			C6 - C200			LM1 - LM30					
Bovilis IBR Marker	*			C10 - C200			LM1 - LM30					1M - 1M
Bovine Virusdiarrhoe-Mucosal Disease	*			C6 - C200			LM1 - LM30					
Bovista	† *	D12 - D200	D12 - D200	C6 - C200	C9 - C200	C12 - C200	LM1 - LM36	LM1 - LM30	Q1 - Q12	Q1 - Q12	FC1M - FC100M	1M - 50M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Bovista plumbea				C12 - C12								
Bowiea volubilis				C12 - C200			LM1 - LM1					1M - 10M
Bowkeria verticillata				C12 - C200								1M - 1M
Boykinia major				C12 - C200								1M - 1M
Brachychiton acerifolius				C12 - C30			LM1 - LM1					
Brachyglossis repanda		D12 - D200	D12 - D200	C4 - C200	C5 - C200		LM2 - LM18	LM2 - LM18				1M - 10M
Brachypelma smithi (Pili)						C12 - C200	LM1 - LM7		Q1 - Q6			1M - 10M
Brachypodium pinnatum				C12 - C30								
Brachythecium rutabulum				C12 - C200			LM1 - LM1					1M - 1M
Bradypus tridactylus						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 50M
Brasenia schreberi				C12 - C12								
Brasiliopuntia brasiliensis				C12 - C200								1M - 1M
Brassavola nodosa						C12 - C200	LM1 - LM8	LM1 - LM8	Q1 - Q1	Q1 - Q1		1M - 100M
Brassica campestris		D30 - D200	D30 - D200									
Brassica napus				C6 - C200	C7 - C200		LM1 - LM30	LM1 - LM30				1M - 10M
Brassica oleracea		D12 - D30	D12 - D30	C6 - C200	C7 - C200		LM1 - LM6	LM1 - LM6				1M - 10M
Brayera anthelmintica		D15 - D200	D12 - D200									
Brexia madagascariensis				C12 - C30								
Brillantaisia owariensis				C12 - C200			LM1 - LM1					1M - 1M
Brillux			D12 - D200									
Briza media				C12 - C30								
Bromazepamum	†† *			C4 - C200	C5 - C200		LM1 - LM18	LM1 - LM18				1M - 10M
Bromperidol	*			C6 - C200	C6 - C200		LM1 - LM6	LM1 - LM6				
Bromum	† *	D12 - D200	D10 - D200	C5 - C200	C6 - C200	C12 - C200	LM1 - LM90	LM1 - LM30	Q1 - Q18	Q1 - Q18	FC1M - FC100M	1M - 100M
Bronchi Gl		D12 - D200	D12 - D200									
Bronze				C10 - C200			LM1 - LM8		Q1 - Q1		FC1M - FC10M	1M - 10M
Brosimum gaudichaudii		D12 - D30	D12 - D30	C6 - C200	C7 - C200		LM1 - LM21	LM1 - LM21			FC1M - FC10M	1M - 1M
Brotizolam	*	D24 - D30	D24 - D30									
Broussonetia kazinoki				C12 - C30								
Browallia americana				C12 - C200								1M - 10M
Brownnea coccinea				C12 - C30								
Brucella melitense Nos.	*			C8 - C200	C8 - C200						FC1M - FC10M	1M - 10M
Brugmansia pittieri				C12 - C30			LM1 - LM1					
Brugmansia ssp.				C6 - C200								
Bruguiera gymnorhiza						C12 - C200						1M - 1M
Brunfelsia uniflora				C10 - C200	C12 - C200							1M - 10M
Brunia laevis				C12 - C200			LM1 - LM33					1M - 10M
Brunnera macrophylla				C12 - C200								
Bryonia	† *	D4 - D200	D2 - D200	C2 - C200	C2 - C200	C12 - C200	LM1 - LM60	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Bryonia alba	† *	D30 - D30	D12 - D30	C10 - C200	C12 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Bryonia verrucosa				C12 - C30								

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Bryophyllum		D4 - D200	D3 - D200	C3 - C200	C3 - C200	C12 - C200	LM1 - LM16	LM1 - LM16				1M - 100M
Bryum capillare				C12 - C200								
Bubo bubo omissus				C3 - C200			LM1 - LM1					1M - 10M
Bubo scandiacus						C12 - C200			Q1 - Q3			1M - 100M
Bubo virginianus				C8 - C200	C8 - C200							1M - 50M
Buche (Allergen)	*			C6 - C30	C6 - C30							
Buddleja davidii						C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q1	Q1 - Q10	FC1M - FC100M	1M - 100M
Buddleja globosa				C12 - C30								
Bufo	†	D12 - D200	D10 - D200	C10 - C200	C10 - C200		LM2 - LM60	LM2 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Bufo marinus	†			C15 - C200	C15 - C200	C12 - C12	LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1	FC1M - FC100M	1M - 50M
Bufonia perennis				C12 - C200								
Buglossoides purpurocaerulea				C12 - C200								
Bulbine asphodeloides				C12 - C30								
Bulbine frutescens				C12 - C200			LM1 - LM1					1M - 1M
Bunchosia armeniaca				C12 - C200			LM1 - LM1					
Bungarus fasciatus	††			C7 - C200	C8 - C200		LM2 - LM18	LM2 - LM18				1M - 10M
Bunias orientalis				C6 - C200	C7 - C200		LM1 - LM18	LM1 - LM18				1M - 1M
Bunium bulbocastanum				C12 - C30			LM1 - LM1					
Bupthalmum salicifolium				C12 - C12								
Bupleurum fruticosens				C12 - C30			LM1 - LM1					
Bupleurum fruticosum				C12 - C200			LM1 - LM1					1M - 1M
Bupropionum hydrochloricum	*	D4 - D6	D3 - D6									
Burchellia bubalina						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 1M
Burmeistera cyclostigmata				C12 - C200								1M - 1M
Buteo buteo				C4 - C200	C5 - C200		LM2 - LM11	LM2 - LM11				1M - 50M
Buteo jamaicensis				C10 - C200			LM2 - LM39					1M - 100M
Butachus leptochelys						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 10M
Butanthus australis	†					C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q18	Q1 - Q18		1M - 100M
Butia yatay				C12 - C30								
Butomus umbellatus				C12 - C200			LM1 - LM30					1M - 1M
Buxus sempervirens	†	D6 - D30	D4 - D30	C4 - C200	C5 - C200				Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 1M
Bystropogon canariensis				C12 - C30								
Cabomba aquatica				C12 - C30								
Cacao	†					C12 - C200	LM1 - LM12	LM1 - LM12	Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 50M
Cacatua Galerita				C6 - C200	C7 - C200							1M - 1M
Caccinia strigosa				C12 - C30								
Cactina	*			C6 - C200	C7 - C200							1M - 10M
Cadmium arsenicosum	††					C12 - C200	LM1 - LM27		Q1 - Q26			1M - 100M
Cadmium bromatum	†			C6 - C200	C7 - C200							1M - 1M
Cadmium carbonicum	†					C12 - C200	LM1 - LM9	LM1 - LM9	Q1 - Q1	Q1 - Q1		1M - 100M
Cadmium chloratum	†	D12 - D30	D12 - D30	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q12	Q1 - Q12		1M - 100M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Cadmium chromicum						C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q1	Q1 - Q1		
Cadmium fluoratum	††					C12 - C200	LM1 - LM32	LM1 - LM30	Q1 - Q29	Q1 - Q29	FC1M - FC10M	1M - 10M
Cadmium hydroxydatum						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 10M
Cadmium jodatum	†	D10 - D60	D9 - D60	C4 - C200	C5 - C200		LM1 - LM24	LM1 - LM24	Q1 - Q18	Q1 - Q18		1M - 50M
Cadmium metallicum	†	D12 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q8	Q1 - Q8	FC1M - FC1M	1M - 100M
Cadmium nitricum	†					C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q10	Q1 - Q10		1M - 50M
Cadmium oxalicum						C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q1	Q1 - Q1		1M - 1M
Cadmium oxydatum	†					C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q1	Q1 - Q1		1M - 100M
Cadmium phosphoricum	†			C10 - C200	C10 - C200		LM1 - LM24	LM1 - LM24	Q1 - Q18	Q1 - Q18		1M - 50M
Cadmium silicum	†					C12 - C200	LM1 - LM24	LM1 - LM24	Q1 - Q1	Q1 - Q1		1M - 1M
Cadmium sulfuratum	†					C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q18	Q1 - Q18		1M - 100M
Cadmium sulfuricum	†	D12 - D30	D12 - D30	C6 - C200	C7 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q10	Q1 - Q10	FC1M - FC10M	1M - 50M
Caesalpinia bonducella				C5 - C200	C6 - C200							1M - 50M
Caesium bromatum	*					C12 - C200	LM1 - LM1		Q1 - Q1			1M - 100M
Caesium carbonicum						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 100M
Caesium chloratum		D15 - D200	D15 - D200	C12 - C200	C12 - C200							1M - 100M
Caesium fluoratum				C4 - C200	C5 - C200							1M - 100M
Caesium hydroxydatum				C4 - C200	C4 - C200							1M - 100M
Caesium iodatum	*					C12 - C200	LM1 - LM18		Q1 - Q1			1M - 50M
Caesium metallicum				C12 - C200	C15 - C200							1M - 100M
Caesium nitricum						C12 - C200	LM1 - LM22		Q1 - Q3			1M - 100M
Caesium phosphoricum		D5 - D12	D3 - D12	C4 - C200	C4 - C200							1M - 50M
Caesium sulfuricum						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 10M
Cainca		D9 - D30	D7 - D30	C6 - C200	C9 - C200							1M - 10M
Caiophora lateritia				C12 - C200			LM1 - LM1					1M - 1M
Cakile maritima				C12 - C30								
Calabar	† *	D15 - D200	D12 - D200	C3 - C200	C4 - C200		LM1 - LM30	LM1 - LM30				1M - 50M
Caladium seguinum	†	D6 - D200	D4 - D200	C3 - C200	C3 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 100M
Calamagrostis emodensis				C12 - C12								
Calandrinia balonensis				C12 - C200			LM1 - LM1					1M - 1M
Calandrinia compressa				C12 - C30								
Calanthe striata				C12 - C30								
Calathea burle-marxii				C12 - C12								
Calathea crotalifera				C12 - C200			LM1 - LM1					1M - 1M
Calathea varians				C12 - C200								
Calathea warscewiczii				C12 - C30								
Calathea zebrina				C12 - C30								
Calcarea calcinata		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM60	LM1 - LM30	Q1 - Q16	Q1 - Q16	FC1M - FC10M	1M - 100M
Calcarea helicis pomataiae						C12 - C200	LM1 - LM1		Q1 - Q7		FC1M - FC1M	1M - 100M
Calcarea ovi anseris						C12 - C200	LM1 - LM5	LM1 - LM5	Q1 - Q8	Q1 - Q8		1M - 100M
Calcarea ovi testae						C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q8	Q1 - Q8	FC1M - FC10M	1M - 10M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Calceolaria tripartita				C12 - C200			LM1 - LM1					1M - 1M
Calcitonin	*			C7 - C200	C8 - C200							1M - 50M
Calcium aceticum		D7 - D100	D4 - D100	C10 - C200	C10 - C200		LM1 - LM8	LM1 - LM8	Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 50M
Calcium arsenicosum	† *	D12 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM120	LM1 - LM30	Q1 - Q27	Q1 - Q27	FC1M - FC1M	1M - 100M
Calcium boracicum						C12 - C200	LM1 - LM8	LM1 - LM8	Q1 - Q1	Q1 - Q1		1M - 50M
Calcium bromatum	*	D6 - D200	D4 - D200	C3 - C200	C4 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q15	Q1 - Q15	FC1M - FC50M	1M - 50M
Calcium carbonicum Hahnemannii		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM120	LM1 - LM30	Q1 - Q60	Q1 - Q30	FC1M - FC100M	0M - 100M
Calcium causticum Segini		D30 - D200	D12 - D200	C10 - C200	C12 - C200		LM1 - LM18	LM1 - LM18			FC1M - FC1M	1M - 10M
Calcium chloratum		D5 - D200	D3 - D200	C10 - C200	C10 - C200		LM1 - LM45	LM1 - LM30	Q1 - Q18	Q1 - Q18	FC1M - FC10M	1M - 100M
Calcium chlorinatum	*	D5 - D6	D4 - D6	C3 - C200	C3 - C200		LM1 - LM6	LM1 - LM6				1M - 10M
Calcium chromicum	*					C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q10	Q1 - Q10		1M - 1M
Calcium citricum						C12 - C200	LM1 - LM12	LM1 - LM12	Q1 - Q1	Q1 - Q1		1M - 1M
Calcium fluoratum	† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM66	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Calcium formicicum	*			C5 - C12	C5 - C12							
Calcium fumaricum		D9 - D12	D6 - D12	C10 - C200	C8 - C200							1M - 1M
Calcium hypophosphoricum				C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 100M
Calcium iodatum	† *	D4 - D200	D3 - D200	C3 - C200	C4 - C200		LM1 - LM24	LM1 - LM24			FC1M - FC10M	1M - 50M
Calcium iodicum	† *	D12 - D200	D12 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q24	Q1 - Q24	FC1M - FC10M	1M - 10M
Calcium lacticum		D4 - D200	D4 - D200	C3 - C200	C3 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q15	Q1 - Q15		1M - 10M
Calcium nitricum				C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q20	Q1 - Q20	FC1M - FC10M	1M - 50M
Calcium oxalicum		D10 - D200	D10 - D200	C10 - C200	C10 - C200				Q1 - Q3	Q1 - Q3	FC1M - FC10M	1M - 10M
Calcium oxidatum ex marble		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM2 - LM9	LM2 - LM9				1M - 1M
Calcium phosphoricum		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM120	LM1 - LM30	Q2 - Q30	Q2 - Q30	FC1M - FC100M	1M - 100M
Calcium phosphoricum cornus e cervi		D10 - D200	D10 - D200			C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6		1M - 50M
Calcium phosphoricum ossae						C12 - C200	LM1 - LM18		Q1 - Q30		FC1M - FC10M	1M - 50M
Calcium picrinicum	† *	D30 - D200	D30 - D200			C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q5	Q1 - Q5	FC1M - FC1M	1M - 100M
Calcium salicylicum	*					C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 10M
Calcium selenicosum	† *					C12 - C200	LM1 - LM10	LM1 - LM10	Q1 - Q1	Q1 - Q1		1M - 1M
Calcium silicum		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM60	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Calcium stibiato-sulfuratum	*	D10 - D200	D10 - D200	C10 - C200	C10 - C200							1M - 10M
Calcium sulfuricum		D6 - D200	D6 - D200	C3 - C200	C3 - C200		LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Calculi biliarii Nos.	*	D15 - D200	D15 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30				1M - 10M
Calculi renales Nos.	*	D12 - D200	D10 - D200	C10 - C200	C10 - C200							1M - 10M
Calendula officinalis		D0 - D200	D1 - D200	C1 - C200	C0 - C200	C12 - C200	LM1 - LM39	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
Calibanus hookeri				C12 - C12								
Calicotome villosa				C12 - C200			LM1 - LM1					
Calla palustris				C12 - C30			LM1 - LM1					
Calliactis parasitica				C6 - C200			LM1 - LM3					1M - 100M
Calliandra surinamensis				C12 - C200			LM1 - LM1					1M - 1M
Callicarpa japonica				C12 - C200			LM1 - LM6					1M - 1M
Callicarpa longifolia				C12 - C30								

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
<i>Calliergonella cuspidata</i>				C12 - C30			LM1 - LM1					
<i>Calliphora vicina</i>						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 10M
<i>Callisia gentlei</i> var. <i>elegans</i>				C12 - C200								1M - 1M
<i>Callistemon citrinus</i>				C12 - C30			LM1 - LM1					
<i>Callistemon rigidus</i>				C12 - C200			LM1 - LM1					1M - 10M
<i>Calloselasma rhodostoma</i>	++			C12 - C200								1M - 10M
<i>Calluna vulgaris</i>		D5 - D100	D3 - D100	C2 - C200	C3 - C200		LM1 - LM18	LM1 - LM18			FC1M - FC10M	1M - 50M
<i>Calocedrus decurrens</i>				C12 - C12								
<i>Calocera viscosa</i>				C12 - C30								
<i>Calonyction album</i>				C15 - C200	C15 - C200							1M - 10M
<i>Calophyllum inophyllum</i>			D3 - D4	C2 - C200								1M - 50M
<i>Calopteryx splendens</i>				C15 - C200	C15 - C200							1M - 50M
<i>Caltha palustris</i>	*	D15 - D200	D12 - D200	C6 - C200	C7 - C200		LM1 - LM30	LM1 - LM30				1M - 10M
<i>Calvoa orientalis</i>				C12 - C30								
<i>Calycanthus occidentalis</i>				C12 - C200			LM1 - LM1					1M - 10M
<i>Calypte anna</i>				C9 - C200	C9 - C200							1M - 10M
<i>Calyptrogyne ghiesbreghtiana</i>				C12 - C30								
<i>Camaridium densum</i>				C12 - C30								
<i>Camassia quamash</i>				C12 - C200								1M - 1M
<i>Camelina sativa</i>				C12 - C30								
<i>Camellia sasanqua</i>				C12 - C200			LM1 - LM1					1M - 1M
<i>Campanula alliariifolia</i>				C12 - C30								
<i>Campanula cochleariifolia</i>				C12 - C12								
<i>Campanula coriacea</i>				C12 - C12								
<i>Campanula fenestrellata</i>				C12 - C30								
<i>Campanula glomerata</i>				C12 - C30								
<i>Campanula grossekii</i>				C12 - C12								
<i>Campanula portenschlagiana</i>				C12 - C30								
<i>Campanula rapunculoides</i>					C12 - C200	LM1 - LM12		Q1 - Q3				1M - 10M
<i>Campanula rotundifolia</i>				C12 - C200			LM1 - LM10					1M - 10M
<i>Campanula sarmatica</i>				C12 - C12								
<i>Campanula thyrsoides</i>				C12 - C30								
<i>Campanula trachelium</i>				C12 - C200								1M - 1M
<i>Campanula wanneri</i>				C12 - C30			LM1 - LM1					
<i>Camphora</i>		D1 - D200	D1 - D200	C1 - C200	C1 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
<i>Camphora monobromata</i>		D3 - D200	D1 - D200	C9 - C200	C10 - C200							1M - 10M
<i>Camphoricum acidum</i>				C9 - C200	C10 - C200							1M - 50M
<i>Campomanesia guaviroba</i>				C12 - C12								
<i>Campsis radicans</i>				C12 - C200			LM1 - LM1					1M - 1M
<i>Campylobacter jejuni</i> Nos.	*	D15 - D200	D12 - D200	C6 - C200	C7 - C200		LM2 - LM30	LM2 - LM30			FC1M - FC10M	1M - 10M
<i>Campylopus introflexus</i>				C12 - C30								

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Cananga odorata						C12 - C200						1M - 10M
Canarina canariensis				C12 - C30								
Candida albicans Nos.	*	D30 - D200	D30 - D200	C6 - C200	C9 - C200		LM2 - LM120	LM2 - LM30			FC1M - FC100M	1M - 100M
Candida parapsilosis	*	D12 - D200	D12 - D200	C6 - C200	C9 - C200						FC1M - FC100M	1M - 100M
Candida pseudo trop.	*			C31 - C200	C32 - C200							1M - 1M
Canella winterana				C12 - C200								1M - 1M
Canis mesomelas						C12 - C200	LM1 - LM8		Q1 - Q1		FC1M - FC10M	1M - 10M
Canna tuerckheimii				C12 - C30								
Cannabis indica	*	D30 - D200	D30 - D200	C12 - C200	C12 - C200		LM2 - LM90	LM3 - LM30			FC1M - FC100M	1M - 100M
Cannabis sativa	*			C12 - C200	C12 - C200		LM2 - LM50	LM2 - LM30			FC1M - FC10M	1M - 100M
Capparis spinosa				C12 - C200			LM1 - LM1					1M - 1M
Capra ibex						C12 - C200	LM1 - LM2	LM1 - LM2	Q1 - Q1	Q1 - Q1		1M - 100M
Capsella bursa-pastoris		D0 - D60	D2 - D60	C2 - C200	C0 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 50M
Capsicum annum		D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q18	Q1 - Q18	FC1M - FC100M	1M - 100M
Capsicum habanero						C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q1	Q1 - Q1		1M - 10M
Capsicum pubescens				C12 - C30								
Caragana arborescens				C12 - C30								
Carbamazepin	*			C6 - C200	C9 - C200							1M - 10M
Carbo animalis		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM45	LM1 - LM30	Q1 - Q24	Q1 - Q24	FC1M - FC100M	1M - 100M
Carbo lapideus						C12 - C200	LM1 - LM1		Q1 - Q1		FC1M - FC10M	1M - 10M
Carbo mineralis				C10 - C200	C10 - C200		LM1 - LM8	LM1 - LM8	Q1 - Q18	Q1 - Q18		1M - 50M
Carbo vegetabilis		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM63	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Carboneum dioxydatum			D30 - D30	C9 - C200			LM1 - LM20					1M - 50M
Carboneum hydrogenisatum				C6 - C200	C7 - C200							1M - 10M
Carboneum oxygenisatum		D9 - D200	D7 - D200	C7 - C200	C10 - C200							1M - 100M
Carboneum sulfuratum	†	D3 - D200	D3 - D200	C6 - C200	C7 - C200	C12 - C200	LM1 - LM36	LM1 - LM30	Q1 - Q6	Q1 - Q6	FC1M - FC100M	1M - 50M
Carboneum tetrabromatum	†† *			C4 - C200	C4 - C200							1M - 1M
Carboneum tetrachloratum	†† *			C7 - C200	C9 - C200							1M - 1M
Carboneum tetraiodatum	† *			C4 - C200	C4 - C200							1M - 1M
Carcinosinum (10T)	*			C39 - C200	C39 - C200							1M - 100M
Carcinosinum (3T)		D4 - D30	D5 - D30	C3 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Carcinosinum (58T)	*	D15 - D200	D12 - D200	C6 - C200	C6 - C200		LM2 - LM120	LM2 - LM30			FC1M - FC50M	1M - 100M
Carcinosinum colon		D4 - D30	D5 - D30	C3 - C200	C2 - C200		LM1 - LM18	LM1 - LM18				1M - 100M
Carcinosinum cum cuprum	*	D15 - D200	D12 - D200	C7 - C200	C9 - C200		LM2 - LM30	LM2 - LM30				1M - 100M
Carcinosinum mammae	*	D4 - D30	D5 - D30	C3 - C200	C2 - C200	C12 - C200	LM1 - LM45	LM1 - LM30			FC1M - FC100M	1M - 100M
Carcinosinum melanom		D4 - D30	D5 - D30	C3 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 100M
Cardamine pratensis				C4 - C200	C5 - C200							1M - 10M
Cardamomum		D15 - D30	D12 - D30	C6 - C200	C7 - C200		LM1 - LM6	LM1 - LM6				1M - 1M
Cardiandra moellendorffii				C12 - C30								
Cardiospermum halicacabum	*	D4 - D200	D2 - D200	C1 - C200	C2 - C200		LM1 - LM60	LM1 - LM30			FC1M - FC100M	1M - 100M
Carduelis carduelis						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 50M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
<i>Carduus benedictus</i>		D15 - D200	D12 - D200	C6 - C200	C7 - C200	C12 - C30	LM1 - LM1	LM1 - LM1	Q1 - Q3	Q1 - Q3	FC1M - FC10M	1M - 10M
<i>Carica papaya</i>		D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C12	LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1		1M - 100M
<i>Carissa bispinosa</i>						C12 - C200			Q1 - Q1			1M - 10M
<i>Carlina acaulis</i>		D6 - D200	D4 - D200			C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q1	Q1 - Q1		1M - 10M
<i>Carludovica palmata</i>				C12 - C200			LM1 - LM1					
<i>Carludovica rotundifolia</i>				C12 - C30								
<i>Carnegiea gigantea</i>						C12 - C200	LM1 - LM9	LM1 - LM9	Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 50M
<i>Carnithinum tartaricum</i>			D3 - D30	C2 - C200			LM1 - LM9					1M - 50M
<i>Carpanthea pomeridiana</i>				C12 - C200								1M - 1M
<i>Carpenteria californica</i>				C12 - C200								1M - 1M
<i>Carpinus betulus</i>		D3 - D200	D2 - D200	C2 - C200	C2 - C200							1M - 1M
<i>Carpinus betulus (Bach)</i>				C5 - C200	C5 - C200							
<i>Carpobrotus deliciosus</i>				C12 - C200			LM1 - LM11					1M - 1M
<i>Carpodetus serratus</i>				C12 - C30								
<i>Carrageen</i>				C10 - C200	C11 - C200							1M - 100M
<i>Carruanthus ringens</i>				C12 - C200								1M - 100M
<i>Carthamus lanatus</i>				C12 - C200			LM1 - LM1					1M - 1M
<i>Carthamus mitissimus</i>				C12 - C30			LM1 - LM1					
<i>Carthamus tinctorius</i>				C12 - C12								
<i>Carthartes aura</i>				C7 - C200	C9 - C200							1M - 50M
<i>Cartilago</i>				C12 - C200	C12 - C200							1M - 10M
<i>Cartilago articularis (coxae) bovis Gl</i>		D9 - D30	D7 - D30									
<i>Cartilago articularis (genus) bovis Gl</i>		D7 - D30	D6 - D30									
<i>Carum carvi</i>		D15 - D200	D12 - D200	C10 - C200	C12 - C200		LM1 - LM9	LM1 - LM9			FC1M - FC10M	1M - 10M
<i>Carya alba</i>				C7 - C200	C9 - C200							1M - 1M
<i>Carya glabra</i>				C12 - C30								
<i>Cascabela thevetia</i>				C12 - C30								
<i>Cascara sagrada</i>		D12 - D200	D9 - D200	C6 - C200	C7 - C200		LM1 - LM3	LM1 - LM3				
<i>Casearia fasciculata</i>				C12 - C12								
<i>Cassine peragua</i>				C12 - C30								
<i>Castanea vesca</i>		D15 - D200	D12 - D200	C6 - C200	C7 - C200		LM1 - LM34	LM1 - LM30				1M - 100M
<i>Castanea vesca Fuckerti</i>				C6 - C30								
<i>Castanea vesca flores</i>				C6 - C200								
<i>Castilleja elmeri</i>				C12 - C12								
<i>Castor equi</i>		D5 - D200	D3 - D200	C2 - C200	C3 - C200	C12 - C30	LM1 - LM30	LM1 - LM30	Q1 - Q9	Q1 - Q9	FC1M - FC1M	1M - 100M
<i>Castoreum</i>		D6 - D30	D4 - D30	C10 - C200	C12 - C200		LM1 - LM45	LM1 - LM30			FC1M - FC10M	1M - 1M
<i>Catalpa bignonioides</i>				C12 - C200			LM1 - LM1					
<i>Catananche caerulea</i>				C12 - C30								
<i>Cataracta senilis Nos.</i>	*	D15 - D200	D12 - D200	C7 - C200	C9 - C200							1M - 10M
<i>Cataria nepeta</i>						C12 - C200	LM1 - LM12		Q1 - Q1			1M - 100M
<i>Catechol</i>		D9 - D12	D7 - D12	C4 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				1M - 50M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Catechu				C6 - C200	C7 - C200							1M - 1M
Catha edulis	*					C12 - C200						1M - 1M
Catharanthus roseus	*					C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q1	Q1 - Q1		1M - 50M
Cattleya intermedia				C12 - C12								
Caulerpa taxifolia						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 1M
Caulophyllum thalictroides		D3 - D200	D1 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM56	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
Causticum Hahnemanni		D9 - D200	D5 - D200	C3 - C200	C3 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q32	Q1 - Q30	FC1M - FC100M	0M - 100M
Cautleya spicata				C12 - C200								1M - 1M
Cavendishia limonensis				C12 - C30								
Cavendishia quereme				C12 - C30								
Ceanothus americanus		D7 - D200	D4 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM60	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 50M
Cecropia mexicana		D15 - D30	D15 - D30	C6 - C200	C7 - C200		LM1 - LM18	LM1 - LM18				1M - 10M
Cedronella canariensis				C12 - C30			LM1 - LM1					
Cefaclor	*			C6 - C200	C7 - C200							1M - 10M
Cefixim	*			C3 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Ceiba pentandra						C12 - C200						1M - 1M
Celastrus orbiculatus				C12 - C30								
Celastrus paniculatus						C12 - C200			Q1 - Q1	Q1 - Q1		
Celosia argentea				C12 - C200								1M - 1M
Celosia spicata				C12 - C200								
Celtis occidentalis				C12 - C12								
Cement						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q6	Q1 - Q6		
Centaurea cyanus		D30 - D30	D12 - D30	C6 - C200	C7 - C200							1M - 10M
Centaurea tagana				C36 - C200								1M - 10M
Centaurium		D9 - D30	D6 - D30	C2 - C200	C6 - C200		LM1 - LM120	LM1 - LM30				1M - 1M
Centaury (Bachblüten)				C7 - C200	C9 - C200							1M - 1M
Centella asiatica	*	D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C30	LM1 - LM60	LM1 - LM30	Q1 - Q3	Q1 - Q3	FC1M - FC10M	1M - 100M
Centranthus ruber				C12 - C200			LM1 - LM1					1M - 1M
Centropogon granulosus			D1 - D6	C1 - C200			LM1 - LM1					1M - 1M
Centrosema plumieri						C12 - C30			Q1 - Q1			
Cepaea hortensis				C4 - C200			LM1 - LM8					1M - 50M
Cephalandra indica		D6 - D30	D4 - D30	C3 - C200	C4 - C200							1M - 1M
Cephalanthus occidentalis				C12 - C200			LM1 - LM1					1M - 10M
Cephalaria gigantea				C12 - C200								
Cephalaria uralensis				C12 - C200			LM1 - LM5					1M - 1M
Cera apium						C12 - C200	LM3 - LM5	LM3 - LM5	Q1 - Q3	Q1 - Q3	FC1M - FC10M	1M - 10M
Cerastes cerastes	++					C12 - C200	LM1 - LM30		Q1 - Q12		FC1M - FC10M	1M - 100M
Cerastium boissierianum				C12 - C200			LM1 - LM18					1M - 1M
Cerastoderma edule						C12 - C200						1M - 50M
Cerato (Bachflower)				C2 - C200	C2 - C200		LM1 - LM6	LM1 - LM6				1M - 10M
Ceratodon purpureus				C12 - C200								

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Ceratonia siliqua						C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q1	Q1 - Q1		1M - 10M
Ceratopetalum gummiferum				C12 - C200								
Ceratophyllum demersum						C12 - C200	LM1 - LM6		Q1 - Q5			1M - 1M
Ceratostigma plumbaginoides				C12 - C200			LM1 - LM1					1M - 1M
Ceratostigma willmottianum				C12 - C200			LM1 - LM6					1M - 1M
Ceratotheca triloba				C12 - C30			LM1 - LM1					
Cerbera manghas				C12 - C12								
Cercidiphyllum japonicum				C12 - C30			LM1 - LM1					
Cercis canadensis				C12 - C200								
Cercis siliquastrum				C12 - C200								1M - 1M
Cerebellum Gl		D7 - D30	D6 - D30	C5 - C200	C6 - C200							1M - 10M
Cerebrum				C7 - C200	C9 - C200							1M - 1M
Cereus bonplandii				C6 - C200	C7 - C200		LM1 - LM12	LM1 - LM12			FC1M - FC10M	1M - 100M
Cereus serpentinus				C10 - C200	C12 - C200		LM1 - LM22	LM1 - LM22			FC1M - FC10M	1M - 100M
Cerinthe minor				C12 - C200			LM1 - LM1					
Ceriops tagal						C12 - C200						1M - 1M
Cerium arsenicosum	++ *					C12 - C200	LM1 - LM8		Q1 - Q4			1M - 50M
Cerium bromatum	*					C12 - C200	LM1 - LM12		Q1 - Q3			1M - 50M
Cerium carbonicum						C12 - C200	LM1 - LM30		Q1 - Q12			1M - 50M
Cerium causticum						C12 - C200			Q1 - Q3			1M - 50M
Cerium chloratum	+					C12 - C200	LM1 - LM42		Q1 - Q6			1M - 100M
Cerium fluoratum	*					C12 - C200	LM1 - LM18		Q1 - Q3			1M - 10M
Cerium iodatum	*					C12 - C200	LM1 - LM30		Q1 - Q3			1M - 10M
Cerium lacticum						C12 - C200	LM1 - LM6		Q1 - Q6			1M - 10M
Cerium metallicum						C12 - C200	LM1 - LM40		Q1 - Q30		FC1M - FC100M	1M - 100M
Cerium nitricum						C12 - C200	LM1 - LM18		Q1 - Q6			1M - 10M
Cerium oxalicum	† *					C12 - C200	LM1 - LM16		Q1 - Q3			1M - 100M
Cerium oxydatum						C12 - C200	LM1 - LM48		Q1 - Q3			1M - 100M
Cerium phosphoricum						C12 - C200	LM1 - LM30		Q1 - Q11			1M - 50M
Cerium silicicum						C12 - C200	LM1 - LM12		Q1 - Q6			1M - 50M
Cerium sulfuricum						C12 - C200	LM1 - LM30		Q1 - Q6			1M - 50M
Ceropegia ampliata				C12 - C30								
Ceropegia dichotoma				C12 - C200								
Cerrophidion godmani	++			C6 - C200								1M - 1M
Cervisia						C12 - C200	LM1 - LM1		Q1 - Q2			1M - 10M
Cervixpolyp Nos.	*	D12 - D200	D12 - D200									
Cervus elaphus						C12 - C200	LM1 - LM10	LM1 - LM10	Q1 - Q1	Q1 - Q1		1M - 100M
Cestrum elegans				C12 - C12								
Cestrum nocturnum				C12 - C200			LM1 - LM2					1M - 1M
Ceterach officinarum				C6 - C200								1M - 10M
Cetirizinum		D5 - D6	D4 - D6	C3 - C30	C4 - C30		LM1 - LM1	LM1 - LM1				

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Cetraria islandica	*	D12 - D100	D12 - D100	C6 - C200	C9 - C200		LM1 - LM30	LM1 - LM30				1M - 10M
Chaenomeles cathayensis				C12 - C30								
Chaenomeles speciosa				C12 - C30			LM1 - LM1					
Chaenorhinum organifolium				C12 - C30								
Chaenorhinum rubrifolium				C12 - C30								
Chærophyllum aureum				C12 - C30			LM1 - LM1					
Chalcedonum						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 1M
Chalybs nobilis						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q3	Q1 - Q3		1M - 10M
Chamaebatiria millefolium				C12 - C200								1M - 1M
Chamaedorea cataractarum				C12 - C30								
Chamaedorea costaricana				C12 - C30								
Chamaedorea geonomiformis				C12 - C200			LM1 - LM1					1M - 10M
Chamaedrys				C4 - C200	C5 - C200							1M - 1M
Chamaeleon				C6 - C200	C7 - C200							1M - 10M
Chamaemelum nobile						C12 - C200	LM1 - LM12	LM1 - LM12	Q1 - Q12	Q1 - Q12		1M - 100M
Chamaerops humilis				C12 - C200								1M - 10M
Chaparra amargosa		D12 - D30	D12 - D30	C7 - C200	C9 - C200							1M - 10M
Chara intermedia				C60 - C200	C60 - C200							1M - 100M
Charadrius vociferus						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 1M
Chasmanthera dependens				C12 - C200								1M - 10M
Chasmanthium latifolium				C12 - C12								
Cheiracanthium punctatum						C12 - C200	LM1 - LM24		Q1 - Q3			1M - 10M
Cheiridopsis denticulata				C12 - C30								
Cheiridopsis speciosa				C12 - C200								1M - 1M
Cheirolophus arbutifolius				C12 - C30								
Chelidonium majus	† *	D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM100	LM1 - LM30	Q1 - Q31	Q1 - Q30	FC1M - FC100M	1M - 100M
Chelmon rostratus						C12 - C200						1M - 10M
Chelone glabra		D15 - D30	D15 - D30	C12 - C200	C12 - C200							1M - 10M
Chenopodium ambrosoides var. ambrosoides						C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1		1M - 100M
Chenopodium anthelminticum		D4 - D30	D3 - D30	C6 - C200	C7 - C200		LM1 - LM24	LM1 - LM24				1M - 10M
Chenopodium bonus henricus				C12 - C200			LM1 - LM1					1M - 10M
Chenopodium capitatum				C12 - C30			LM1 - LM1					
Chenopodium foliosum				C12 - C30			LM1 - LM1					
Chenopodium glaucum				C12 - C30								
Chenopodium quinoa				C12 - C30			LM1 - LM1					
Chestnut bud (Bach flower)				C2 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Chicory (Bach flower)				C2 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Chimaphila umbellata		D0 - D200	D1 - D200	C1 - C200	C0 - C200		LM1 - LM30	LM1 - LM30				1M - 100M
Chimonanthus praecox				C12 - C30								
China boliviiana		D12 - D200	D12 - D200	C6 - C200	C7 - C200		LM1 - LM18	LM1 - LM18				1M - 50M
Chinhydrorum		D15 - D200	D15 - D200	C7 - C200	C9 - C200							

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Chinidinum	† *	D12 - D12	D12 - D12			C12 - C200						
Chininum	*			C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q5	Q1 - Q5	FC1M - FC100M	1M - 1M
Chininum arsenicosum	++	D7 - D200	D5 - D200	C3 - C200	C4 - C200		LM1 - LM90	LM1 - LM30	Q1 - Q12	Q1 - Q12	FC1M - FC10M	1M - 100M
Chininum ferro-citricum		D30 - D30	D30 - D30	C6 - C200	C6 - C200		LM1 - LM6	LM1 - LM6				1M - 10M
Chininum hydrobromicum	*			C6 - C200	C6 - C200							1M - 10M
Chininum hydrochloricum	† *	D12 - D30	D12 - D30	C6 - C200	C7 - C200		LM1 - LM18	LM1 - LM18	Q1 - Q17	Q1 - Q17		1M - 10M
Chininum jodatum	† *			C6 - C200	C6 - C200		LM1 - LM6	LM1 - LM6				1M - 1M
Chininum phosphoricum	*	D10 - D30	D10 - D30	C10 - C200	C10 - C200		LM1 - LM70	LM1 - LM30	Q1 - Q28	Q1 - Q28	FC1M - FC10M	1M - 10M
Chininum salicylicum	† *	D12 - D30	D12 - D30	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1		1M - 10M
Chininum sulfuricum	*	D4 - D200	D2 - D200	C3 - C200	C3 - C200		LM1 - LM18	LM1 - LM18	Q1 - Q21	Q1 - Q21	FC1M - FC1M	1M - 100M
Chionanthus virginicus		D4 - D30	D2 - D30	C6 - C200	C7 - C200		LM1 - LM29	LM1 - LM29			FC1M - FC1M	1M - 10M
Chirita sclerophylla				C12 - C200								
Chironex fleckeri				C10 - C200	C11 - C200							1M - 100M
Chlamydia pneumoniae Nos.	*	D15 - D200	D12 - D200									
Chlamydia psittaci Nos.	*			C15 - C200	C30 - C200							1M - 50M
Chlamydia trachealis Nos.				C10 - C200	C12 - C200							1M - 10M
Chlamydia trachomatis Nos.	*	D15 - D200	D12 - D200	C10 - C200	C12 - C200							1M - 50M
Chlamydosaurus kingii						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q7	Q1 - Q7		1M - 1M
Chloralum hydratum	† *	D6 - D200	D5 - D200	C6 - C200	C6 - C200	C12 - C30	LM1 - LM24	LM1 - LM24	Q1 - Q9	Q1 - Q9	FC1M - FC1M	1M - 50M
Chloramphenicolum	*			C6 - C200	C6 - C200							1M - 1M
Chloranthus elatior				C12 - C200			LM1 - LM1					
Chloranthus spicatus				C12 - C30								
Chloroformium	† *	D12 - D30	D12 - D30	C10 - C200	C10 - C200		LM1 - LM18	LM1 - LM18			FC1M - FC100M	1M - 10M
Chlorophyllinum		D6 - D200	D4 - D200	C6 - C200	C7 - C200		LM1 - LM6	LM1 - LM6				1M - 100M
Chlorophytum comosum						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 1M
Chlorophytum nepalense				C12 - C30								
Chloroquinum diphosphoricum	† *	D6 - D200	D5 - D200	C4 - C200	C5 - C200		LM1 - LM10	LM1 - LM10				1M - 10M
Chlorpromazinum	† *	D30 - D30	D15 - D30	C7 - C200	C7 - C200		LM1 - LM12	LM1 - LM12				1M - 50M
Chlorpromazinum hydrochloricum	++ *			C6 - C200	C6 - C200		LM1 - LM1	LM1 - LM1			FC1M - FC10M	
Chlorpropham		D4 - D12	D2 - D12	C1 - C200	C2 - C200							1M - 1M
Chlorum		D15 - D200	D15 - D200	C7 - C200	C9 - C200		LM2 - LM30	LM2 - LM30			FC1M - FC100M	1M - 50M
Chocolate		D12 - D200	D10 - D200			C12 - C200	LM1 - LM90	LM1 - LM30	Q1 - Q9	Q1 - Q9		1M - 100M
Choisya ternata				C12 - C30								
Cholecalciferolum		D7 - D200	D6 - D200	C3 - C200	C4 - C200							1M - 10M
Cholecystitis Nos.	*	D10 - D200	D10 - D200									
Cholera Nos.	*	D30 - D200	D30 - D200	C6 - C200	C7 - C200							1M - 10M
Cholesterolum		D5 - D200	D3 - D200	C2 - C200	C3 - C200		LM1 - LM45	LM1 - LM30				1M - 10M
Chondrilla chondrilloides				C12 - C200								1M - 10M
Chondrodendron	†	D4 - D100	D2 - D100	C1 - C200	C2 - C200		LM1 - LM18	LM1 - LM18			FC1M - FC1M	1M - 100M
Chondrosarkominum deg. Nos.	*	D12 - D200	D12 - D200									
Chondrosia reniformis				C6 - C200			LM1 - LM1					1M - 10M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Christella subpubescens				C12 - C30								
Chromium arsenicosum	†† *					C12 - C200	LM1 - LM6		Q1 - Q4			1M - 50M
Chromium bromatum	*			C6 - C200	C6 - C200							1M - 1M
Chromium carbonicum	*					C12 - C200	LM1 - LM12	LM1 - LM12				1M - 100M
Chromium chloratum	† *			C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q8	Q1 - Q8		1M - 1M
Chromium fumaricum	*					C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		
Chromium iodatum	*			C7 - C200	C9 - C200						FC1M - FC100M	1M - 1M
Chromium metallicum	† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM31	LM1 - LM30	Q1 - Q12	Q1 - Q12		1M - 50M
Chromium nitricum	*					C12 - C200	LM1 - LM12	LM1 - LM12				1M - 50M
Chromium oxydatum	*	D10 - D30	D10 - D30	C10 - C200	C10 - C200		LM1 - LM16	LM1 - LM16	Q1 - Q1	Q1 - Q1		1M - 100M
Chromium phosphoricum	*			C10 - C200	C10 - C200		LM1 - LM12	LM1 - LM12	Q1 - Q3	Q1 - Q3	FC1M - FC10M	1M - 10M
Chromium sulfuricum	*			C5 - C200	C6 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 50M
Chron. Colitis Nos.	*	D10 - D200	D9 - D200	C6 - C200	C7 - C200							1M - 1M
Chron. Cystitis u. Endometriose Nos.		D9 - D200	D7 - D200									
Chron. Ostitis Nos.	*	D12 - D200	D12 - D200	C7 - C200	C9 - C200							1M - 1M
Chron. Pulpitis Nos.	*	D7 - D200	D6 - D200									
Chron. Tonsillitis Nos.	*	D9 - D200	D6 - D200	C7 - C200	C9 - C200							1M - 10M
Chrysanthemum leucanthemum		D12 - D200	D12 - D200	C7 - C200	C7 - C200		LM1 - LM5	LM1 - LM5			FC1M - FC10M	1M - 10M
Chrysemys scripta elegans						C12 - C200	LM1 - LM12		Q1 - Q1		FC1M - FC100M	1M - 100M
Chrysokoll						C12 - C200	LM1 - LM1		Q1 - Q6		FC1M - FC50M	1M - 10M
Chrysophyllum oliviforme				C12 - C30								
Chrysopras						C12 - C200	LM1 - LM7		Q1 - Q1		FC1M - FC10M	1M - 100M
Chrysosplenium		D9 - D10	D6 - D10	C4 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				
Chrysosplenium davidianum				C12 - C200			LM1 - LM5					1M - 1M
Chrysothemis pulchella				C12 - C30								
Cichorium		D0 - D30	D1 - D30	C1 - C200	C0 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 100M
Cichorium spinosum				C12 - C200								1M - 1M
Ciconia ciconia				C12 - C200	C12 - C200		LM1 - LM9	LM1 - LM9				1M - 50M
Cicuta maculata	†			C2 - C200	C3 - C200		LM1 - LM18	LM1 - LM18				1M - 1M
Cicuta virosa	† *	D4 - D200	D2 - D200	C5 - C200	C6 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 100M
Cilastatin / Imipenem	*			C6 - C200								
Cimex lectularis		D30 - D200	D15 - D200	C12 - C200	C15 - C200							1M - 10M
Cimicifuga racemosa	† *	D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM60	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC1M	1M - 100M
Cinchona pubescens		D0 - D200	D1 - D200	C1 - C200	C0 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Cineraria maritima	†	D9 - D30	D7 - D30	C7 - C200	C7 - C200		LM1 - LM12	LM1 - LM12				1M - 10M
Cinnamomum verum		D30 - D30	D15 - D30	C6 - C200	C7 - C200		LM1 - LM30	LM1 - LM30				1M - 10M
Cipadessa baccifera				C12 - C200								1M - 1M
Ciprofloxacinum hydrochloricum	†† *	D8 - D30	D6 - D30	C4 - C200	C4 - C200		LM1 - LM6	LM1 - LM6				1M - 10M
Circaeae lutetiana			D15 - D30	C6 - C200								1M - 10M
Cirsium arvense		D30 - D200	D30 - D200									
Cissus erosa				C12 - C200			LM1 - LM1					1M - 10M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Cissus quadrangularis						C12 - C200	LM1 - LM1		Q1 - Q1			
Cistanthe grandiflora				C12 - C200								1M - 1M
Cistus canadensis		D30 - D200	D15 - D200	C9 - C200	C10 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC1M	1M - 100M
Cistus creticus				C12 - C200			LM1 - LM1					1M - 1M
Cistus incanus		D9 - D200	D5 - D200	C4 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Cistus psilosepalus				C12 - C12								
Cistus salviifolius				C12 - C30								
Citalopramhydrobromid	*	D6 - D30	D6 - D30	C6 - C200	C6 - C200		LM1 - LM6	LM1 - LM6				
Citharexylum montevidense				C12 - C200								1M - 1M
Citrullinum		D6 - D6	D4 - D6	C3 - C30	C3 - C30							
Citrullus colocynthis	† *	D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM50	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
Citrullus lanatus						C12 - C200	LM1 - LM18	LM2 - LM18	Q1 - Q1	Q1 - Q1		1M - 10M
Citrus aurantium		D30 - D30	D30 - D30	C12 - C200	C12 - C200		LM1 - LM12	LM1 - LM12				1M - 50M
Citrus bergamia						C12 - C200	LM1 - LM5	LM1 - LM5	Q1 - Q1	Q1 - Q1		1M - 10M
Citrus decumana		D3 - D200	D1 - D200	C1 - C200	C2 - C200		LM1 - LM30	LM1 - LM30				
Citrus limonum		D30 - D30	D30 - D30	C6 - C200	C7 - C200		LM1 - LM30	LM1 - LM30				1M - 10M
Citrus paradisi (semen)		D5 - D6	D3 - D6	C4 - C200	C5 - C200							1M - 10M
Citrus reticulata						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 10M
Citrus sinensis						C12 - C200	LM1 - LM8		Q1 - Q1		FC1M - FC10M	1M - 1M
Cladanthus arabicus				C12 - C30								
Cladium mariscus				C12 - C30			LM1 - LM1					
Cladonia rangiferina	*			C6 - C200	C8 - C200						FC1M - FC100M	1M - 50M
Cladosporium herbarum (Allergen)	*	D12 - D60	D12 - D60	C6 - C200	C9 - C200							
Cladosporium mix. Nos.	*		D30 - D200									
Cladrastis platycarpa				C12 - C12								
Clarithromycin	*			C3 - C200	C4 - C200							
Clarkia rubicunda				C12 - C200			LM1 - LM1					
Clarkia unguiculata				C12 - C30								
Clathrina clathrus				C6 - C200								1M - 1M
Clavija pungens				C12 - C30								
Clavija weberbaueri				C12 - C200			LM1 - LM1					1M - 1M
Claytonia sibirica				C12 - C200								1M - 1M
Clematis (Bachblüten)				C2 - C200	C2 - C200		LM1 - LM1					1M - 50M
Clematis recta	*	D9 - D200	D7 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q17	Q1 - Q17	FC1M - FC50M	1M - 100M
Clematis vitalba	†	D12 - D30	D12 - D30	C6 - C200	C7 - C200		LM1 - LM18	LM1 - LM18				1M - 100M
Cleome hassleriana				C12 - C200								1M - 10M
Cleoserrata speciosa				C12 - C30			LM1 - LM1					
Clerodendrum bungei				C12 - C30			LM1 - LM1					
Clerodendrum trichotomum				C12 - C200			LM1 - LM1					1M - 1M
Clethra alnifolia				C12 - C200								1M - 1M
Clidemia novemnervia				C12 - C200			LM1 - LM1					1M - 1M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Climacium dendroides				C12 - C200								
Clindamycin	*			C3 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				
Clinopodium acinos				C12 - C12								
Clinopodium nepeta				C12 - C30			LM1 - LM1					
Clinopodium thymifolium				C12 - C12								
Clinopodium vulgare				C12 - C30			LM1 - LM1					
Clitocybe nebularis				C12 - C200								
Clitoria ternatea				C12 - C200			LM1 - LM1					1M - 1M
Clivia miniata						C12 - C200			Q1 - Q1			1M - 1M
Clostridium cadaveris Nos.	*	D12 - D200	D12 - D200	C5 - C200	C6 - C200							1M - 10M
Clostridium difficile Nos.	*	D15 - D200	D12 - D200	C4 - C200	C5 - C200							1M - 100M
Clostridium paraputreficum Nos.	*	D12 - D200	D12 - D200									
Clostridium perfringens Nos.	*			C15 - C200	C15 - C200							1M - 100M
Clostridium tertium Nos.	*	D9 - D200	D7 - D200	C4 - C200	C5 - C200							1M - 100M
Clothianidin		D6 - D30	D4 - D30	C3 - C30	C3 - C30							
Clotrimazolum	*		D12 - D30	C6 - C200			LM1 - LM18					1M - 10M
Clozapinum	† *	D10 - D12	D5 - D12									
Clusia minor				C12 - C200			LM1 - LM1					1M - 1M
Cneorum tricoccum				C12 - C200								1M - 1M
Cnidium silaifolium				C12 - C200								1M - 1M
Cobaea scandens				C12 - C200			LM1 - LM1					1M - 1M
Cobaltum arsenicosum	†† *					C12 - C200	LM1 - LM12	LM1 - LM12	Q1 - Q1	Q1 - Q1		1M - 50M
Cobaltum bromatum	*			C6 - C200	C6 - C200		LM2 - LM7	LM2 - LM7				1M - 1M
Cobaltum carbonicum	*					C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1		1M - 10M
Cobaltum chloratum	*					C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q18	Q1 - Q18		1M - 50M
Cobaltum fluoricum	*			C10 - C200	C10 - C200		LM1 - LM12	LM1 - LM12	Q1 - Q7	Q1 - Q7	FC1M - FC10M	1M - 1M
Cobaltum metallicum	*	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q7	Q1 - Q7	FC1M - FC10M	1M - 50M
Cobaltum nitricum	† *	D3 - D200	D3 - D200	C2 - C200	C4 - C200	C12 - C200	LM1 - LM24	LM1 - LM24	Q1 - Q9	Q1 - Q9	FC1M - FC10M	1M - 10M
Cobaltum oxydatum	† *					C12 - C200	LM1 - LM3	LM1 - LM3	Q1 - Q1	Q1 - Q1		1M - 10M
Cobaltum phosphoricum	*					C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q8	Q1 - Q8		1M - 10M
Cobaltum silicum	*					C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q4	Q1 - Q4		1M - 10M
Cobaltum sulfuricum	† *					C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q4	Q1 - Q4		1M - 50M
Coca Cola		D12 - D200	D12 - D200	C6 - C200	C6 - C200		LM1 - LM30	LM1 - LM30				1M - 1M
Coca Cola light				C6 - C200	C6 - C200							
Coccidia Nos.	*			C15 - C200	C15 - C200							1M - 1M
Coccinella septempunctata		D12 - D200	D12 - D200			C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q3	Q1 - Q3	FC1M - FC10M	1M - 100M
Coccinia palmata						C12 - C200			Q1 - Q1			1M - 1M
Coccocypselum hirsutum				C12 - C30								
Coccoloba pubescens				C12 - C200								1M - 1M
Cochlearia officinalis		D5 - D200	D3 - D200	C4 - C200	C4 - C200		LM1 - LM13	LM1 - LM13			FC1M - FC10M	1M - 10M
Cochliostema odoratissimum				C12 - C30								

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Coco nucifera						C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q3	Q1 - Q3		1M - 10M
Codeinum	† *			C30 - C200	C30 - C200		LM1 - LM70	LM1 - LM30				1M - 10M
Codeinum hydrochloricum	† *			C12 - C200	C12 - C200		LM1 - LM14	LM1 - LM14	Q1 - Q1	Q1 - Q1		1M - 10M
Codiaeum variegatum				C12 - C30								
Codonanthe crassifolia				C12 - C200								
Codonopsis clematidea				C12 - C200			LM1 - LM3					1M - 1M
Coelogyne pandurata				C6 - C200			LM1 - LM7					1M - 10M
Coffea arabica		D3 - D200	D1 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
Coffea tosta		D30 - D200	D15 - D200	C6 - C200	C7 - C200	C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q3	Q1 - Q3	FC1M - FC10M	1M - 50M
Coffeinum	†	D30 - D30	D30 - D30	C6 - C200	C7 - C200		LM1 - LM12	LM1 - LM12				1M - 50M
Coffeinum sodium salicylicum	† *	D9 - D30	D6 - D30	C2 - C200	C4 - C200							
Coix lacryma-jobi				C12 - C12								
Cola		D9 - D30	D5 - D30	C2 - C200	C3 - C200	C12 - C200	LM1 - LM40	LM1 - LM30	Q1 - Q18	Q1 - Q18	FC1M - FC100M	1M - 100M
Colchicinum	†† *	D9 - D200	D7 - D200	C5 - C200	C6 - C200		LM1 - LM9	LM1 - LM9	Q1 - Q6	Q1 - Q6		1M - 10M
Colchicum autumnale	† *	D4 - D200	D2 - D200	C2 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Coleonema album				C12 - C30								
Coleonema pulchellum				C12 - C12								
Coleus canina						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 10M
Colletia paradoxa				C12 - C200								1M - 1M
Collinsonia canadensis		D7 - D200	D5 - D200	C6 - C200	C7 - C200		LM1 - LM60	LM1 - LM30				1M - 100M
Collomia grandiflora				C12 - C200								
Colocasia antiquorum				C12 - C12								
Colon Gl		D7 - D200	D5 - D200									
Colostrum				C12 - C200	C12 - C200							1M - 10M
Colquhounia coccinea				C12 - C30								
Columba livia forma domestica						C12 - C200	LM1 - LM24	LM1 - LM24	Q1 - Q1	Q1 - Q1		1M - 50M
Columba palumba				C10 - C200	C11 - C200							1M - 50M
Columnea magnifica				C12 - C30								
Columnea purpurata				C12 - C200								
Colutea arborescens				C12 - C30								
Colvillea racemosa				C12 - C30								
Comanthosphae japonica				C12 - C12								
Combretum coccineum	*			C12 - C30								
Combretum laxum				C12 - C200								
Combretum paniculatum				C12 - C200			LM1 - LM1					1M - 1M
Commelina communis				C12 - C200			LM1 - LM30					1M - 1M
Commelina maccarenica						C12 - C200	LM1 - LM1		Q1 - Q1			
Commersonia densiflora				C12 - C200								1M - 1M
Comocladia dentata		D10 - D200	D9 - D200	C6 - C200	C7 - C200		LM1 - LM30	LM1 - LM30				1M - 50M
Comptonia peregrina				C12 - C30								
Conchiolinum		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM29	LM1 - LM29	Q1 - Q6	Q1 - Q6	FC1M - FC100M	1M - 100M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Coniinum	†† *			C7 - C200	C9 - C200							1M - 1M
Conium maculatum	† *	D5 - D200	D3 - D200	C2 - C200	C2 - C200	C12 - C200	LM1 - LM73	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	0M - 100M
Conjunctivitis Nos.	*			C6 - C200	C7 - C200							1M - 1M
Conocephalum salebrosum				C12 - C200								
Conostegia subcrustulata			D1 - D6	C1 - C200			LM1 - LM1					1M - 1M
Conostegia xalapensis				C12 - C30								
Consolida regalis				C12 - C200			LM1 - LM1					1M - 1M
Convallaria majalis	† *	D9 - D200	D6 - D200	C4 - C200	C5 - C200	C12 - C200	LM1 - LM36	LM1 - LM30	Q1 - Q9	Q1 - Q9	FC1M - FC10M	1M - 50M
Convolvulus arvensis						C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q10	Q1 - Q10	FC1M - FC100M	1M - 100M
Convolvulus cantabrica				C12 - C30			LM1 - LM1					
Convolvulus cneorum				C12 - C30								
Convolvulus oleifolius				C12 - C30								
Conyza canadensis		D6 - D30	D4 - D30	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC5M	1M - 100M
Copaiva		D30 - D200	D12 - D200	C6 - C200	C7 - C200	C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q12	Q1 - Q12	FC1M - FC10M	1M - 50M
Copernicia rigida				C12 - C30								
Copiapoa tecopillana				C12 - C12								
Coprinus comatus				C12 - C200								1M - 10M
Coprosma atropurpurea				C12 - C30								
Coprosma lucida				C12 - C30								
Coprosma virescens				C12 - C30								
Coptotermes formosanus						C12 - C200	LM1 - LM1		Q1 - Q3		FC1M - FC10M	1M - 100M
Cor bison		D3 - D200	D6 - D200	C4 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 100M
Cor bovis GI		D8 - D200	D7 - D200									
Cor dextrum GI		D12 - D60	D12 - D60									
Cor sinistrum GI		D12 - D60	D12 - D60									
Coragyps atratus						C12 - C200						1M - 50M
Corallium rubrum		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM18	LM1 - LM18	Q1 - Q12	Q1 - Q12	FC1M - FC100M	1M - 100M
Corchoropsis tomentosa				C12 - C30			LM1 - LM1					
Cordia eriostigma				C12 - C200								
Cordyceps sinensis	*			C6 - C200	C9 - C200							1M - 10M
Cordyline fruticosa				C12 - C30								
Coreopsis verticillata						C12 - C200			Q1 - Q1			1M - 1M
Coriandrum sativum		D6 - D30	D4 - D30	C1 - C200	C2 - C200		LM1 - LM24	LM1 - LM24				1M - 100M
Coriaria myrtifolia	†			C6 - C200	C6 - C200							
Corispermum nitidum				C12 - C30								
Cornus alba				C12 - C200			LM1 - LM4					
Cornus alcis						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 50M
Cornus alternifolia						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 10M
Cornus canadensis				C12 - C200								
Cornus controversa				C12 - C30			LM1 - LM1					
Cornus florida				C5 - C200	C6 - C200		LM1 - LM18	LM1 - LM18				1M - 10M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Cornus kousa				C12 - C200								1M - 1M
Cornus rugosa		D12 - D38	D12 - D38	C6 - C200	C7 - C200		LM1 - LM6	LM1 - LM6				1M - 10M
Cornus sanguinea				C12 - C200								1M - 1M
Cornus sericea				C12 - C200			LM1 - LM1					1M - 1M
Cornutia pyramidata				C12 - C200								1M - 1M
Corokia cotoneaster				C12 - C200								
Coronilla valentina				C12 - C30								
Corpus luteum	† *	D10 - D200	D9 - D200	C4 - C200	C4 - C200							1M - 10M
Corpus vitreum GI		D9 - D30	D7 - D30									
Correa decumbens				C12 - C12								
Correa reflexa				C12 - C200								
Corrigiola litoralis				C12 - C200			LM1 - LM1					
Corryocactus erectus				C12 - C200								
Cortaderia selloana				C12 - C200								1M - 10M
Corticosteronum	†† *			C6 - C200	C9 - C200							1M - 10M
Cortisonum	† *	D12 - D200	D12 - D200	C6 - C200	C9 - C200		LM1 - LM120	LM1 - LM30			FC1M - FC10M	1M - 100M
Cortisonum aceticum	† *	D12 - D200	D12 - D200	C6 - C200	C9 - C200		LM1 - LM6	LM1 - LM6				1M - 1M
Cortusa matthioli				C12 - C12								
Corundum					C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1			1M - 1M
Corvus corax principalis				C6 - C200	C7 - C200		LM1 - LM18	LM1 - LM18			FC1M - FC10M	1M - 1M
Corvus monedula					C12 - C200	LM2 - LM3	LM2 - LM3					1M - 50M
Corydalis cava		D12 - D12	D12 - D12	C6 - C200	C6 - C200		LM1 - LM30	LM1 - LM30				1M - 10M
Corydalis formosa		D12 - D12	D12 - D12	C6 - C200	C6 - C200		LM1 - LM11	LM1 - LM11				1M - 10M
Corylopsis spicata				C12 - C30			LM1 - LM1					
Corylus avellana		D12 - D60	D12 - D60	C6 - C200	C6 - C200		LM1 - LM24	LM1 - LM24				1M - 50M
Corynebacterium anaerobius Nos.	*	D9 - D200	D7 - D200	C7 - C200	C9 - C200							1M - 10M
Corynebacterium diphtheriae Nos.				C4 - C200	C4 - C200							
Corynocarpus laevigatus				C6 - C200								1M - 10M
Corytoplectus speciosus				C12 - C12								
Cosmos bipinnatus					C12 - C200	LM1 - LM1		Q1 - Q1				1M - 10M
Costus comosus				C12 - C200								1M - 1M
Costus dirzoi				C12 - C12								
Costus dubius				C12 - C30								
Costus lucanusianus				C12 - C12								
Costus scaber				C12 - C12								
Costus talbotii				C12 - C30								
Cotinus coggygria				C12 - C30			LM1 - LM1					
Cotoneaster glacialis				C12 - C30			LM1 - LM1					
Cotyledon umbilicus		D12 - D30	D12 - D30	C6 - C200	C7 - C200		LM1 - LM12	LM1 - LM12				1M - 50M
Couratari scottmorii				C12 - C30								
Couroupita guianensis				C12 - C200								

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Coussapoa microcarpa				C12 - C30								
Coussapoa nymphaeifolia				C12 - C30								
Coxsackie Nos. A2	*			C10 - C200	C12 - C200							1M - 50M
Coxsackie Nos. A7	*			C7 - C200	C9 - C200							1M - 50M
Coxsackie Nos. B1	*			C6 - C200	C7 - C200							1M - 50M
Coxsackie Nos. B3	*			C6 - C200	C7 - C200							1M - 50M
Coxsackie Nos. B4	*			C7 - C200	C9 - C200							1M - 50M
Coxsackie Nos. B5	*			C9 - C200	C9 - C200							1M - 50M
Coxsackie Nos. B6				C31 - C200	C32 - C200							1M - 50M
Crab apple (Bachblüten)				C6 - C200	C6 - C200							1M - 10M
Crambe cordifolia				C12 - C12								
Crangon crangon						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 10M
Crassula multicava				C12 - C12								
Crassula sarcocaulis				C12 - C12								
Crataegus		D0 - D200	D2 - D200	C2 - C200	C0 - C200	C12 - C200	LM1 - LM75	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
Crataeva tapia				C12 - C200		C12 - C30	LM1 - LM1		Q1 - Q1			1M - 1M
Cratena peregrina			D12 - D30	C6 - C200			LM1 - LM20					1M - 10M
Cremanthodium brunneopilosum				C12 - C12								
Cremanthodium forrestii				C12 - C12								
Crepis aurea				C12 - C200								1M - 1M
Crescentia cujete						C12 - C200			Q1 - Q1			1M - 1M
Creta						C12 - C200	LM1 - LM1		Q1 - Q6			1M - 1M
Crinum asiaticum				C12 - C30								
Crithmum maritimum				C12 - C30								
Crocodylus novaeguineae				C6 - C200								1M - 100M
Crocosmia crocosmiiflora				C12 - C200			LM1 - LM30					1M - 1M
Crocus sativus		D7 - D200	D5 - D200	C3 - C200	C4 - C200		LM1 - LM30	LM1 - LM30				1M - 100M
Crocuta crocuta				C4 - C200	C5 - C200							1M - 1M
Crossandra flava				C12 - C12								
Crossandra massaica				C12 - C30								
Crotalus adamanteus	++					C12 - C200			Q1 - Q1			1M - 50M
Crotalus atrox	++					C12 - C200	LM1 - LM15		Q1 - Q30		FC1M - FC10M	1M - 50M
Crotalus basiliscus	++			C6 - C200								1M - 50M
Crotalus cascavella	++	D12 - D200	D12 - D200	C6 - C200	C6 - C200		LM1 - LM60	LM1 - LM30			FC1M - FC100M	1M - 100M
Crotalus culminatus				C5 - C200			LM1 - LM1				FC1M - FC100M	
Crotalus horridus	++	D12 - D200	D12 - D200	C10 - C200	C10 - C200		LM2 - LM120	LM2 - LM30			FC1M - FC100M	1M - 100M
Crotalus lepidus	++			C6 - C200								1M - 50M
Crotalus m. molossus	++			C6 - C200			LM1 - LM1					1M - 10M
Crotalus mitchelli mitchelli	++			C6 - C200		C12 - C200	LM1 - LM18		Q1 - Q1			1M - 10M
Crotalus oreganus	++			C6 - C200			LM1 - LM1					1M - 10M
Crotalus polystictus	++			C6 - C200			LM1 - LM1					1M - 10M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
<i>Crotalus ruber</i>	††			C6 - C200								1M - 50M
<i>Crotalus scutulatus salvini</i>	††			C6 - C200			LM1 - LM1					1M - 10M
<i>Crotalus stephensi</i>	††			C6 - C200			LM1 - LM7					1M - 10M
<i>Crotalus vegrandis</i>	††			C6 - C200			LM1 - LM1					1M - 50M
<i>Crotalus viridis viridis</i>	††					C12 - C200	LM1 - LM2		Q1 - Q2			1M - 50M
<i>Croton eluteria</i>	† *			C7 - C200	C9 - C200		LM1 - LM12	LM1 - LM12				1M - 10M
<i>Croton lechleri</i>	*			C4 - C200	C4 - C200							1M - 1M
<i>Croton tiglium</i>	† *	D5 - D200	D4 - D200	C4 - C200	C5 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 50M
<i>Crowea exalata</i>				C12 - C30								
<i>Cruciata laevipes</i>				C12 - C30								
<i>Cryptococcus neoformans</i>	*	D30 - D200	D30 - D200									
<i>Cryptomeria japonica</i>				C12 - C30								
<i>Cryptosporidium Nos.</i>	*			C5 - C200	C6 - C200							1M - 10M
<i>Ctenidium molluscum</i>				C12 - C200			LM1 - LM1					
<i>Cubana</i>				C14 - C14								
<i>Cubanola domingensis</i>				C12 - C200			LM1 - LM1					1M - 1M
<i>Cubeba</i>		D12 - D30	D12 - D30	C6 - C200	C7 - C200		LM1 - LM75	LM1 - LM30			FC1M - FC1M	1M - 100M
<i>Cubitanthus alatus</i>				C12 - C30								
<i>Cucumis cantalupensis</i>						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 10M
<i>Cucumis melo</i>						C12 - C200			Q1 - Q9	Q1 - Q9	FC1M - FC50M	1M - 10M
<i>Cucumis sativus</i>						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 50M
<i>Cucurbita pepo</i>		D15 - D30	D12 - D30	C7 - C200	C9 - C200		LM1 - LM6	LM1 - LM6				1M - 50M
<i>Culex musca</i>				C7 - C200	C9 - C200						FC1M - FC10M	1M - 50M
<i>Culex pipiens</i>				C10 - C200	C12 - C200							1M - 10M
<i>Cumarinum</i>	*	D12 - D30	D12 - D30	C4 - C200	C5 - C200		LM1 - LM18	LM1 - LM18				1M - 1M
<i>Cuminum cyminum</i>				C12 - C12								
<i>Cumulopuntia boliviiana</i>				C12 - C30			LM1 - LM1					
<i>Cunonia capensis</i>				C12 - C30								
<i>Cuphea cyanea</i>				C12 - C30								
<i>Cuphea ignea</i>				C12 - C200								1M - 1M
<i>Cuphea lanceolata</i>				C12 - C30								
<i>Cuphea melvilla</i>				C12 - C30								
<i>Cupressus lawsoniana</i>				C2 - C200	C3 - C200		LM2 - LM30	LM2 - LM30				1M - 10M
<i>Cupressus macrocarpa</i>						C12 - C30						
<i>Cupressus sempervirens</i>		D3 - D12	D1 - D12	C1 - C200	C2 - C200	C12 - C30	LM1 - LM12	LM1 - LM12	Q1 - Q12	Q1 - Q12	FC1M - FC10M	1M - 100M
<i>Cuprum aceticum</i>	† *	D4 - D200	D3 - D200	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q20	Q1 - Q20	FC1M - FC50M	1M - 10M
<i>Cuprum amalganum</i>	†† *	D15 - D200	D15 - D200			C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 10M
<i>Cuprum arsenicosum</i>	†† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM120	LM1 - LM30	Q1 - Q31	Q1 - Q30	FC1M - FC10M	1M - 100M
<i>Cuprum bromatum</i>	† *	D10 - D30	D7 - D30	C4 - C200	C4 - C200	C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 10M
<i>Cuprum carbonicum</i>	† *					C12 - C200	LM1 - LM8	LM1 - LM8	Q1 - Q9	Q1 - Q9		1M - 100M
<i>Cuprum chloratum</i>	† *	D10 - D30	D10 - D30	C10 - C200	C10 - C200		LM1 - LM45	LM1 - LM30	Q1 - Q18	Q1 - Q18	FC1M - FC10M	1M - 100M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Cuprum cyanatum	++ *			C31 - C200	C32 - C200							1M - 10M
Cuprum fluoratum	*			C15 - C200	C15 - C200							1M - 1M
Cuprum fumaricum	*					C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 10M
Cuprum jodatum	++ *			C10 - C200	C10 - C200		LM1 - LM18	LM1 - LM18	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 10M
Cuprum lacticum	*					C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q9	Q1 - Q9	FC1M - FC10M	1M - 1M
Cuprum metallicum	† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
Cuprum nitricum	† *			C6 - C200	C7 - C200							1M - 10M
Cuprum oxalicum	† *			C10 - C200	C10 - C200							
Cuprum oxydatum nigrum	† *	D10 - D30	D10 - D30	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6	FC1M - FC100M	1M - 1M
Cuprum oxydatum rubrum	*	D12 - D30	D12 - D30	C10 - C200	C10 - C200							1M - 100M
Cuprum phosphoricum	† *	D10 - D30	D10 - D30	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q17	Q1 - Q17	FC1M - FC10M	1M - 100M
Cuprum silicum	*			C10 - C200	C10 - C200		LM1 - LM6	LM1 - LM6	Q1 - Q18	Q1 - Q18	FC1M - FC10M	1M - 50M
Cuprum sulfuratum ammoniatum	*	D7 - D12	D6 - D12	C4 - C200	C4 - C200		LM1 - LM7	LM1 - LM7				1M - 10M
Cuprum sulfuricum	† *	D5 - D30	D4 - D30	C3 - C200	C4 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q12	Q1 - Q12	FC1M - FC50M	1M - 50M
Curare	++ *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Curcuma longa		D0 - D30	D1 - D30	C1 - C200	C0 - C200	C12 - C30	LM1 - LM14	LM1 - LM14	Q1 - Q1	Q1 - Q1		1M - 100M
Cuscuta sanviciiana						C12 - C200	LM1 - LM6		Q1 - Q1			1M - 50M
Cussonia paniculata					C12 - C200							1M - 1M
Cutis (feti) bovis Gl		D9 - D30	D6 - D30									
Cutis feti femini bovis		D10 - D60	D9 - D60									
Cyananthus microphyllus					C12 - C200							1M - 1M
Cyanella lutea					C12 - C30		LM1 - LM1					
Cyanocobalaminum		D6 - D200	D5 - D200									
Cyanotis cristata					C12 - C200		LM1 - LM1					1M - 1M
Cyathea australis					C12 - C200		LM1 - LM1					
Cycas revoluta					C12 - C200		LM1 - LM1					1M - 1M
Cyclagras gigas	++					C12 - C200	LM1 - LM1		Q1 - Q1			1M - 1M
Cyclamat Natrium					C4 - C200	C5 - C200						1M - 1M
Cyclamen purpurascens	† *	D3 - D200	D2 - D200	C2 - C200	C2 - C200	C12 - C200	LM1 - LM60	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
Cyclanthera brachystachya					C12 - C200							1M - 1M
Cyclanthera pedata					C12 - C200							1M - 1M
Cyclocarya paliurus					C12 - C30							
Cyclosporinum	++ *				C12 - C200	C12 - C200						1M - 1M
Cydalima perspectalis						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 1M
Cydonia vulgaris		D12 - D30	D10 - D30	C4 - C200	C5 - C200		LM1 - LM20	LM1 - LM20				1M - 1M
Cygnus cygnus					C15 - C200	C15 - C200						1M - 100M
Cylindrocladium buxicola Nosode	*	D12 - D200	D12 - D200	C6 - C200	C9 - C200		LM1 - LM1	LM1 - LM1				
Cymbalaria muralis					C12 - C200		LM1 - LM1					1M - 1M
Cymbalaria pallida					C12 - C30							
Cymbidium devonianum Paxton					C6 - C200							
Cymbopogon citratus						C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q6	Q1 - Q6		1M - 10M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff	
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli	
Cynanchum acutum				C12 - C30			LM1 - LM1						
Cynanchum ascyrifolium				C12 - C30									
Cynara scolymus		D5 - D200	D3 - D200	C1 - C200	C2 - C200		LM1 - LM10	LM1 - LM10				1M - 50M	
Cynodon dactylon				C4 - C200	C5 - C200							1M - 10M	
Cynoglossum officinale				C12 - C200			LM1 - LM6					1M - 1M	
Cynosbatus	*	D12 - D200	D12 - D200	C6 - C200	C9 - C200		LM1 - LM5	LM1 - LM6				1M - 1M	
Cynosurus cristatus				C12 - C200									
Cyperus luzulae				C12 - C30									
Cyperus papyrus						C12 - C200						1M - 10M	
Cypraea eglantina					C10 - C200	C12 - C200						1M - 50M	
Cyprinus carpio							C12 - C200	LM1 - LM15	LM1 - LM15	Q2 - Q6	Q2 - Q6	FC1M - FC10M	1M - 100M
Cypripedium parviflorum var. pubescens		D30 - D100	D15 - D100	C7 - C200	C9 - C200		LM1 - LM30	LM1 - LM30					1M - 100M
Cypripedium reginae						C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q1	Q1 - Q1			1M - 10M
Cyproteronacetat	† *					C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1			1M - 10M
Cyrrilla racemiflora				C12 - C200									1M - 1M
Cyrtanthus breviflorus				C12 - C200									1M - 1M
Cyrtomium fortunei				C12 - C30									
Cyrtosperma johnstonii				C12 - C30									
Cystopyelitis Nos.	*	D12 - D30	D12 - D30	C5 - C200	C6 - C200								1M - 10M
Cytomegalie Nos.	*	D10 - D200	D9 - D200	C6 - C200	C7 - C200		LM1 - LM30	LM1 - LM30					1M - 100M
DHEA	*			C6 - C200	C9 - C200								1M - 1M
Daboecia cantabrica				C12 - C200			LM1 - LM1						1M - 1M
Daboeia mauritanica	††			C6 - C200			LM1 - LM1						1M - 10M
Daboeia palaestinae	††			C6 - C200			LM1 - LM1						1M - 10M
Daboeia siamensis	††					C12 - C200	LM1 - LM18		Q1 - Q13				1M - 50M
Dactyllicapnos scandens				C12 - C200			LM1 - LM1						1M - 10M
Dactylis glomerata						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1			1M - 1M
Dactylopius coccus		D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30			1M - 100M
Dactylorhiza fuchsii						C12 - C200	LM1 - LM1		Q1 - Q1				1M - 10M
Dactylorhiza maculata				C1 - C200	C2 - C200		LM1 - LM5	LM1 - LM5					1M - 1M
Dactylorhiza majalis				C12 - C200			LM1 - LM1						1M - 1M
Dahlia						C12 - C200	LM1 - LM12		Q1 - Q1				1M - 1M
Dahlia merckii				C12 - C30									
Dais cotinifolia				C12 - C30									
Dalechampia spathulata				C12 - C30									
Danio rerio						C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q1	Q1 - Q1			1M - 1M
Daphne cannabina	†	D7 - D200	D6 - D200	C3 - C200	C3 - C200		LM1 - LM100	LM1 - LM30					1M - 50M
Daphne gnidium				C12 - C30									
Daphne jasminea				C12 - C30									
Daphne laureola	†	D12 - D200	D12 - D200										
Daphne mezereum	† *	D4 - D200	D2 - D200	C5 - C200	C6 - C200	C12 - C200	LM1 - LM60	LM1 - LM30	Q1 - Q14	Q1 - Q14	FC1M - FC10M		1M - 100M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Daphne retusa				C12 - C30								
Darlingtonia californica						C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q2	Q1 - Q2		1M - 1M
Darmera peltata				C12 - C200								1M - 1M
Darwinia fascicularis				C12 - C30								
Datisca cannabina		D9 - D200	D6 - D200	C4 - C200	C5 - C200		LM1 - LM18	LM1 - LM18				1M - 10M
Datura arborea	†	D12 - D30	D12 - D30	C7 - C200	C9 - C200						FC1M - FC10M	1M - 50M
Datura innoxia	†					C12 - C200	LM1 - LM1		Q1 - Q1			1M - 1M
Datura metel	†	D12 - D30	D12 - D30	C6 - C200	C7 - C200		LM1 - LM3	LM1 - LM3				1M - 10M
Datura stramonium	† *	D4 - D200	D2 - D200	C2 - C200	C2 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC50M	0M - 100M
Daucus carota				C6 - C200	C7 - C200		LM2 - LM30	LM2 - LM30				1M - 10M
Davidia involucrata				C12 - C200								1M - 1M
Decaisnea insignis				C12 - C30								
Deherainia smaragdina				C12 - C30								
Dehydroandrosteronum	*					C12 - C30	LM1 - LM1		Q1 - Q1			
Deinagkistrodon acutus	†					C12 - C200	LM1 - LM3		Q1 - Q1			1M - 50M
Delosperma cooperi				C12 - C200								1M - 1M
Delosperma rileyi				C12 - C12								
Delphinium peregrinum				C12 - C30			LM1 - LM1					
Delphinium staphisagria	† *	D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	0M - 100M
Dendranthema zawadskii				C12 - C30			LM1 - LM1					
Dendriopoterium pulidoi				C12 - C30								
Dendroaspis polylepis	††			C12 - C200			LM2 - LM36		Q1 - Q24			1M - 100M
Dendroaspis viridis	††			C6 - C200					Q1 - Q30		FC1M - FC50M	1M - 50M
Dendrobium lasianthera				C6 - C200								1M - 1M
Dendrobium tetragonum var. giganteum						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 1M
Dendrochilum cobbianum				C12 - C30			LM1 - LM1					
Dentin Nos.		D12 - D30	D12 - D30									
Dermatophagoïdes farinae (Allergen)				C6 - C200	C6 - C200							1M - 100M
Dermatophagoïdes pteronyssinus (Allergen)				C6 - C200	C6 - C200							1M - 100M
Derris pinnata				C7 - C200	C9 - C200							1M - 50M
Deschampsia cespitosa				C12 - C30			LM1 - LM1					
Descurainia millefolia				C12 - C30								
Descurainia preauxiana				C12 - C30								
Desmodium canadense				C12 - C30			LM1 - LM1					
Desmodium gangeticum				C5 - C200	C6 - C200							1M - 1M
Desmopressin	*	D12 - D30	D12 - D30	C6 - C30	C9 - C30		LM1 - LM1	LM1 - LM1				
Desmopsis heteropetala				C12 - C30			LM1 - LM1					
Desmos chinensis				C12 - C200			LM1 - LM1					1M - 1M
Desoxyribonucleic acidum				C7 - C200	C8 - C200		LM2 - LM26	LM2 - LM26				1M - 100M
Deuterium oxydatum				C4 - C200	C5 - C200							
Deutzia compacta				C12 - C200								1M - 1M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Dexamethasonum	†† *			C6 - C200	C9 - C200							1M - 1M
Dexamethasonum forte	†† *		D12 - D200									
Dexibuprofen		D5 - D30	D3 - D30	C1 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Diaminoxidase		D5 - D200	D5 - D200	C3 - C30	C3 - C30							
Dianella tasmanica				C12 - C200								
Dianthus alpinus						C12 - C200	LM1 - LM1		Q1 - Q6			1M - 10M
Dianthus armeria						C12 - C200			Q1 - Q1			1M - 1M
Dianthus barbatus				C12 - C30								
Dianthus caryophyllus						C12 - C200	LM6 - LM6		Q1 - Q1			1M - 10M
Dianthus chinensis				C12 - C30								
Dianthus imereticus				C12 - C30			LM1 - LM1					
Dianthus japonicus				C12 - C30								
Dianthus knappii				C12 - C30								
Diascia barberae				C12 - C30								
Diastema affine				C12 - C200								1M - 1M
Diazepam	*	D30 - D200	D15 - D200	C6 - C200	C6 - C200							1M - 10M
Dicentra eximia				C12 - C30								
Dicentra spectabilis						C12 - C200	LM1 - LM12		Q1 - Q1			1M - 10M
Dicentrarchus labrax			D5 - D200	C3 - C200			LM1 - LM1					
Dichapetalum mombuttense				C4 - C200	C5 - C200		LM1 - LM15	LM1 - LM15				1M - 10M
Dichelostemma ida-maia				C12 - C12								
Dichorisandra mosaica				C12 - C200								
Dichroa versicolor				C12 - C30								
Dicliptera sericea				C12 - C200								1M - 1M
Diclofenac		D5 - D15	D5 - D15	C4 - C200	C5 - C200							1M - 10M
Dicranum undulatum				C12 - C200			LM1 - LM1					
Dicraspidia donnell-smithii				C12 - C200								1M - 1M
Dictamnus albus		D9 - D12	D6 - D12	C5 - C200	C6 - C200	C12 - C30	LM1 - LM12	LM1 - LM12	Q1 - Q3	Q1 - Q3		1M - 1M
Dictyonema glabratum				C12 - C30			LM1 - LM1					
Dierama latifolium				C12 - C200								1M - 1M
Diervilla sessilifolia				C12 - C200			LM1 - LM1					
Dieselabgase			D9 - D9	C4 - C200								1M - 1M
Dieten bicolor				C12 - C200								1M - 1M
Diethylstilboestrolum	*			C7 - C200	C9 - C200							1M - 50M
Digitalinum				C4 - C200	C5 - C200							1M - 50M
Digitalis purpurea	† *	D6 - D200	D4 - D200	C4 - C200	C5 - C200	C12 - C200	LM1 - LM35	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Digitoxinum	†† *	D9 - D12	D7 - D12	C4 - C30	C5 - C30							
Dillenia alata				C12 - C200			LM1 - LM6					1M - 1M
Dimethylphthalat		D3 - D12	D2 - D12									
Dimeticon						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 10M
Dinitrophenolum	† *	D7 - D200	D5 - D200									

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Diodon hystrix						C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q1	Q1 - Q1		1M - 10M
Diomedea exulans				C15 - C200	C15 - C200							1M - 10M
Dionea muscipula						C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q8	Q1 - Q8	FC1M - FC10M	1M - 10M
Dionysia involucrata				C12 - C30								
Diopetas						C12 - C200	LM1 - LM5	LM1 - LM5	Q1 - Q1	Q1 - Q1		1M - 10M
Dioscorea elephantipes						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 10M
Dioscorea villosa	† *	D7 - D200	D5 - D200	C4 - C200	C5 - C200		LM1 - LM60	LM1 - LM30			FC1M - FC10M	1M - 100M
Diosgenin			D10 - D200	C3 - C200								1M - 1M
Diospyros dichrophylla				C12 - C30			LM1 - LM1					
Diospyros peregrina						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 10M
Dioxin	†† *			C7 - C200	C9 - C200							1M - 1M
Dipelta floribunda				C12 - C200								1M - 1M
Diphenhydraminum hydrochloricum	*	D7 - D7	D5 - D7	C4 - C200	C4 - C200							1M - 1M
Diph Pert Tet Vaccinum	*	D12 - D200	D12 - D200	C6 - C200	C9 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 100M
Diph Pert Tet Vaccinum 2	*	D12 - D200	D12 - D200	C6 - C200	C9 - C200							1M - 10M
Diph Pert Tet Vaccinum 3	*	D12 - D15	D12 - D15	C6 - C200	C9 - C200							1M - 1M
Diph Tet Pert Hib Vaccine	*			C6 - C200	C9 - C200							1M - 10M
Diph Tet Pert IPV HIB Vacc.	*			C6 - C200	C9 - C200							1M - 50M
Diph Tet Pert IPV HIB Vacc. B	*			C6 - C200	C9 - C200							1M - 50M
Diph Tet Pert IPV Vacc.	*			C6 - C200	C9 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Diph Tet Pert IPV Vacc. 2	*	D12 - D30	D12 - D30	C6 - C200	C9 - C200							1M - 10M
Diph Tet Pert Polio - Vaccine	*	D15 - D200	D15 - D200	C12 - C200	C12 - C200						FC1M - FC10M	1M - 50M
Diph Tet Polio Vaccine	*		D12 - D30	C6 - C200			LM1 - LM30					1M - 50M
Diph Tet Vaccine	*	D12 - D30	D12 - D30	C6 - C200	C9 - C200							1M - 10M
Diph Tet reduct	*			C6 - C200	C9 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Diphtherinum Nos.	*	D30 - D200	D30 - D200	C30 - C200	C30 - C200		LM3 - LM33	LM3 - LM30			FC1M - FC5M	1M - 100M
Diphtherotoxinum Nos.	*			C13 - C200	C13 - C200							1M - 1M
Diphylliea cymosa				C12 - C200								
Diplotaxis tenuifolia				C12 - C200			LM1 - LM6					1M - 1M
Dipsacus silvestris		D0 - D100	D1 - D100	C1 - C200	C0 - C200	C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q1	Q1 - Q1		1M - 50M
Dipsacus silvestris ex radix						C12 - C200						1M - 1M
Dirca palustris			D7 - D200	D5 - D200	C9 - C200	C10 - C200						1M - 50M
Disa uniflora						C12 - C200			Q1 - Q1			1M - 1M
Dischidia imbricata					C12 - C30							
Dischidia nummularia					C12 - C30							
Disci cum Nicotiana		D4 - D60	D2 - D60									
Disci intervertebrales cervicales Gl		D10 - D60	D9 - D60									
Disci intervertebrales lumbales Gl		D12 - D200	D9 - D200									
Disci intervertebrales thoracici		D12 - D30	D10 - D30									
Disporum longistylum					C12 - C30							
Distemperinum Nos.	*	D12 - D200	D9 - D200	C17 - C200	C17 - C200						FC1M - FC10M	1M - 50M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Distylium racemosum				C12 - C30								
Dittrichia viscosa				C12 - C30			LM1 - LM1					
Diverticulose	*			C15 - C200	C15 - C200							1M - 1M
Dodecatheon media				C12 - C200								1M - 10M
Dodonaea viscosa				C12 - C30			LM1 - LM1					
Doellingeria umbellata				C12 - C200								
Dolomit						C12 - C200			Q1 - Q8	Q1 - Q8		1M - 10M
Dombeya burgessiae				C12 - C30								
Dombeya lucida				C12 - C200								
Dombeya wallichii				C12 - C30								
Doodia caudata				C12 - C30								
Dopaminum hydrochloricum	*	D12 - D200	D12 - D200	C6 - C200	C9 - C200		LM1 - LM30	LM1 - LM30				1M - 100M
Doronicum austriacum				C12 - C12								
Dorotheanthus bellidiformis				C12 - C200			LM1 - LM1					1M - 1M
Dorstenia barteri				C12 - C30								
Dorstenia choconiana				C12 - C30								
Doryanthes palmeri				C12 - C200			LM1 - LM1					
Dovyalis caffra				C12 - C30			LM1 - LM1					
Doxycyclin	*			C4 - C200	C6 - C200							1M - 50M
Dracaena draco						C12 - C200			Q1 - Q1			1M - 1M
Dracocephalum ruyschiana				C12 - C30								
Dracontium foetidum		D10 - D200	D7 - D200	C3 - C200	C4 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 50M
Dregea sinensis				C12 - C12								
Drimys winteri				C12 - C200			LM1 - LM9					1M - 1M
Drosanthemum hispidum				C12 - C12								
Drosera		D3 - D200	D2 - D200	C2 - C200	C2 - C200	C12 - C200	LM1 - LM60	LM1 - LM30	Q1 - Q3	Q1 - Q3	FC1M - FC10M	1M - 100M
Drosophyllum lusitanicum				C12 - C30								
Dryandra nivea				C12 - C30			LM1 - LM10					
Dryas octopetala				C12 - C30			LM1 - LM1					
Drymonia conchocalyx				C12 - C200								1M - 1M
Dryopteris filix-mas	† *	D4 - D200	D2 - D200	C2 - C200	C3 - C200		LM1 - LM18	LM1 - LM18				1M - 50M
Dryopteris oreades				C12 - C30			LM1 - LM1					
Dryptes madagascariensis						C12 - C200			Q1 - Q1			
Duboisia myoporoides		D7 - D200	D5 - D200	C4 - C200	C5 - C200							1M - 1M
Duloxetinum hydrochloricum	† *	D6 - D12	D5 - D12	C4 - C200	C5 - C200							
Dumortierit						C12 - C30			Q1 - Q1	Q1 - Q1		
Duodenum Gl		D10 - D30	D9 - D30									
Dupuytren Nos.	*	D30 - D200	D12 - D200	C5 - C200	C6 - C200						FC1M - FC10M	1M - 1M
Duranta erecta				C12 - C30								
Dyakia hendersoniana						C12 - C200						1M - 1M
Dyckia goiana				C12 - C200								

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
<i>Dysosma pleiantha</i>				C12 - C30								
<i>Dysphania botrys</i>				C12 - C200								
<i>Dysphania schraderiana</i>				C12 - C30								
<i>Dysprosium arsenicosum</i>	†† *					C12 - C200	LM1 - LM18					1M - 50M
<i>Dysprosium bromatum</i>	*					C12 - C200	LM1 - LM6		Q1 - Q1			1M - 10M
<i>Dysprosium carbonicum</i>						C12 - C200	LM1 - LM30		Q1 - Q12			1M - 10M
<i>Dysprosium chloratum</i>						C12 - C200	LM1 - LM36		Q1 - Q30			1M - 100M
<i>Dysprosium fluoratum</i>	*					C12 - C200	LM1 - LM30		Q1 - Q1			1M - 10M
<i>Dysprosium hydroxydatum</i>						C12 - C200	LM1 - LM6					1M - 50M
<i>Dysprosium iodatum</i>	*					C12 - C200	LM1 - LM30		Q1 - Q1		FC1M - FC10M	1M - 100M
<i>Dysprosium lacticum</i>						C12 - C200	LM1 - LM1		Q1 - Q3			1M - 1M
<i>Dysprosium metallicum</i>						C12 - C200	LM1 - LM30		Q1 - Q30		FC1M - FC100M	1M - 50M
<i>Dysprosium nitricum</i>						C12 - C200	LM1 - LM40		Q1 - Q2			1M - 50M
<i>Dysprosium oxalicum</i>						C12 - C200	LM1 - LM6		Q1 - Q1			1M - 10M
<i>Dysprosium oxydatum</i>						C12 - C200	LM1 - LM40		Q1 - Q1		FC1M - FC10M	1M - 100M
<i>Dysprosium phosphoricum</i>						C12 - C200	LM1 - LM29		Q1 - Q3			1M - 50M
<i>Dysprosium silicicum</i>						C12 - C200	LM1 - LM30					1M - 50M
<i>Dysprosium sulfuricum</i>						C12 - C200	LM1 - LM30		Q1 - Q13			1M - 50M
<i>Dystenia takesimana</i>				C12 - C12								
<i>Ebenus cretica</i>				C12 - C30								
<i>Eccremocarpus scaber</i>				C12 - C200			LM1 - LM1					1M - 1M
<i>Echeveria minima</i>				C12 - C200								1M - 1M
<i>Echinacea</i>		D0 - D200	D1 - D200	C1 - C200	C0 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 100M
<i>Echinacea purpurea</i>	†	D0 - D200	D1 - D200	C1 - C200	C0 - C200	C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q1	Q1 - Q1		1M - 10M
<i>Echinocactus grusonii</i>				C4 - C200			LM1 - LM1					1M - 1M
<i>Echinococcinum</i>	*	D9 - D200	D7 - D200	C5 - C200	C6 - C200						FC1M - FC100M	1M - 10M
<i>Echinoderma asperum</i>				C12 - C12								
<i>Echinometra mathaei</i>						C12 - C200			Q1 - Q5		FC1M - FC10M	1M - 1M
<i>Echinopepon wrightii</i>				C12 - C30								
<i>Echinops spinosissimus</i>				C12 - C200			LM1 - LM1					1M - 1M
<i>Echinopsis aurea</i>				C12 - C12								
<i>Echis carinatus</i>	††			C12 - C200								1M - 100M
<i>Echium decaisnei</i>				C12 - C30								
<i>Echium nervosum</i>				C1 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
<i>Echium vulgare</i>						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 50M
<i>Echium wildpretii</i>				C12 - C200								1M - 1M
<i>Edgeworthia tomentosa</i>				C12 - C200								1M - 1M
<i>Edraianthus dalmaticus</i>				C12 - C200								1M - 1M
<i>Egeria densa</i>				C12 - C200								1M - 1M
<i>Ehretia dicksonii</i>				C12 - C30								
<i>Ehretia resinosa</i>				C12 - C200								1M - 1M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Eiche (Allergen)				C6 - C30	C6 - C30							
Eiche (Bachblüten)				C2 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Eichhornia crassipes		D3 - D60	D1 - D60	C1 - C200	C2 - C200	C12 - C30	LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1		1M - 100M
Ekebergia capensis						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 1M
Elaeagnus		D12 - D200	D10 - D200									
Elaeagnus multiflora				C12 - C200								
Elaeis guinensis		D9 - D30	D6 - D30	C5 - C200	C6 - C200							1M - 1M
Elaeis oleifera				C12 - C30								
Elaeocarpus sylvestris				C12 - C12								
Elaeoselinum asclepium				C12 - C30								
Elaidinsäure				C1 - C200								
Elaphe guttata						C12 - C200			Q1 - Q7			1M - 10M
Elaphoglossum plumosum				C12 - C30								
Elaps corallinus	††	D15 - D200	D15 - D200	C10 - C200	C10 - C200		LM1 - LM70	LM1 - LM30	Q1 - Q90	Q1 - Q30	FC1M - FC10M	1M - 100M
Elaterium	†	D10 - D30	D6 - D30	C2 - C200	C3 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 50M
Elatostema monandrum				C12 - C30			LM1 - LM1					
Electrophorus electricus						C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q1	Q1 - Q1		1M - 100M
Eledone cirrata				C6 - C200	C6 - C200							1M - 100M
Elegia tectorum				C12 - C200								1M - 1M
Eleocharis dulcis		D4 - D6	D2 - D6	C1 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Eleocharis elegans				C12 - C30								
Eleutherococcus divaricatus				C12 - C30								
Eleutherococcus senticosus		D0 - D200	D1 - D200	C1 - C200	C0 - C200		LM1 - LM17	LM1 - LM17				1M - 50M
Eleutherococcus senticosus ex herba						C12 - C30			Q1 - Q1	Q1 - Q1		
Elingamita johnsonii				C12 - C30								
Elsholtzia stauntonii				C12 - C30								
Elymus repens		D9 - D200	D6 - D200	C6 - C200	C7 - C200	C12 - C200	LM1 - LM18	LM1 - LM18				1M - 50M
Emberiza citrinella						C12 - C200			Q1 - Q1	Q1 - Q1		1M - 10M
Emetinum hydrochloricum	*			C4 - C200	C5 - C200							1M - 1M
Emex spinosa				C12 - C200								1M - 1M
Emilia fosbergii				C12 - C30								
Enalaprilmaleat	*	D4 - D200	D2 - D200	C3 - C30	C2 - C30							
Enamelum			D14 - D30			C12 - C200			Q1 - Q1			1M - 10M
Encephalartos villosus				C12 - C200								
Encephalitis	*	D9 - D200	D7 - D200	C7 - C200	C9 - C200							1M - 10M
Encyclia cochleata				C2 - C200								1M - 1M
Endocarditis Nos.	*	D20 - D200	D20 - D200									
Endocardium		D8 - D200	D7 - D200									
Endometrium		D8 - D200	D7 - D200									
Enhydrina schistosa	††					C12 - C200	LM1 - LM1		Q1 - Q1			1M - 10M
Enkianthus campanulatus				C12 - C200								

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Enkianthus paniculatus				C12 - C200								
Exoxaparin Natrium	† *			C5 - C200	C5 - C200							1M - 10M
Entenfedern (Allergen)				C6 - C30	C6 - C30							
Enterobacter aerogenes Nos.	*			C7 - C200	C9 - C200							1M - 10M
Enterococcinum Nos.	*	D15 - D200	D12 - D200	C4 - C200	C5 - C200		LM2 - LM30	LM2 - LM30				1M - 100M
Entodon concinnus				C12 - C200								1M - 1M
Eomecon chionantha				C12 - C30			LM1 - LM1					
Eosinum				C3 - C200	C4 - C200							1M - 10M
Epacris longiflora				C12 - C30								
Ephedra californica						C12 - C30						
Ephedra distachya	*			C12 - C200	C12 - C200	C12 - C12	LM6 - LM11	LM6 - LM11	Q6 - Q6	Q6 - Q6		1M - 10M
Ephedrinum hydrochloricum	† *	D8 - D30	D7 - D30	C5 - C200	C6 - C200		LM1 - LM12	LM1 - LM12				1M - 10M
Epigaea repens				C2 - C200	C6 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Epihysterinum	*			C5 - C200	C6 - C200							1M - 10M
Epilobium dodonaei				C12 - C30			LM1 - LM1					
Epilobium palustre		D6 - D30	D4 - D30	C2 - C200	C3 - C200		LM1 - LM18	LM1 - LM18				1M - 1M
Epilobium parviflorum				C15 - C200	C15 - C200							1M - 10M
Epimedium acuminatum				C12 - C200			LM1 - LM5					
Epinephrinum hydrochloricum	†† *	D9 - D200	D7 - D200	C6 - C200	C6 - C200		LM1 - LM18	LM1 - LM18				1M - 10M
Epiphegus virginicus		D6 - D200	D6 - D200	C2 - C200	C3 - C200		LM1 - LM23	LM1 - LM23				1M - 10M
Epiphyse		D15 - D200	D15 - D200	C7 - C200	C9 - C200							1M - 10M
Epipremnum aureum						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 1M
Episcia cuprea						C12 - C200			Q1 - Q1			1M - 1M
Epstein Barr Nos.	*	D12 - D200	D12 - D200	C7 - C200	C9 - C200		LM2 - LM60	LM2 - LM30				1M - 100M
Equines Sarkoid				C15 - C200	C15 - C200							
Equisetum arvense		D12 - D200	D7 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM11	LM1 - LM11	Q1 - Q8	Q1 - Q8		1M - 100M
Equisetum hiemale		D3 - D200	D2 - D200	C2 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q8	Q1 - Q8	FC1M - FC10M	1M - 50M
Equus dermis cum pili						C12 - C200						1M - 10M
Eranthis hyemalis Rempler				C10 - C200	C8 - C200							1M - 1M
Erbium arsenicosum	†† *					C12 - C200	LM1 - LM30		Q1 - Q6			1M - 10M
Erbium bromatum	*					C12 - C200	LM1 - LM6		Q1 - Q1			1M - 50M
Erbium carbonicum						C12 - C200	LM1 - LM30		Q1 - Q3			1M - 50M
Erbium chloratum						C12 - C200	LM1 - LM30		Q1 - Q6			1M - 50M
Erbium fluoratum	*					C12 - C200	LM1 - LM6		Q1 - Q1			1M - 10M
Erbium iodatum	*			C4 - C200			LM1 - LM12		Q1 - Q1			1M - 10M
Erbium lacticum						C12 - C200	LM1 - LM6		Q1 - Q1		FC1M - FC100M	1M - 10M
Erbium metallicum						C12 - C200	LM1 - LM30		Q1 - Q12		FC1M - FC100M	1M - 100M
Erbium nitricum						C12 - C200	LM1 - LM12		Q1 - Q1			1M - 10M
Erbium oxalicum						C12 - C200	LM1 - LM30		Q1 - Q1			1M - 100M
Erbium oxydatum						C12 - C200	LM1 - LM30		Q1 - Q6			1M - 50M
Erbium phosphoricum						C12 - C200	LM1 - LM40		Q1 - Q1			1M - 100M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Erbium silicum						C12 - C200	LM1 - LM30					1M - 50M
Erbium sulfuricum				C4 - C200			LM1 - LM30					1M - 50M
Erechtites hieracifolia				C4 - C200	C5 - C200						FC1M - FC10M	1M - 1M
Eremogone capillaris				C12 - C30								
Eremogone dianthoides				C12 - C30								
Eremogone procera				C12 - C200			LM1 - LM1					1M - 1M
Eremophila decipiens				C12 - C200			LM1 - LM1					1M - 1M
Eremophila microtheca				C12 - C30								
Eremophila youngii				C12 - C200								
Ergotamintartrat+Coffein						C12 - C200						
Ergotinum	+ *			C6 - C200	C9 - C200		LM1 - LM18	LM1 - LM18				1M - 10M
Erica baccans				C12 - C30								
Erica spiculifolia				C12 - C30								
Ericameria nauseosa				C12 - C30								
Erigeron karvinskianus				C12 - C30			LM1 - LM1					
Erinaceus europaeus				C10 - C200	C12 - C200		LM1 - LM14	LM1 - LM14			FC1M - FC10M	1M - 50M
Erinus alpinus				C12 - C30								
Eriocaulon compressum				C12 - C200			LM1 - LM1					
Eriocephalus africanus				C12 - C30								
Eriodyction californicum		D4 - D200	D2 - D200	C2 - C200	C3 - C200							1M - 10M
Eriogonum jamesii				C12 - C30			LM1 - LM1					
Eriogonum umbellatum				C12 - C200			LM1 - LM1					1M - 1M
Eriophorum latifolium				C12 - C200								1M - 1M
Eriophorum vaginatum				C12 - C30								
Eriopsis biloba				C12 - C200			LM1 - LM3					1M - 1M
Eriosyce curvispina				C12 - C12								
Erithacus rubecula						C12 - C200	LM1 - LM24	LM1 - LM24	Q1 - Q7	Q1 - Q7		1M - 50M
Erle (Allergen)				C6 - C200	C6 - C200							1M - 10M
Erodium carvifolium				C12 - C30								
Erodium chrysanthum				C12 - C30			LM1 - LM1					
Erodium cicutarium		D3 - D30	D2 - D30	C1 - C200	C1 - C200		LM1 - LM30	LM1 - LM30				1M - 10M
Erodium corsicum				C12 - C30			LM1 - LM1					
Erodium foetidum				C12 - C30								
Erodium gruinum				C12 - C30								
Erodium guttatum				C12 - C12								
Erodium manescavi				C12 - C30			LM1 - LM1					
Erodium reichardii				C12 - C30								
Erodium trifolium				C12 - C30								
Eryngium aquaticum		D4 - D30	D2 - D30	C2 - C200	C3 - C200		LM1 - LM18	LM1 - LM18				1M - 1M
Eryngium maritimum				C7 - C200	C9 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Erysimum cheiri	+ *	D15 - D200	D12 - D200	C6 - C200	C6 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30		1M - 10M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Erysimum linifolium				C12 - C30								
Erysipel Nosode		D9 - D200	D9 - D200									
Erythrina caffra						C12 - C200	LM1 - LM12		Q1 - Q1			1M - 1M
Erythrinus				C60 - C200	C60 - C200						FC1M - FC10M	1M - 100M
Erythrociton brasiliensis				C12 - C200								1M - 1M
Erythromycinum	*			C3 - C200	C4 - C200							
Erythronium tuolumnense				C12 - C200			LM1 - LM42					1M - 10M
Escallonia illinita				C12 - C12								
Escallonia rubra				C12 - C30			LM1 - LM1					
Esche (Allergen)				C6 - C30	C6 - C30							
Eschscholtzia californica		D6 - D30	D4 - D30	C5 - C200	C6 - C200							1M - 100M
Escitalopram	*			C3 - C30	C3 - C30							
Escobaria tuberculosa				C12 - C12								
Eserinum	†† *			C7 - C200	C9 - C200							1M - 1M
Esomeprazol		D4 - D12	D3 - D12	C3 - C200	C3 - C200		LM1 - LM1	LM1 - LM1				
Esox lucius						C12 - C200			Q3 - Q6			1M - 1M
Espeletia grandiflora		D9 - D30	D6 - D30	C2 - C200	C3 - C200		LM1 - LM18	LM1 - LM18				1M - 100M
Essel				C14 - C14								
Estriolum	†† *	D12 - D30	D12 - D30	C6 - C200	C8 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1		1M - 10M
Etanerceptum	*			C3 - C200	C3 - C200							
Ethinylestradiol + Desogestrel	*			C6 - C200	C9 - C200							1M - 10M
Ethinylöstradiol+Dienogest	*			C6 - C200								
Etlingera elatior				C12 - C200								1M - 1M
Eucalyptol				C6 - C200	C7 - C200							1M - 10M
Eucalyptus globulus		D6 - D60	D3 - D60	C3 - C200	C5 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 10M
Eucharis amazonica				C12 - C200			LM1 - LM1					
Eucomis comosa				C12 - C200			LM1 - LM1					1M - 1M
Eucommia ulmoides						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 1M
Eucryphia intermedia Rostrevor				C12 - C30								
Eucryphia moorei	*			C12 - C12								
Eugenia jambosa				C12 - C200			LM1 - LM18					1M - 10M
Eulophia angolensis				C12 - C30								
Eunectes notaeus						C12 - C200	LM1 - LM30		Q1 - Q1			1M - 50M
Eunicella singularis			D2 - D6	C1 - C200			LM1 - LM12					1M - 1M
Euonymus atropurpurea	*	D4 - D200	D2 - D200									
Euonymus europaea	*					C12 - C200	LM1 - LM17	LM1 - LM17	Q1 - Q1	Q1 - Q1		1M - 1M
Euonymus hamiltonianus				C12 - C30			LM1 - LM1					
Eupatorium aromaticum				C2 - C200	C3 - C200		LM1 - LM20	LM1 - LM20				1M - 1M
Eupatorium perfoliatum		D6 - D200	D4 - D200	C1 - C200	C2 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC100M	1M - 100M
Eupatorium purpureum		D6 - D200	D4 - D200	C3 - C200	C4 - C200		LM1 - LM50	LM1 - LM30			FC1M - FC10M	1M - 10M
Euphorbia amygdaloides	† *			C15 - C200	C15 - C200							1M - 1M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Euphorbia canariensis				C12 - C30								
Euphorbia ceratocarpa				C12 - C30								
Euphorbia characias				C12 - C30								
Euphorbia corollata	† *			C8 - C200	C8 - C200							1M - 50M
Euphorbia cyparissias	† *	D6 - D30	D4 - D30	C2 - C200	C3 - C200	C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q1	Q1 - Q1		1M - 1M
Euphorbia epithymoides				C12 - C30								
Euphorbia heterodoxa	*					C12 - C200	LM1 - LM3	LM1 - LM3	Q1 - Q6	Q1 - Q6		
Euphorbia heterophylla	*			C7 - C200	C8 - C200							1M - 1M
Euphorbia hirta	*	D5 - D30	D3 - D30	C2 - C200	C4 - C200		LM1 - LM6	LM1 - LM6				1M - 1M
Euphorbia lactea	*					C12 - C200						1M - 1M
Euphorbia lathyrus	† *			C3 - C200	C3 - C200		LM1 - LM24	LM1 - LM24				1M - 50M
Euphorbia lomelii				C12 - C30								
Euphorbia magnifica				C12 - C30								
Euphorbia milii	*					C12 - C200						1M - 10M
Euphorbia neococcinea				C12 - C30								
Euphorbia pulcherrima	*					C12 - C200						1M - 1M
Euphorbia regis-jubae				C12 - C30								
Euphorbia virosa	*					C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1		1M - 10M
Euphorbium	† *	D15 - D200	D7 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM24	LM1 - LM24	Q1 - Q10	Q1 - Q10	FC1M - FC10M	1M - 50M
Euphrasia		D0 - D200	D1 - D200	C1 - C200	C0 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Euphydryas aurinia						C12 - C200			Q1 - Q12			1M - 10M
Eupionum		D9 - D30	D4 - D30	C4 - C200	C5 - C200		LM1 - LM30	LM1 - LM30				1M - 1M
Eupomati laurina				C12 - C30								
Euptelea polyandra				C12 - C200								
Eurhynchium angustirete				C12 - C30								
Eurhynchium striatum				C12 - C200								
Europium arsenicosum	†† *					C12 - C200	LM1 - LM18		Q1 - Q7			1M - 50M
Europium bromatum	*					C12 - C200	LM1 - LM6		Q1 - Q1			1M - 10M
Europium carbonicum						C12 - C200	LM1 - LM30		Q1 - Q3			1M - 50M
Europium chloratum						C12 - C200	LM1 - LM30		Q1 - Q8			1M - 50M
Europium fluoratum	*					C12 - C200	LM1 - LM30		Q1 - Q3			1M - 50M
Europium hydroxydatum						C12 - C200	LM1 - LM6					1M - 1M
Europium iodatum	*					C12 - C200	LM1 - LM6		Q1 - Q4			1M - 10M
Europium lacticum						C12 - C200	LM1 - LM6					1M - 50M
Europium metallicum						C12 - C200	LM1 - LM30		Q1 - Q30		FC1M - FC10M	1M - 10M
Europium nitricum						C12 - C200	LM1 - LM30		Q1 - Q10			1M - 50M
Europium oxalicum						C12 - C200	LM1 - LM6					0M - 10M
Europium oxydatum						C12 - C200	LM1 - LM50		Q1 - Q5			1M - 10M
Europium phosphoricum						C12 - C200	LM1 - LM45		Q1 - Q12			1M - 100M
Europium silicum						C12 - C200	LM1 - LM30		Q1 - Q6			1M - 50M
Europium sulfuricum						C12 - C200	LM1 - LM30		Q1 - Q9			1M - 50M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Eurybia radula				C12 - C200								1M - 50M
Euspongia officinalis		D3 - D200	D1 - D200	C1 - C200	C1 - C200	C12 - C200	LM1 - LM60	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
Eustrephus latifolius				C12 - C200			LM1 - LM1					1M - 1M
Euthamia graminifolia				C12 - C30								
Eutrema japonica						C12 - C200			Q1 - Q1	Q1 - Q1		1M - 1M
Evolvulus glomeratus				C12 - C30			LM1 - LM1					
Exochorda racemosa				C12 - C30								
Exsudative Ostitis Nos.	*	D12 - D200	D12 - D200									
FSH	*			C8 - C200	C8 - C200							1M - 10M
FSME Vac Kinder	*			C6 - C200	C9 - C200		LM1 - LM12	LM1 - LM12				1M - 10M
FSME Vacc. 2	*			C6 - C200	C9 - C200		LM1 - LM18	LM1 - LM18				1M - 100M
Faecalis Nos.	*	D30 - D200	D30 - D200	C6 - C200	C7 - C200							1M - 10M
Fagopyrum esculentum		D3 - D200	D1 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 10M
Fagus silvatica		D12 - D200	D10 - D200	C5 - C200	C6 - C200		LM1 - LM18	LM1 - LM18			FC1M - FC10M	1M - 100M
Falcaria vulgaris						C12 - C200			Q1 - Q1			
Falco cherrug				C13 - C200	C14 - C200							1M - 100M
Falco peregrinus				C6 - C200	C7 - C200		LM2 - LM120	LM2 - LM30				1M - 100M
Falco tinnunculus						C12 - C200	LM1 - LM12	LM1 - LM12	Q1 - Q9	Q1 - Q9		1M - 50M
Falkia repens				C12 - C12								
Fallopia aubertii				C12 - C200								1M - 1M
Fallugia paradoxa				C12 - C30			LM1 - LM1					
Faramea suerrensis				C12 - C200								
Farfara	*	D6 - D200	D6 - D200	C10 - C200	C10 - C200		LM3 - LM9	LM3 - LM9			FC1M - FC10M	1M - 10M
Farina Tritici vulgaris		D12 - D200	D10 - D200									
Farina secalis cerealis		D10 - D30	D10 - D30			C12 - C200			Q1 - Q1	Q1 - Q1		1M - 1M
Fascicularia bicolor				C12 - C200			LM1 - LM30					1M - 1M
Fasciolopsis Buskii Nos.		D8 - D200	D6 - D200									
Faucaria tigrina				C12 - C200								1M - 1M
Fedia cornucopiae				C12 - C30								
Fel suis						C12 - C200			Q1 - Q1			1M - 1M
Feldspat						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q6	Q1 - Q6		
Felicia fruticosa				C12 - C200								
Feline Inf. Peritonitis				C12 - C200	C15 - C200							1M - 10M
Fenestraria rhopalophylla				C12 - C30			LM1 - LM1					
Fenoterol-Hydrobromid	*			C4 - C200			LM1 - LM18					1M - 100M
Fernandoa madagascariensis				C12 - C200			LM1 - LM1					
Ferrum aceticum		D10 - D40	D10 - D40	C10 - C200	C10 - C200						FC1M - FC10M	1M - 50M
Ferrum arsenicosum	†† *	D15 - D200	D15 - D200	C7 - C200	C9 - C200		LM2 - LM30	LM2 - LM30			FC1M - FC50M	1M - 100M
Ferrum benzoicum				C10 - C200	C10 - C200							
Ferrum boracicum						C12 - C200						1M - 10M
Ferrum bromatum	*			C10 - C200	C10 - C200		LM1 - LM24	LM1 - LM24	Q1 - Q10	Q1 - Q10		1M - 50M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Ferrum citricum		D4 - D30	D4 - D30	C3 - C200	C4 - C200		LM1 - LM8	LM1 - LM8				1M - 10M
Ferrum cyanatum	*	D12 - D200	D10 - D200									
Ferrum fluoratum	† *	D10 - D30	D10 - D30	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 100M
Ferrum fumaricum						C12 - C200						
Ferrum haematinatum		D30 - D200	D30 - D200									
Ferrum hydroxydatum						C12 - C200			Q1 - Q1	Q1 - Q1		1M - 1M
Ferrum iodatum	† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q9	Q1 - Q9	FC1M - FC5M	1M - 100M
Ferrum lacticum				C10 - C200	C10 - C200							1M - 10M
Ferrum magneticum		D10 - D200	D10 - D200	C13 - C200	C14 - C200							1M - 10M
Ferrum metallicum	*	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Ferrum nitricum				C10 - C200	C10 - C200		LM1 - LM60	LM1 - LM30	Q1 - Q22	Q1 - Q22		1M - 50M
Ferrum oxalicum	†	D10 - D30	D10 - D30	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1		1M - 1M
Ferrum oxydatum hydricum				C15 - C200	C30 - C200							1M - 10M
Ferrum oxydatum nigrum						C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6		1M - 10M
Ferrum phosphoricum		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Ferrum picrinicum	† *	D9 - D200	D7 - D200	C5 - C200	C6 - C200	C12 - C200	LM2 - LM30	LM2 - LM30	Q1 - Q3	Q1 - Q3		1M - 100M
Ferrum pomatum		D9 - D60	D7 - D60									
Ferrum salicylicum	*					C12 - C200	LM1 - LM30					1M - 10M
Ferrum sesquichloratum		D12 - D200	D12 - D200	C4 - C200	C4 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q12	Q1 - Q12	FC1M - FC100M	1M - 50M
Ferrum sidereum		D10 - D200	D10 - D200	C10 - C200	C10 - C200	C12 - C200	LM2 - LM30	LM2 - LM30				1M - 10M
Ferrum silicicum		D10 - D12	D10 - D12	C10 - C200	C10 - C200		LM2 - LM30	LM2 - LM30			FC1M - FC10M	1M - 50M
Ferrum sulfuricum		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 50M
Ferrum valerianicum		D6 - D200	D4 - D200	C2 - C200	C3 - C200							1M - 10M
Ferula glauca				C4 - C200	C5 - C200							1M - 10M
Ferula moschata		D7 - D200	D5 - D200	C1 - C200	C2 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 10M
Ferulago serpentinica				C12 - C12								
Festuca flavescens				C12 - C30								
Feueropal						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 50M
Fibigia eriocarpa				C12 - C30			LM1 - LM1					
Fibroadenom Mamma Nos.	*	D9 - D200	D7 - D200									
Ficus carica		D9 - D200	D6 - D200	C3 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Ficus elasticus						C12 - C200	LM1 - LM3		Q1 - Q1		FC1M - FC10M	1M - 10M
Ficus religiosa	†	D5 - D30	D3 - D30	C6 - C200	C7 - C200	C12 - C30	LM1 - LM6	LM1 - LM6	Q1 - Q1	Q1 - Q1		1M - 10M
Finasterid	*			C6 - C200								
Firmiana platanifolia						C12 - C200			Q1 - Q1			
Fischpyrogen Nos.				C5 - C200	C6 - C200							1M - 10M
Fissidens taxifolius				C12 - C30								
Fittonia albivenis				C12 - C200			LM1 - LM1					
Flagellaria indica				C12 - C30								
Flavus Bacillus	*			C15 - C200	C15 - C200							1M - 10M
Fluconazol	*	D6 - D12	D5 - D12	C3 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				1M - 10M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Flueggea suffruticosa				C12 - C30			LM1 - LM1					
Fluor albus Nos.	*			C6 - C200	C7 - C200							1M - 1M
Fluorit	† *	D30 - D200	D15 - D200									
Fluoxetin HCl	*					C12 - C200						1M - 10M
Flupentixol u. Melitracen	† *		D12 - D30	C4 - C200			LM1 - LM5					1M - 1M
Flying horse					C12 - C200				Q1 - Q1	Q1 - Q1		1M - 1M
Foeniculum vulgare		D6 - D200	D4 - D200	C2 - C200	C3 - C200		LM1 - LM6	LM1 - LM6			FC1M - FC10M	1M - 10M
Folliculi lymphatici aggregati Gl		D9 - D30	D7 - D30									
Folliculinum	*			C6 - C200	C9 - C200		LM2 - LM90	LM2 - LM30			FC1M - FC10M	1M - 100M
Folliculäre Cyste Nos.	*	D12 - D200	D12 - D200	C5 - C200	C6 - C200							1M - 1M
Follikelhormon synth.	† *	D12 - D200	D12 - D200	C10 - C200	C12 - C200		LM2 - LM30	LM2 - LM30				1M - 1M
Fomitopsis pinicola				C12 - C200								
Formaldehyd solutum	† *	D9 - D200	D7 - D200	C12 - C200	C12 - C200		LM1 - LM30	LM1 - LM30				1M - 50M
Formica rufa		D8 - D200	D7 - D200	C3 - C200	C4 - C200	C12 - C30	LM1 - LM60	LM1 - LM30	Q1 - Q20	Q1 - Q20	FC1M - FC10M	1M - 100M
Forsskaolea angustifolia				C12 - C30								
Forsythia viridissima				C12 - C200								1M - 1M
Fothergilla major				C12 - C30			LM1 - LM1					
Fragaria vesca		D7 - D200	D6 - D200	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30				1M - 10M
Francoa sonchifolia				C12 - C200			LM1 - LM1					1M - 1M
Frangula alnus		D3 - D200	D2 - D200	C3 - C200	C4 - C200	C12 - C30	LM1 - LM18	LM1 - LM18	Q1 - Q1	Q1 - Q1		1M - 100M
Frankenia hirsuta				C12 - C12								
Frankenia laevis				C12 - C200								1M - 1M
Frankenia pulverulenta				C12 - C200								1M - 1M
Frasera fastigiata				C12 - C12								
Fraxinus americana		D4 - D200	D2 - D200	C1 - C200	C2 - C200		LM1 - LM14	LM1 - LM14				1M - 10M
Fraxinus excelsior		D3 - D30	D1 - D30	C2 - C200	C3 - C200		LM1 - LM18	LM1 - LM18				1M - 100M
Freesia laxa				C12 - C200			LM1 - LM1					
Fremontodendron californicum				C12 - C200								1M - 1M
Freycinetia cumingiana				C12 - C30			LM1 - LM1					
Friesodielsia obovata				C12 - C30			LM1 - LM1					
Fritillaria imperialis					C12 - C200							1M - 10M
Fritillaria meleagris					C12 - C200				Q1 - Q1			
Froelichia gracilis				C12 - C200			LM1 - LM1					1M - 1M
Fructosum		D3 - D30	D2 - D30	C2 - C200	C2 - C200							1M - 50M
Frullania dilatata				C12 - C30								
Fuchsia fulgens var. rubra grandiflora						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 1M
Fuchsia microphylla					C12 - C200							
Fuchsia paniculata					C12 - C30			LM1 - LM1				
Fuchsin		D9 - D100	D6 - D100	C2 - C200	C3 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Fuchsit-Glimmerquarzit						C12 - C30						
Fucus vesiculosus	† *	D4 - D200	D2 - D200	C1 - C200	C2 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 100M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Fuligo ligni				C10 - C200	C10 - C200							1M - 10M
Fumaria officinalis	† *	D4 - D200	D2 - D200	C2 - C200	C2 - C200	C12 - C30	LM1 - LM12	LM1 - LM12	Q1 - Q3	Q1 - Q3		1M - 50M
Funaria hygrometrica				C12 - C30								
Funiculus umbilicalis bovis				C5 - C200	C5 - C200							1M - 10M
Furcifer oustaleti						C12 - C200	LM1 - LM3		Q1 - Q1			1M - 100M
Gabata sonivia				C3 - C200								
Gadellia lactiflora				C12 - C200								1M - 1M
Gadolinit						C12 - C200	LM1 - LM6		Q1 - Q1			1M - 1M
Gadolinium arsenicosum	†† *					C12 - C200	LM1 - LM30					1M - 50M
Gadolinium bromatum	*					C12 - C200	LM1 - LM6		Q1 - Q1			1M - 50M
Gadolinium carbonicum						C12 - C200	LM1 - LM30		Q1 - Q3			1M - 100M
Gadolinium chloratum						C12 - C200	LM1 - LM90		Q1 - Q6			1M - 100M
Gadolinium fluoratum	*					C12 - C200	LM1 - LM30		Q1 - Q1			1M - 50M
Gadolinium hydroxydatum				C10 - C200								1M - 1M
Gadolinium iodatum	*					C12 - C200	LM1 - LM30		Q1 - Q1			1M - 100M
Gadolinium lacticum						C12 - C200	LM1 - LM6					1M - 10M
Gadolinium metallicum						C12 - C200	LM1 - LM90		Q1 - Q30			1M - 100M
Gadolinium nitricum						C12 - C200	LM1 - LM30		Q1 - Q6			1M - 50M
Gadolinium oxalicum						C12 - C200	LM1 - LM6					1M - 1M
Gadolinium oxydatum						C12 - C200	LM1 - LM30		Q1 - Q1			1M - 100M
Gadolinium phosphoricum						C12 - C200	LM1 - LM30		Q1 - Q9			1M - 50M
Gadolinium silicum						C12 - C200	LM1 - LM30		Q1 - Q1			1M - 50M
Gadolinium sulfuricum						C12 - C200	LM1 - LM30		Q1 - Q6			1M - 100M
Gaillardia aristata						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 1M
Galanthus nivalis		D15 - D200	D12 - D200			C12 - C200	LM1 - LM12	LM1 - LM12	Q1 - Q9	Q1 - Q9	FC1M - FC10M	1M - 10M
Galbanum		D12 - D30	D12 - D30	C4 - C200	C5 - C200		LM1 - LM6	LM1 - LM6				
Galega officinalis		D9 - D200	D7 - D200	C2 - C200	C3 - C200	C12 - C30	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 10M
Galeopsis ochroleuca		D4 - D30	D2 - D30	C2 - C200	C3 - C200	C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 1M
Galinsoga parviflora		D6 - D200	D6 - D200									
Galipea officinalis		D9 - D200	D6 - D200	C7 - C200	C9 - C200		LM1 - LM30	LM1 - LM30				1M - 100M
Galium album		D6 - D30	D3 - D30	C2 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Galium aparine		D4 - D30	D2 - D30	C1 - C200	C2 - C200		LM1 - LM6	LM1 - LM6				1M - 10M
Galium odoratum		D15 - D200	D15 - D200	C9 - C200	C10 - C200							1M - 10M
Galium verum		D3 - D100	D2 - D100	C2 - C200	C2 - C200	C12 - C30	LM1 - LM1	LM1 - LM1				1M - 1M
Galla quercina ruber				C7 - C200	C8 - C200							1M - 50M
Gallae turcicae		D5 - D200	D3 - D200	C3 - C200	C4 - C200							1M - 10M
Gallium arsenatum	†† *					C12 - C200	LM1 - LM6		Q1 - Q1			
Gallium arsenicosum	†† *					C12 - C200						1M - 1M
Gallium carbonicum				C10 - C200	C10 - C200							1M - 1M
Gallium chloratum						C12 - C200	LM1 - LM17	LM1 - LM17	Q1 - Q1	Q1 - Q1		1M - 10M
Gallium fluoratum	*					C12 - C200			Q1 - Q1			1M - 1M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Gallium metallicum				C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q3	Q1 - Q3		1M - 10M
Gallium nitricum						C12 - C200	LM1 - LM6	LM1 - LM6				1M - 100M
Gallium phosphoricum						C12 - C200	LM1 - LM5	LM1 - LM5				1M - 1M
Gallium silicum						C12 - C200	LM1 - LM12					1M - 1M
Gallium sulfuricum						C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q7	Q1 - Q7		1M - 10M
Gallus gallus						C12 - C200			Q1 - Q12	Q1 - Q12	FC1M - FC50M	1M - 100M
Gallus gallus domesticus masculinum						C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q3	Q1 - Q3		1M - 10M
Gallus gallus, Feder						C12 - C200			Q1 - Q3	Q1 - Q3		1M - 100M
Galphimia gracilis					C12 - C30							
Galtonia candicans					C12 - C200		LM1 - LM1					1M - 1M
Gambelia speciosa					C12 - C30							
Gammaglobulin	*			C5 - C200	C6 - C200							
Gangränöse Pulpa Nos.	*	D9 - D200	D7 - D200									
Ganoderma lucidum	*			C9 - C200	C9 - C200	C12 - C200						1M - 10M
Garcinia	† *	D6 - D200	D4 - D200	C2 - C200	C3 - C200		LM1 - LM12	LM1 - LM12			FC1M - FC100M	1M - 50M
Garcinia indica						C12 - C200						1M - 1M
Garcinia xanthochymus						C12 - C200						1M - 1M
Gardenia jasminoides					C12 - C200		LM1 - LM1					1M - 10M
Gardenia volkensii					C12 - C200							
Gardnerella vaginalis Nos.	*			C9 - C200	C9 - C200						FC1M - FC10M	1M - 10M
Garrulus glandarius						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q4	Q1 - Q4		1M - 50M
Garrya elliptica					C12 - C30		LM1 - LM1					
Garrya flavescens					C12 - C200							
Gasteria excelsa					C12 - C30							
Gasteria nitida					C12 - C30							
Gastrolobium propinquum					C12 - C30							
Gaultheria erecta					C12 - C200							
Gaultheria mucronata					C12 - C30		LM1 - LM1					
Gaultheria procumbens		D9 - D60	D6 - D60	C3 - C200	C4 - C200		LM1 - LM9	LM1 - LM9				1M - 50M
Gaultheriae aetheroleum		D12 - D30	D12 - D30									
Gaura lindheimeri						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 1M
Gavia immer					C10 - C200	C11 - C200						1M - 1M
Gaylussacia baccata					C12 - C30		LM1 - LM1					
Gazania rigens					C12 - C30							
Geastrum triplex					C12 - C12							
Geissorhiza monanthos					C12 - C200							1M - 1M
Geitonoplesium cymosum					C12 - C12							
Gelatina alba						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 1M
Gelbfieber Vaccine	*			C6 - C200	C9 - C200							1M - 10M
Gelbfieber Vaccine I	*			C6 - C200	C9 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Gelee Royal						C12 - C200						1M - 1M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
<i>Gelsemium sempervirens</i>	† *	D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
<i>Genipa americana</i>				C12 - C200								1M - 10M
<i>Genista canariensis</i>				C12 - C12								
<i>Gentamycin</i>	*			C3 - C200	C4 - C200		LM1 - LM6	LM1 - LM6			FC1M - FC10M	1M - 10M
<i>Gentian (Bach flower)</i>				C2 - C200	C2 - C200		LM1 - LM30	LM1 - LM30				1M - 1M
<i>Gentiana acaulis</i>				C12 - C200			LM1 - LM10					
<i>Gentiana affinis</i>				C12 - C12								
<i>Gentiana asclepiadea</i>				C12 - C30			LM1 - LM10					
<i>Gentiana campestris</i>				C12 - C12								
<i>Gentiana cruciata</i>		D9 - D200	D6 - D200	C2 - C200	C3 - C200		LM1 - LM8	LM1 - LM8				1M - 1M
<i>Gentiana dendrologi</i>				C12 - C30			LM1 - LM10					
<i>Gentiana dinarica</i>				C12 - C30			LM1 - LM10					
<i>Gentiana lutea</i>		D6 - D200	D4 - D200	C2 - C200	C3 - C200	C12 - C30	LM1 - LM24	LM1 - LM24	Q1 - Q1	Q1 - Q1		1M - 10M
<i>Gentiana purpurea</i>				C12 - C12								
<i>Gentianella germanica</i>				C12 - C12								
<i>Genyorchis pumila</i>				C12 - C30			LM1 - LM1					
<i>Geococcyx californianus</i>				C15 - C200	C30 - C200							1M - 50M
<i>Geonoma linearis</i>				C12 - C200								
<i>Geotrichum candidum</i>	*	D12 - D200	D12 - D200	C6 - C200	C9 - C200							1M - 100M
<i>Geotrupes stercorosus</i>						C12 - C200	LM2 - LM7	LM2 - LM7	Q1 - Q1	Q1 - Q1		1M - 10M
<i>Geranium aethroleum</i>			D6 - D200	C4 - C200								
<i>Geranium argenteum</i>				C12 - C30								
<i>Geranium aristatum</i>				C12 - C30								
<i>Geranium cinereum</i>				C12 - C200								1M - 1M
<i>Geranium dalmaticum</i>				C12 - C30								
<i>Geranium endressii</i>				C12 - C200			LM1 - LM1					1M - 1M
<i>Geranium gracile</i>				C12 - C30								
<i>Geranium himalayense</i>				C12 - C30								
<i>Geranium ibericum</i>				C12 - C12								
<i>Geranium macrorrhizum</i>				C12 - C30								
<i>Geranium macrostylum</i>				C12 - C12								
<i>Geranium maculatum</i>		D4 - D30	D2 - D30	C2 - C200	C2 - C200		LM1 - LM18	LM1 - LM18				1M - 10M
<i>Geranium maderense</i>				C12 - C30								
<i>Geranium nodosum</i>				C12 - C200			LM1 - LM1					1M - 1M
<i>Geranium odoratissimum</i>		D5 - D30	D3 - D30	C2 - C200	C3 - C200	C12 - C30	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 10M
<i>Geranium palmatum</i>				C12 - C30			LM1 - LM1					
<i>Geranium phaeum</i>				C12 - C200								1M - 1M
<i>Geranium psilostemon</i>				C12 - C30			LM1 - LM1					
<i>Geranium pyrenaicum</i>				C12 - C30			LM1 - LM1					
<i>Geranium renardii</i>				C12 - C200								1M - 1M
<i>Geranium robertianum</i>		D0 - D200	D2 - D200	C2 - C200	C0 - C200	C12 - C30	LM1 - LM30	LM1 - LM30				1M - 100M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Geranium ruprechtii				C12 - C12								
Geranium sanguineum				C12 - C30			LM1 - LM1					
Geranium stafianum				C12 - C30								
Geranium sylvaticum				C12 - C30								
Geranium thunbergii				C12 - C30			LM1 - LM1					
Geranium traversii				C12 - C30								
Geranium versicolor				C12 - C30								
Geranium wallichianum				C12 - C200			LM1 - LM1					1M - 1M
Geranium wlassovianum				C12 - C12								
Germanium chloratum			D10 - D200	C3 - C200			LM1 - LM20					1M - 50M
Germanium metallicum	+	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM2 - LM40	LM2 - LM30			FC1M - FC100M	1M - 100M
Germanium oxydatum						C12 - C200	LM1 - LM12	LM1 - LM12	Q1 - Q6	Q1 - Q6		1M - 10M
Germanium sulfuratum				C4 - C200	C5 - C200							1M - 50M
Gesneria ventricosa				C12 - C200								1M - 10M
Gesnouinia arborea				C12 - C30								
Getreidepollen				C4 - C200	C5 - C200							
Geum rivale		D6 - D200	D5 - D200	C4 - C200	C4 - C200		LM1 - LM2	LM1 - LM2				1M - 1M
Geum urbanum		D7 - D30	D6 - D30	C5 - C200	C6 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Gibbaeum pubescens				C12 - C200			LM1 - LM1					1M - 1M
Gilia achilleifolia				C12 - C200			LM1 - LM5					1M - 1M
Gilia tricolor				C12 - C30								
Gingivitis Nos.	*	D12 - D30	D12 - D30	C7 - C200	C9 - C200							1M - 10M
Ginkgo biloba	+	D0 - D200	D1 - D200	C1 - C200	C0 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
Giraffa camelopardalis				C4 - C200			LM1 - LM10				FC1M - FC10M	1M - 100M
Glacies mariae						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 10M
Glandora diffusa				C12 - C200								1M - 1M
Glandula parathyreoidea GI	*	D8 - D30	D6 - D30	C5 - C200	C6 - C200							1M - 10M
Glandula parotis							LM2 - LM30	LM2 - LM30				
Glandula suprarenales (Cortex) GI		D9 - D200	D7 - D200									
Glandula suprarenales GI		D9 - D200	D7 - D200	C6 - C200	C7 - C200							1M - 10M
Glandula thymi		D12 - D200	D10 - D200	C6 - C200	C7 - C200		LM2 - LM120	LM3 - LM30				1M - 10M
Glandularia peruviana				C12 - C12								
Glaskraut (Allergen)				C6 - C200	C6 - C200							1M - 10M
Glaucium flavum				C12 - C200								1M - 1M
Glechoma hederacea		D30 - D30	D15 - D30	C6 - C200	C8 - C200		LM1 - LM3	LM1 - LM3				1M - 1M
Gliricidia sepium						C12 - C30			Q1 - Q1			
Glis glis						C12 - C200			Q1 - Q12	Q1 - Q12		1M - 10M
Globba winitii				C12 - C30								
Globularia trichosantha				C12 - C30								
Glochidion obovatum				C12 - C12								
Glomerulonephritis Nos.	*	D10 - D200	D9 - D200	C7 - C200	C7 - C200							1M - 10M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Gloriosa superba				C12 - C200			LM1 - LM1					1M - 1M
Glottiphyllum depressum				C12 - C200			LM1 - LM1					1M - 10M
Gloxinia perennis						C12 - C200			Q1 - Q1			1M - 1M
Glutathion				C4 - C200	C5 - C200							1M - 1M
Gluten				C5 - C200	C6 - C200							1M - 10M
Glycerolum		D7 - D200	D5 - D200	C5 - C200	C6 - C200		LM1 - LM17	LM1 - LM17				1M - 50M
Glycyrrhiza glabra		D6 - D60	D4 - D60	C2 - C200	C3 - C200	C12 - C30	LM1 - LM6	LM1 - LM6	Q1 - Q6	Q1 - Q6		1M - 50M
Glyoxal		D9 - D200	D7 - D200	C3 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				
Glyphosat		D12 - D200	D10 - D200	C5 - C200	C6 - C200		LM1 - LM12	LM1 - LM12				1M - 100M
Gmelina philippensis				C12 - C12								
Gnaphalium polycephalum		D6 - D200	D4 - D200	C3 - C200	C3 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 100M
Gnetum gnemon				C12 - C200								1M - 1M
Goethea strictiflora				C1 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Gold Salz Komplex				C31 - C200	C35 - C200							1M - 10M
Gomesa radicans				C12 - C30			LM1 - LM1					
Gomphocarpus physocarpus						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 1M
Gomphostigma virgatum				C12 - C200								
Gomphrena decumbens				C12 - C200			LM1 - LM1					1M - 10M
Gonepteryx rhamni						C12 - C200	LM2 - LM15				FC1M - FC10M	1M - 100M
Gongora quinquenervis						C12 - C200			Q1 - Q1			
Goniolimon tataricum				C12 - C200								1M - 1M
Gonzalagunia rosea				C12 - C30								
Goodenia paniculata				C12 - C200								
Gorse (Bach flower)				C2 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Gossypium herbaceum		D5 - D200	D4 - D200	C4 - C200	C5 - C200	C12 - C30	LM1 - LM12	LM1 - LM12	Q1 - Q12	Q1 - Q12	FC1M - FC10M	1M - 50M
Granat				C10 - C200	C10 - C200		LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 100M
Granitum				C10 - C200	C10 - C200		LM1 - LM60	LM1 - LM30	Q1 - Q14	Q1 - Q14	FC1M - FC100M	1M - 10M
Granitum Helsinkiensis			D10 - D200			C12 - C200	LM1 - LM1		Q1 - Q6		FC1M - FC10M	
Graphites		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM60	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Graphium agamemnon				C5 - C200	C6 - C200						FC1M - FC10M	1M - 50M
Gratiola officinalis	† *	D4 - D200	D2 - D200	C2 - C200	C2 - C200	C12 - C200	LM1 - LM12	LM1 - LM12	Q1 - Q12	Q1 - Q12	FC1M - FC1M	1M - 100M
Gratiola officinalis 3b	*	D12 - D30	D12 - D30				LM1 - LM30	LM1 - LM30				
Gravesia guttata				C12 - C30								
Grevillea bipinnatifida				C12 - C200			LM1 - LM12					1M - 1M
Grevillea thelemanniana				C12 - C200			LM1 - LM1					1M - 1M
Grewia biloba				C12 - C30			LM1 - LM1					
Grewia caffra				C12 - C200								1M - 1M
Greyia sutherlandii				C12 - C200			LM1 - LM1					1M - 1M
Grifola frondosa	*	D12 - D200	D12 - D200	C6 - C200	C9 - C200							1M - 10M
Grimmia pulvinata				C12 - C30								
Grindelia robusta		D3 - D200	D1 - D200	C1 - C200	C1 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q3	Q1 - Q3	FC1M - FC1M	1M - 100M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Grippeimpfstoff 1986		D15 - D30	D12 - D30									
Grippeimpfstoff 1988		D12 - D30	D9 - D30									
Grippeimpfstoff 1989		D12 - D30	D9 - D30									
Grippeimpfstoff 1990		D30 - D30	D15 - D30									
Grippeimpfstoff 1998/1999	*			C6 - C200	C9 - C200							1M - 1M
Grippeimpfstoff 2001/2002	*			C6 - C200	C9 - C200							1M - 10M
Grippeimpfstoff 2002/2003	*			C6 - C200	C9 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Grippeimpfstoff 2006/2007	*			C6 - C200	C9 - C200							1M - 10M
Grippeimpfstoff 2008/2009	† *			C6 - C200	C9 - C200							1M - 10M
Grippeimpfstoff 2010/2011 #1	*			C6 - C200	C9 - C200		LM2 - LM6	LM2 - LM6				1M - 10M
Grippeimpfstoff 2010/2011 #2	*			C6 - C200	C9 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Grippeimpfstoff 2010/2011 #3	*			C6 - C200	C9 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Grippeimpfstoff 2012/2013	*	D12 - D15	D12 - D15	C6 - C200	C9 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Grippeimpfstoff 2014/2015	*			C6 - C200	C9 - C200							1M - 10M
Grippeimpfstoff 2015/2016	*			C6 - C200	C9 - C200							1M - 10M
Grippeimpfstoff 2016/2017	*	D12 - D30	D12 - D30	C6 - C200	C9 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Grippeimpfstoff 2017/2018	*	D12 - D200	D12 - D200	C6 - C200	C9 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Grippeimpfstoff 2018/2019	*	D12 - D30	D12 - D30	C6 - C200	C9 - C200		LM1 - LM6	LM1 - LM6				
Grippeimpfstoff 2019/2020	*	D12 - D200	D12 - D200	C6 - C200	C9 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Grippeimpfstoff 2020/2021	*	D12 - D30	D12 - D30	C6 - C200	C9 - C200							1M - 10M
Griselinia lucida				C12 - C200								
Grus grus						C12 - C200						1M - 50M
Gryllus campestris						C12 - C200			Q1 - Q1	Q1 - Q1		1M - 10M
Gräserpollen				C5 - C200	C6 - C200						FC1M - FC100M	1M - 10M
Guaiacum		D9 - D200	D5 - D200	C3 - C200	C3 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q24	Q1 - Q24	FC1M - FC10M	1M - 100M
Guapira eggersiana				C12 - C30			LM1 - LM1					
Guarana		D6 - D30	D4 - D30	C1 - C200	C2 - C200		LM1 - LM18	LM1 - LM18			FC1M - FC10M	1M - 10M
Guarea trichiloides		D6 - D30	D6 - D30	C4 - C200	C5 - C200		LM1 - LM5	LM1 - LM5				1M - 10M
Guatteria gaumeri				C2 - C200	C3 - C200		LM1 - LM7	LM1 - LM7				1M - 1M
Guazuma ulmifolia						C12 - C200			Q1 - Q1			
Guettarda speciosa				C12 - C12								
Gunnnera manicata				C12 - C200			LM1 - LM1					1M - 1M
Gunnera tinctoria				C12 - C30			LM1 - LM1					
Gunpowder		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM24	LM1 - LM24	Q1 - Q6	Q1 - Q6		1M - 50M
Gurania makoyana				C12 - C30								
Gustavia superba				C12 - C200								
Guzmania subcorymbosa				C12 - C30			LM1 - LM1					
Gyminda tonduzii				C12 - C200								1M - 10M
Gymnadenia conopsea						C12 - C200			Q1 - Q1			1M - 10M
Gymnema sylvestre				C9 - C200	C10 - C200							1M - 1M
Gymnocalycium anisitsii				C12 - C12								

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Gymnocladus dioicus				C3 - C200	C3 - C200		LM1 - LM18	LM1 - LM18			FC1M - FC1M	1M - 50M
Gymnopus dryophilus				C12 - C12								
Gymnostachyum ceylanicum				C12 - C200								1M - 1M
Gyps fulvus						C12 - C200			Q1 - Q1			1M - 100M
Gypsophila cerastoides				C12 - C30								
Gypsophila pacifica				C12 - C30								
Gypsophila paniculata						C12 - C200			Q1 - Q6	Q1 - Q6		1M - 1M
Gänsefeder (Allergen)				C6 - C30	C6 - C30							
HCG	*			C12 - C200	C12 - C200							1M - 10M
Haberlea rhodopensis				C12 - C200			LM1 - LM1					1M - 1M
Habranthus tubispathus				C12 - C30			LM1 - LM1					
Hacquetia epipactis				C12 - C30			LM1 - LM1					
Haemanthus albiflos				C12 - C200			LM1 - LM1					
Haematit				C10 - C200	C10 - C200		LM2 - LM12	LM2 - LM12	Q1 - Q3	Q1 - Q3		1M - 100M
Haematopota pluvialis						C12 - C200			Q1 - Q2	Q1 - Q2		1M - 10M
Haematoxylon campechianum		D5 - D30	D3 - D30	C2 - C200	C3 - C200	C12 - C30	LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1		1M - 50M
Haemoglobinum		D15 - D200	D15 - D200	C4 - C200	C6 - C200							1M - 1M
Haemophilus B - Hepatitis B Vacc.	*			C6 - C200	C9 - C200							1M - 10M
Haemophilus influenzae B Nos.	*			C7 - C200	C8 - C200						FC1M - FC10M	1M - 10M
Hafermehl (Allergen)				C6 - C30	C6 - C30							
Hafnium						C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q5	Q1 - Q5		1M - 100M
Hafnium carbonicum				C10 - C200	C10 - C200							1M - 1M
Hafnium chloratum oxydatum						C12 - C200						1M - 10M
Hafnium sulfuricum				C3 - C200	C3 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Hakea nodosa				C12 - C12			LM1 - LM2					
Halesia carolina				C12 - C200								
Halesia tetraptera				C12 - C200			LM1 - LM1					1M - 1M
Haliaeetus leucocephalus				C13 - C200	C14 - C200		LM2 - LM30	LM2 - LM30			FC1M - FC100M	1M - 100M
Halit				C10 - C200	C10 - C200							1M - 1M
Haloperidol	*	D9 - D200	D7 - D200	C3 - C200	C4 - C200		LM1 - LM1	LM1 - LM1			FC1M - FC100M	1M - 50M
Haloragis erecta				C12 - C200			LM1 - LM1					
Hamamelis virginiana		D0 - D200	D1 - D200	C1 - C200	C0 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
Hamelia patens				C12 - C200		C12 - C30			Q1 - Q1			1M - 1M
Hamsterhaare (Allergen)				C6 - C30	C6 - C30							
Haplopappus baylahuen		D9 - D200	D7 - D200	C6 - C200	C6 - C200		LM1 - LM12	LM1 - LM12				1M - 100M
Harpagophytum procumbens	† *	D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C30	LM1 - LM74	LM1 - LM30	Q1 - Q3	Q1 - Q3	FC1M - FC10M	1M - 100M
Harpephyllum caffrum						C12 - C200	LM1 - LM1		Q1 - Q1			
Harungana madagascariensis	† *	D4 - D30	D2 - D30	C1 - C200	C2 - C200	C12 - C30	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 1M
Hasel (Allergen)				C6 - C200	C6 - C200							
Hasteola suaveolens				C12 - C30								
Hastingsia alba				C12 - C12								

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
<i>Hatiora salicornioides</i>				C12 - C200								1M - 1M
<i>Hausstaubmilben Allergen</i>	*	D12 - D200	D9 - D200	C5 - C200	C6 - C200		LM2 - LM30	LM2 - LM30				1M - 10M
<i>Hausstaubmilben Mischung (Allergen)</i>		D12 - D200	D12 - D200	C6 - C200	C6 - C200							1M - 100M
<i>Hautfibrom Nos.</i>	*	D12 - D200	D9 - D200									
<i>Haworthia retusa</i>				C12 - C30								
<i>Heather (Bach flower)</i>				C2 - C200	C2 - C200							
<i>Hebe albicans</i>				C12 - C30								
<i>Hebenstretia dentata</i>				C12 - C200								1M - 1M
<i>Hedeoma pulegioides</i>		D9 - D12	D7 - D12	C3 - C200	C4 - C200		LM1 - LM18	LM1 - LM18				1M - 50M
<i>Hedera helix</i>		D6 - D200	D2 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q9	Q1 - Q9	FC1M - FC1M	1M - 100M
<i>Hedychium gardnerianum</i>				C12 - C200			LM1 - LM1					
<i>Hedysosmum costaricense</i>				C12 - C30								
<i>Hedysarum boutignyanum</i>				C12 - C12								
<i>Heimia salicifolia</i>				C12 - C200			LM1 - LM5					1M - 1M
<i>Hekla lava e lava</i>		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM100	LM1 - LM30	Q1 - Q18	Q1 - Q18	FC1M - FC100M	1M - 100M
<i>Helianthemum apenninum</i>				C12 - C30								
<i>Helianthemum croceum</i>				C12 - C12								
<i>Helianthemum nummularium (Bach)</i>				C2 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 50M
<i>Helianthemum vulgaris</i>		D12 - D60	D12 - D60	C6 - C200	C6 - C200		LM1 - LM12	LM1 - LM12				1M - 10M
<i>Helianthus annuus</i>		D5 - D200	D5 - D200	C2 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1		1M - 50M
<i>Helianthus tuberosus</i>		D6 - D200	D2 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM13	LM1 - LM13	Q1 - Q1	Q1 - Q1		1M - 10M
<i>Helichrysum arenarium</i>		D3 - D12	D1 - D12	C1 - C200	C2 - C200		LM1 - LM30	LM1 - LM30				1M - 1M
<i>Helichrysum stoechas</i>				C12 - C30			LM1 - LM1					
<i>Helicobacter pylori Nos.</i>	*	D12 - D200	D10 - D200	C5 - C200	C5 - C200		LM2 - LM30	LM2 - LM30				1M - 100M
<i>Heliconia bihai</i>				C12 - C12								
<i>Heliconia latispatha</i>				C12 - C30								
<i>Heliconia lingulata</i>				C12 - C30								
<i>Heliconia psittacorum</i>						C12 - C200			Q1 - Q1			
<i>Heliconia rostrata</i>				C12 - C30			LM1 - LM1					
<i>Heliconia spathocircinata</i>				C12 - C200								
<i>Heliconia wagneriana</i>				C12 - C30								
<i>Helictotrichon planiculme</i>				C12 - C12								
<i>Helictotrichon sempervirens</i>				C12 - C30								
<i>Helicocoris antenor</i>						C12 - C200			Q1 - Q6		FC1M - FC1M	1M - 100M
<i>Heliphila linoides</i>				C12 - C200			LM1 - LM1					1M - 1M
<i>Heliotropium angiospermum</i>				C12 - C200								1M - 1M
<i>Heliotropium hirsutissimum</i>				C12 - C200			LM1 - LM6					1M - 1M
<i>Helium</i>				C10 - C200	C10 - C200		LM2 - LM45	LM2 - LM30			FC1M - FC10M	1M - 100M
<i>Helix pomatia</i>		D7 - D30	D6 - D30	C4 - C200	C4 - C200		LM1 - LM18	LM1 - LM18				1M - 50M
<i>Helix tosta</i>		D10 - D200	D9 - D200	C5 - C200	C6 - C200							1M - 50M
<i>Helleborus foetida</i>	†			C3 - C200	C4 - C200		LM1 - LM1	LM1 - LM1			FC1M - FC10M	1M - 10M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Helleborus foetida ex herba	†					C12 - C200			Q1 - Q1	Q1 - Q1		1M - 1M
Helleborus niger	† *	D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM80	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Helleborus viridis	†	D7 - D12	D5 - D12	C2 - C200	C3 - C200							
Helminthochortos officinarum		D4 - D12	D2 - D12	C2 - C200	C2 - C200							
Helminthotheca echooides				C12 - C200								1M - 1M
Heloderma horridum		D12 - D200	D9 - D200	C6 - C200	C7 - C200		LM2 - LM18	LM2 - LM18				1M - 100M
Heloderma suspectum				C12 - C200	C12 - C200		LM1 - LM18	LM1 - LM18	Q1 - Q10	Q1 - Q10	FC1M - FC10M	1M - 50M
Helodrilus caliginosus				C4 - C200	C5 - C200							1M - 10M
Helonias	† *	D6 - D200	D4 - D200	C2 - C200	C3 - C200		LM1 - LM50	LM1 - LM30				1M - 100M
Helvella crispa				C12 - C12								
Helxine soleirolii					C12 - C200				Q1 - Q1			1M - 1M
Hemerocallis dumortieri					C12 - C30							
Hemiboea subcapitata					C12 - C200							
Hemichaena fruticosa					C12 - C30							1M - 1M
Hemigraphis alternata						C12 - C200			Q1 - Q1			1M - 1M
Hemionitis palmata					C12 - C30							
Hepar Gl		D7 - D200	D5 - D200	C9 - C200	C10 - C200							1M - 10M
Hepar sulfuris		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM120	LM1 - LM30	Q1 - Q32	Q1 - Q30	FC1M - FC100M	1M - 100M
Hepar sulfuris kalium		D10 - D30	D10 - D30	C4 - C200	C5 - C200							1M - 1M
Hepar sulfuris natronatum						C12 - C200	LM1 - LM8	LM1 - LM8				1M - 1M
Heparinum		D7 - D200	D6 - D200									
Hepatica triloba		D4 - D30	D3 - D30	C3 - C200	C3 - C200	C12 - C30	LM1 - LM18	LM1 - LM18	Q1 - Q1	Q1 - Q1		1M - 10M
Hepatis gal. cuvier				C37 - C200	C38 - C200		LM2 - LM120	LM2 - LM30				1M - 100M
Hepatitis A + B Vaccine, Erwachsene	*		D12 - D100	C6 - C200			LM1 - LM90					1M - 10M
Hepatitis A + B Vaccine, Kinder	*			C6 - C200	C9 - C200							1M - 10M
Hepatitis A Impfstoff für Kinder	*			C6 - C200	C9 - C200							1M - 50M
Hepatitis A Impfstoff, passiv	*			C6 - C200								1M - 10M
Hepatitis B Vaccine	*					C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1	FC1M - FC100M	1M - 50M
Heptacodium miconioides				C12 - C200			LM1 - LM8					1M - 1M
Heracleum sphondylium						C12 - C200			Q1 - Q6	Q1 - Q6		1M - 10M
Hermannia saccifera				C12 - C200								
Hernandia nympheifolia				C12 - C30								
Herniaria glabra		D7 - D30	D5 - D30	C2 - C200	C3 - C200	C12 - C30	LM1 - LM1	LM1 - LM1	Q1 - Q2	Q1 - Q2		1M - 10M
Herpes progenitalis Nos.	*			C7 - C200	C10 - C200							1M - 50M
Herpes simplex Nos.	*	D15 - D200	D15 - D200	C6 - C200	C6 - C200		LM2 - LM120	LM2 - LM30			FC1M - FC10M	1M - 50M
Herpes zoster Nos.	*	D9 - D200	D7 - D200	C10 - C200	C10 - C200		LM2 - LM120	LM2 - LM30			FC1M - FC10M	1M - 100M
Herrania nitida				C12 - C30								
Hesperantha coccinea				C12 - C200			LM1 - LM1					
Hesperis matronalis				C12 - C200								
Heteractis malu						C12 - C200			Q1 - Q4			1M - 10M
Heterotheca pumila				C12 - C30								

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
<i>Heterotheca villosa</i>				C12 - C30								
<i>Heterotis rotundifolia</i>				C12 - C200								
<i>Heuchera villosa</i>				C12 - C30								
<i>Hevea brasiliensis latex</i>						C12 - C200	LM1 - LM10		Q1 - Q1		FC1M - FC10M	1M - 50M
<i>Hexoprenalinum sulfuricum</i>	*			C5 - C200	C5 - C200							1M - 10M
<i>Hibbertia grossularifolia</i>				C12 - C30								
<i>Hibbertia scandens</i>				C12 - C200			LM1 - LM9					
<i>Hibbertia tetrandra</i>				C12 - C30			LM1 - LM1					
<i>Hibiscus elatus</i>				C12 - C200								
<i>Hibiscus rosa sinensis</i>						C12 - C200						1M - 10M
<i>Hibiscus sabdariffa</i>		D6 - D200	D4 - D200	C4 - C200	C5 - C200		LM1 - LM20	LM1 - LM20				1M - 100M
<i>Hibiscus trionum</i>				C12 - C30			LM1 - LM1					
<i>Hieracium pilosella</i>		D6 - D30	D3 - D30	C2 - C200	C3 - C200	C12 - C30			Q1 - Q24	Q1 - Q24		1M - 1M
<i>Hierochloe odorata</i>				C12 - C30								
<i>Hieronyma alchorneoides</i>				C12 - C30								
<i>Hilliardiella aristata</i>				C12 - C200			LM1 - LM9					1M - 1M
<i>Himantopus himantopus</i>						C12 - C200						1M - 1M
<i>Hippeastrum equestre</i>						C12 - C200			Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 50M
<i>Hippobroma longiflora</i>				C12 - C200								
<i>Hippocaenicum</i>	† *			C5 - C200	C6 - C200		LM4 - LM120	LM4 - LM30			FC1M - FC1M	1M - 100M
<i>Hippocampus guttulatus</i>						C12 - C200	LM1 - LM11		Q1 - Q6			1M - 50M
<i>Hippocrepis balearica</i>				C12 - C30								
<i>Hippomanes</i>		D12 - D200	D12 - D200	C12 - C200	C15 - C200							1M - 100M
<i>Hippophae rhamnoides</i>				C4 - C200	C5 - C200						FC1M - FC100M	1M - 10M
<i>Hippuris vulgaris</i>				C12 - C200			LM1 - LM1					1M - 10M
<i>Hirudo medicinalis</i>		D15 - D200	D15 - D200	C7 - C200	C7 - C200		LM1 - LM90	LM1 - LM30			FC1M - FC10M	1M - 100M
<i>Hirundo rustica</i>						C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q5	Q1 - Q5		1M - 50M
<i>Histaminum dihydrochloricum</i>	† *	D9 - D200	D9 - D200	C4 - C200	C5 - C200		LM1 - LM60	LM1 - LM30			FC1M - FC100M	1M - 100M
<i>Histidinum</i>		D4 - D200	D4 - D200	C3 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
<i>Histiozytom Nos.</i>	*	D9 - D200	D7 - D200									
<i>Hohenbergia stellata</i>				C12 - C30								
<i>Hoheria angustifolia</i>				C12 - C200			LM1 - LM1					
<i>Hoita orbicularis</i>				C12 - C200								1M - 1M
<i>Holcus lanatus</i>						C12 - C200			Q1 - Q6			1M - 10M
<i>Holly (Bach)</i>				C2 - C200	C3 - C200							1M - 1M
<i>Holmium arsenicosum</i>	†† *					C12 - C200	LM1 - LM30		Q1 - Q5			1M - 10M
<i>Holmium bromatum</i>	*					C12 - C200	LM1 - LM12				FC1M - FC100M	1M - 10M
<i>Holmium carbonicum</i>						C12 - C200	LM1 - LM60		Q1 - Q3			1M - 50M
<i>Holmium chloratum</i>						C12 - C200	LM1 - LM45		Q1 - Q6		FC1M - FC100M	1M - 50M
<i>Holmium citricum</i>						C12 - C200						1M - 1M
<i>Holmium fluoratum</i>	*					C12 - C200	LM1 - LM30		Q1 - Q3			1M - 50M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Holmium hydroxydatum						C12 - C200	LM1 - LM6		Q1 - Q1			1M - 1M
Holmium iodatum	*					C12 - C200	LM1 - LM30		Q1 - Q1			1M - 1M
Holmium lacticum						C12 - C200	LM1 - LM6		Q1 - Q1			1M - 10M
Holmium metallicum						C12 - C200	LM1 - LM30		Q1 - Q30		FC1M - FC100M	1M - 10M
Holmium nitricum						C12 - C200	LM1 - LM30		Q1 - Q3			1M - 10M
Holmium oxalicum						C12 - C200	LM1 - LM18		Q1 - Q1			1M - 10M
Holmium oxydatum						C12 - C200	LM1 - LM30		Q1 - Q1			1M - 50M
Holmium phosphoricum						C12 - C200	LM1 - LM30		Q1 - Q1			1M - 50M
Holmium silicicum						C12 - C200	LM1 - LM30		Q1 - Q6			1M - 10M
Holmium sulfuricum						C12 - C200	LM1 - LM30		Q1 - Q4			1M - 10M
Holodiscus discolor				C12 - C30			LM1 - LM1					
Homalanthus populifolius				C12 - C30								
Homalia trichomanoides				C12 - C30								
Homalocladium platycladum				C12 - C30								
Homalothecium lutescens				C12 - C30								
Homarus						C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q12	Q1 - Q12	FC1M - FC1M	1M - 50M
Honeysuckle (Bach flower)				C2 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				
Hordeum vulgare						C12 - C200			Q1 - Q1	Q1 - Q1		1M - 10M
Horminum pyrenaicum				C12 - C30								
Hornungia alpina				C12 - C12								
Hosta sieboldii elegans				C2 - C200			LM1 - LM1					1M - 1M
Hottentotta tamulus						C12 - C200						1M - 100M
Hottonia palustris						C12 - C200	LM1 - LM8		Q1 - Q3			1M - 1M
Houttuynia cordata				C12 - C200			LM1 - LM1					1M - 1M
Hovenia dulcis				C12 - C30			LM1 - LM1					
Hoya carnosa				C3 - C30			LM1 - LM1					
Hugueninia tanacetifolia				C12 - C12								
Humaner Papillomavirus Impfstoff	*	D12 - D200	D12 - D200	C7 - C200	C9 - C200		LM2 - LM30	LM2 - LM30				1M - 100M
Humaner Papillomavirus Impfstoff 2	*			C6 - C200	C9 - C200							1M - 50M
Humulus lupulus		D4 - D200	D2 - D200	C1 - C200	C1 - C200	C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q8	Q1 - Q8		1M - 100M
Humus						C12 - C200			Q1 - Q3		FC1M - FC10M	1M - 100M
Hundehaare (Allergen)				C6 - C30	C6 - C30							
Hunnemannia fumariifolia				C12 - C30			LM1 - LM1					
Huperzia squarrosa				C12 - C30			LM1 - LM1					
Hura brasiliensis	†	D7 - D200	D6 - D200	C4 - C200	C5 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 100M
Hura crepitans						C12 - C200						1M - 1M
Hyaluronidase		D15 - D200	D10 - D200									
Hybanthus communis				C12 - C200								1M - 1M
Hydnophytum formicarum				C12 - C30								
Hydra oligactis						C12 - C200						1M - 1M
Hydrangea arborescens		D5 - D200	D4 - D200	C1 - C200	C2 - C200		LM1 - LM4	LM1 - LM4				1M - 50M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
<i>Hydrangea paniculata</i>				C12 - C200								1M - 1M
<i>Hydrangea quercifolia</i>				C12 - C30								
<i>Hydrangea scandens</i>				C12 - C30								
<i>Hydargyrum bichloratum</i>	†† *	D6 - D200	D4 - D200	C5 - C200	C6 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q18	Q1 - Q18	FC1M - FC100M	1M - 100M
<i>Hydargyrum metallicum</i>	† *	D15 - D200	D12 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q17	Q1 - Q17	FC1M - FC50M	1M - 100M
<i>Hydargyrum silicum</i>	†† *					C12 - C200	LM1 - LM36	LM1 - LM30				1M - 50M
<i>Hydargyrum stibiato-sulfuratum</i>	† *	D12 - D200	D12 - D200	C10 - C200	C10 - C200		LM1 - LM18	LM1 - LM18	Q1 - Q1	Q1 - Q1		1M - 10M
<i>Hydargyrum sulfuratum nigrum</i>	† *			C10 - C200	C10 - C200		LM1 - LM19	LM1 - LM19	Q1 - Q1	Q1 - Q1		1M - 10M
<i>Hydargyrum sulfuratum rubrum</i>	†† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
<i>Hydargyrum tetraboricum</i>	*			C10 - C200	C10 - C200							
<i>Hydrastinum muriaticum</i>	*			C5 - C200	C5 - C200							1M - 10M
<i>Hydrastis canadensis</i>	† *	D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM32	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
<i>Hydrocharis morsus-ranae</i>				C12 - C12								
<i>Hydrochinonum</i>		D30 - D200	D30 - D200									
<i>Hydrochlorothiazidum</i>	*			C1 - C200	C2 - C200							1M - 10M
<i>Hydrocleys nymphoides</i>				C12 - C200			LM1 - LM1					
<i>Hydrocortison</i>	*	D12 - D30	D12 - D30	C6 - C30	C9 - C30							
<i>Hydrogenium</i>		D7 - D200	D5 - D200	C3 - C200	C4 - C200		LM1 - LM42	LM1 - LM30			FC1M - FC10M	1M - 100M
<i>Hydrogenum peroxydatum</i>			D12 - D30	C6 - C200			LM1 - LM60				FC1M - FC10M	1M - 10M
<i>Hydropsis cyanocinctus</i>	††			C7 - C200	C8 - C200		LM2 - LM20	LM2 - LM20			FC1M - FC10M	1M - 100M
<i>Hydrophyllum canadense</i>				C12 - C200								
<i>Hydropiper</i>		D4 - D30	D2 - D30	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30				1M - 1M
<i>Hydrotrida caroliniana</i>				C12 - C30								
<i>Hygrophila corymbosa</i>				C12 - C200								1M - 1M
<i>Hygrophoropsis aurantiaca</i>				C12 - C12								
<i>Hyla arborea</i>				C4 - C200	C5 - C200							1M - 10M
<i>Hylocomium splendens</i>				C12 - C30								
<i>Hylomecon japonica</i>				C12 - C30								
<i>Hylotelephium spectabile</i>				C12 - C200			LM1 - LM1					
<i>Hymenandra wallichii</i>				C12 - C200								1M - 1M
<i>Hymenocallis littoralis</i>				C12 - C200								
<i>Hymenosporum flavum</i>				C12 - C30								
<i>Hyobanche sanguinea</i>				C12 - C200								1M - 1M
<i>Hyoscinum hydrobromicum</i>	†† *			C4 - C200	C5 - C200		LM1 - LM18	LM1 - LM18				1M - 10M
<i>Hyoscyamus niger</i>	† *	D4 - D200	D2 - D200	C2 - C200	C2 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	0M - 100M
<i>Hyoscyamus scopolia</i>	† *					C12 - C200			Q1 - Q1	Q1 - Q1		1M - 1M
<i>Hypocoum procumbens</i>				C12 - C30			LM1 - LM1					
<i>Hypericum aegypticum</i>				C12 - C30			LM1 - LM1					
<i>Hypericum delphinicum</i>				C12 - C30								
<i>Hypericum forrestii</i>				C12 - C30								
<i>Hypericum hircinum</i>				C12 - C30								

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Hypericum olympicum				C12 - C30								
Hypericum patulum				C12 - C30			LM1 - LM1					
Hypericum perforatum		D6 - D200	D4 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
Hyphaene compressa						C12 - C200	LM1 - LM30					1M - 1M
Hypholoma fasciculare				C12 - C12								
Hypnum cupressiforme				C12 - C30			LM1 - LM6					
Hypothalamus Gl		D7 - D200	D6 - D200	C7 - C200	C9 - C200							1M - 50M
Hypoxis hemerocallidea						C12 - C200			Q1 - Q1			1M - 1M
Hyptis capitata				C12 - C30								
Hyssopus officinalis		D6 - D30	D4 - D30	C2 - C200	C3 - C200	C12 - C30	LM1 - LM12	LM1 - LM12	Q1 - Q1	Q1 - Q1		1M - 1M
Hystrix indica						C12 - C200	LM1 - LM30		Q1 - Q1			1M - 1M
Hühnerfedern (Allergen)				C6 - C30	C6 - C30							
Iberis amara		D4 - D200	D2 - D200	C1 - C200	C2 - C200		LM1 - LM30	LM1 - LM30				1M - 100M
Ibicella lutea				C12 - C200			LM1 - LM1					1M - 1M
Ibuprofen		D4 - D200	D5 - D200	C3 - C200	C2 - C200							1M - 10M
Ichthyolum		D12 - D30	D12 - D30	C6 - C200	C6 - C200		LM1 - LM30	LM1 - LM30				1M - 50M
Idesia polycarpa				C12 - C30								
Iguana iguana						C12 - C200	LM1 - LM3		Q1 - Q8			1M - 10M
Ileum Gl		D8 - D30	D7 - D30									
Ilex aquifolium		D10 - D30	D10 - D30	C2 - C200	C2 - C200		LM1 - LM18	LM1 - LM18				1M - 10M
Ilex verticillata				C12 - C200			LM1 - LM1					1M - 1M
Imazalil/Triadimenol/Fuberidazol		D6 - D30	D4 - D30	C2 - C30	C3 - C30							
Imidacloprid		D6 - D30	D5 - D30	C3 - C30	C3 - C30							
Imidazolium	*			C3 - C200	C3 - C200							1M - 10M
Impatiens (Bach)		D4 - D12	D2 - D12	C2 - C200	C2 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 10M
Impatiens arguta				C12 - C30			LM1 - LM1					
Impatiens balfourii				C12 - C30								
Impatiens grandiflora				C12 - C200			LM1 - LM1					1M - 10M
Impatiens niamniamensis				C12 - C200								
Impatiens omeiana				C12 - C30			LM1 - LM1					
Impatiens pallida				C12 - C30								
Impatiens racemosa				C12 - C30			LM1 - LM1					
Impatiens tinctoria				C12 - C12								
Impatiens walleriana				C12 - C200			LM1 - LM1					1M - 100M
Imperatoria ostruthium		D4 - D12	D2 - D12	C2 - C200	C3 - C200		LM1 - LM13	LM1 - LM13				1M - 100M
Impferysipel Nosode	*			C4 - C200	C5 - C200							1M - 1M
Inachis io						C12 - C200					FC1M - FC10M	1M - 50M
Incarvillea delavayi				C12 - C30			LM1 - LM1					
Incarvillea olgae				C12 - C200								
Indigo		D10 - D30	D10 - D30	C10 - C200	C10 - C200	C12 - C200	LM2 - LM30	LM2 - LM30	Q1 - Q18	Q1 - Q18	FC1M - FC10M	1M - 100M
Indium arsenicosum	*					C12 - C200			Q1 - Q12			1M - 10M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Indium arsenicum	*					C12 - C200			Q1 - Q3			1M - 1M
Indium carbonicum						C12 - C200						1M - 10M
Indium metallicum	†	D15 - D30	D12 - D30	C10 - C200	C10 - C200		LM2 - LM30	LM2 - LM30			FC1M - FC100M	1M - 100M
Indium nitricum						C12 - C200	LM1 - LM1					1M - 1M
Indium oxydatum				C5 - C200	C6 - C200							1M - 10M
Indium sulfuratum						C12 - C200	LM1 - LM7		Q1 - Q1			1M - 1M
Indium sulfuricum							LM2 - LM6	LM2 - LM6				
Indolum				C10 - C200	C10 - C200		LM2 - LM18	LM2 - LM18				1M - 50M
Infizierte Lymphe Nos.	*	D9 - D200	D8 - D200									
Influenzinum	*	D12 - D200	D10 - D200	C7 - C200	C9 - C200		LM2 - LM30	LM2 - LM30				1M - 100M
Insulinum	† *	D15 - D200	D15 - D200	C7 - C200	C7 - C200		LM2 - LM45	LM2 - LM30				1M - 50M
Interferon	*	D12 - D200	D12 - D200	C5 - C200	C6 - C200		LM1 - LM30	LM1 - LM30				1M - 50M
Inula helenium		D6 - D30	D6 - D30	C2 - C200	C3 - C200		LM1 - LM16	LM1 - LM16				1M - 10M
Iochroma cyanea				C12 - C200			LM1 - LM1					1M - 1M
Iodium	† *	D4 - D200	D4 - D200	C2 - C200	C2 - C200	C12 - C200	LM1 - LM90	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Ipheion uniflorum				C12 - C30								
Ipomoea batatas						C12 - C200			Q1 - Q1			1M - 1M
Ipomoea cholensis				C12 - C30			LM1 - LM1					
Ipomoea imperati						C12 - C200						1M - 10M
Ipomoea mauritiana				C12 - C30			LM1 - LM1					
Ipomoea pes caprica						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 50M
Ipomoea purpurea						C12 - C200			Q1 - Q1	Q1 - Q1		1M - 10M
Ipomoea tricolor						C12 - C200			Q1 - Q1			
Ipomopsis rubra				C12 - C200			LM1 - LM1					
Iridium carbonicum						C12 - C200	LM1 - LM6	LM1 - LM6				1M - 50M
Iridium chloratum						C12 - C200	LM1 - LM30					1M - 1M
Iridium metallicum		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM2 - LM60	LM2 - LM30			FC1M - FC10M	1M - 50M
Iridium oxydatum						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 1M
Iridium phosphoricum						C12 - C200	LM1 - LM1	LM1 - LM1			FC1M - FC10M	1M - 1M
Iridium sulfuricum				C5 - C200	C6 - C200		LM2 - LM18	LM2 - LM18				1M - 50M
Iris domestica				C12 - C12								
Iris florentina		D7 - D200	D6 - D200									
Iris pumila						C12 - C200						
Iris tenax				C7 - C200	C9 - C200		LM1 - LM21	LM1 - LM21			FC1M - FC10M	1M - 1M
Iris versicolor		D3 - D200	D1 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q16	Q1 - Q16	FC1M - FC100M	1M - 100M
Isatis tinctoria				C12 - C200			LM1 - LM6					1M - 1M
Ischyrolepis sieberi				C12 - C200								1M - 1M
Iso-Tretinoïnum	† *	D4 - D6	D2 - D6	C2 - C200	C2 - C200							1M - 50M
Isodon excisus				C12 - C12								
Isolona cooperi				C12 - C200								1M - 1M
Isoniazid	*	D4 - D30	D3 - D30	C2 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 10M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
<i>Isopogon fletcheri</i>				C12 - C200			LM1 - LM1					1M - 1M
<i>Isopyrum thalictroides</i>						C12 - C200			Q1 - Q1	Q1 - Q1		
<i>Isothecium alopecuroides</i>				C12 - C30								
<i>Isotoma fluviatilis</i>				C12 - C30			LM1 - LM1					
<i>Itraconazol</i>				C2 - C12	C2 - C12		LM1 - LM1	LM1 - LM1				
<i>Ixanthus viscosus</i>				C12 - C30								
<i>Ixodes dammini</i>				C20 - C200	C20 - C200							1M - 10M
<i>Ixodes ricinus</i>				C13 - C200	C14 - C200							1M - 10M
<i>Ixora chinensis</i>				C12 - C200								1M - 1M
<i>Jaborosa integrifolia</i>				C12 - C200			LM1 - LM1					1M - 1M
<i>Jacaranda caroba</i>		D6 - D30	D6 - D30	C4 - C200	C4 - C200		LM1 - LM5	LM1 - LM5				1M - 10M
<i>Jacaranda gualanday</i>				C7 - C200	C9 - C200						FC1M - FC50M	1M - 50M
<i>Jacaratia mexicana</i>				C12 - C30			LM1 - LM1					
<i>Jalapa</i>	† *	D7 - D200	D5 - D200	C2 - C200	C3 - C200		LM1 - LM12	LM1 - LM12			FC1M - FC1M	1M - 50M
<i>Jaltomata procumbens</i>				C12 - C200			LM1 - LM6					1M - 1M
<i>Japan Encephalitis Nos.</i>				C4 - C200	C5 - C200							1M - 10M
<i>Jasione montana</i>				C12 - C200			LM1 - LM1					1M - 10M
<i>Jasminum beesianum</i>				C12 - C30			LM1 - LM1					
<i>Jasminum multiflorum</i>					C12 - C200	LM1 - LM8		Q1 - Q1				1M - 10M
<i>Jasminum sambac</i>				C12 - C200			LM1 - LM1					1M - 1M
<i>Jateorhiza palmata</i>		D12 - D12	D12 - D12	C6 - C200	C6 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
<i>Jatropha</i>	† *	D4 - D30	D2 - D30	C1 - C200	C2 - C200		LM1 - LM34	LM1 - LM30			FC1M - FC10M	1M - 100M
<i>Jodoformium</i>	†	D4 - D30	D5 - D30	C4 - C200	C5 - C200		LM1 - LM15	LM1 - LM15				1M - 100M
<i>Johneinum Nos.</i>	*			C12 - C200	C12 - C200							1M - 50M
<i>Jonesia asoka</i>		D0 - D200	D1 - D200	C1 - C200	C0 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1		1M - 10M
<i>Jovellana violacea</i>				C12 - C30								
<i>Juanulloa aurantiaca</i>				C12 - C200			LM1 - LM1					1M - 1M
<i>Juglans</i>		D6 - D200	D3 - D200	C1 - C200	C2 - C200	C12 - C30	LM1 - LM30	LM1 - LM30	Q1 - Q14	Q1 - Q14		1M - 100M
<i>Juglans cinerea</i>		D12 - D200	D12 - D200	C3 - C200	C3 - C200		LM1 - LM15	LM1 - LM15				1M - 100M
<i>Juncus atratus</i>				C12 - C30			LM1 - LM1					
<i>Juncus effusus</i>					C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q1	Q1 - Q1			1M - 10M
<i>Juncus trifidus</i>				C12 - C12								
<i>Junellia succulentifolia</i>				C12 - C30								
<i>Juniperus communis</i>		D4 - D100	D1 - D100	C1 - C200	C2 - C200	C12 - C30	LM1 - LM30	LM1 - LM30	Q1 - Q9	Q1 - Q9		1M - 100M
<i>Juniperus oxycedrus</i>		D5 - D30	D3 - D30									
<i>Juniperus sabina</i>	† *	D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
<i>Justicia adhatoda</i>	*	D4 - D200	D2 - D200	C1 - C200	C2 - C200		LM1 - LM40	LM1 - LM30			FC1M - FC1M	1M - 10M
<i>Justicia carnea</i>				C12 - C30								
<i>Justicia gendarussa</i>					C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1			1M - 1M
KI 1 N	†	D15 - D30	D12 - D30									
KI 11 N	†	D30 - D200	D12 - D200				LM2 - LM18	LM3 - LM18				

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
KI 3 N	†	D15 - D200	D12 - D200									
KI 4 N	†	D12 - D200	D9 - D200									
KI 9 N	†	D12 - D30	D10 - D30									
Kabuya hostifolia				C12 - C30			LM1 - LM1					
Kaempferia elegans				C12 - C30								
Kalimeris incisa				C12 - C30								
Kalium aceticum		D3 - D30	D3 - D30	C1 - C200	C1 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q2	Q1 - Q2		1M - 100M
Kalium arsenicosum	†† *	D10 - D200	D9 - D200	C4 - C200	C4 - C200		LM1 - LM45	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Kalium arsenicosum sine lavandula	†† *			C4 - C200	C5 - C200							
Kalium bicarbonicum		D6 - D200	D4 - D200	C3 - C200	C4 - C200		LM1 - LM30	LM1 - LM30				1M - 1M
Kalium bichromicum	† *	D7 - D200	D6 - D200	C4 - C200	C4 - C200	C12 - C200	LM1 - LM60	LM1 - LM30	Q1 - Q41	Q1 - Q30	FC1M - FC100M	1M - 100M
Kalium bromatum	† *	D4 - D200	D3 - D200	C3 - C200	C3 - C200		LM1 - LM120	LM1 - LM30	Q1 - Q28	Q1 - Q28	FC1M - FC100M	1M - 100M
Kalium carbonicum		D5 - D200	D3 - D200	C3 - C200	C3 - C200		LM1 - LM60	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Kalium causticum	†	D4 - D30	D2 - D30	C2 - C200	C3 - C200		LM1 - LM24	LM1 - LM24	Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 50M
Kalium chloratum		D5 - D200	D4 - D200	C4 - C200	C3 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q27	Q1 - Q27	FC1M - FC50M	1M - 100M
Kalium chloricum	*	D4 - D200	D4 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q9	Q1 - Q9		1M - 50M
Kalium chromicum	† *			C10 - C200	C10 - C200		LM1 - LM12	LM1 - LM12	Q1 - Q13	Q1 - Q13		1M - 1M
Kalium citricum		D3 - D30	D4 - D30	C2 - C200	C3 - C200		LM1 - LM6	LM1 - LM6	Q1 - Q1	Q1 - Q1		1M - 10M
Kalium cyanatum	†† *	D10 - D200	D10 - D200	C12 - C200	C12 - C200							1M - 100M
Kalium ferrocyanatum		D4 - D200	D4 - D200	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 10M
Kalium fluoratum	† *	D4 - D200	D4 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q28	Q1 - Q28	FC1M - FC10M	1M - 100M
Kalium hypophosphorosum		D7 - D7	D6 - D6	C5 - C200	C6 - C200		LM1 - LM9	LM1 - LM9				1M - 10M
Kalium iodatum	† *	D4 - D200	D2 - D200	C2 - C200	C2 - C200		LM1 - LM100	LM1 - LM30	Q1 - Q19	Q1 - Q19	FC1M - FC5M	1M - 100M
Kalium lacticum		D3 - D30	D3 - D30	C2 - C200	C2 - C200	C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q7	Q1 - Q7	FC1M - FC10M	1M - 1M
Kalium nitricum		D6 - D200	D4 - D200	C4 - C200	C5 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q20	Q1 - Q20	FC1M - FC10M	1M - 100M
Kalium oxalicum	†			C2 - C200	C3 - C200							1M - 50M
Kalium permanganicum	*	D9 - D60	D8 - D60	C10 - C200	C6 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6		1M - 50M
Kalium peroxydatum						C12 - C200	LM1 - LM11		Q1 - Q1			1M - 100M
Kalium phosphoricum		D6 - D200	D4 - D200	C3 - C200	C4 - C200		LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Kalium picrinicum	† *	D12 - D200	D10 - D200									
Kalium salicylicum	*	D5 - D30	D4 - D30	C3 - C200	C3 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Kalium silicicum		D6 - D200	D6 - D200	C4 - C200	C5 - C200		LM1 - LM59	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Kalium stibyltartaricum	†† *	D6 - D200	D4 - D200	C3 - C200	C3 - C200		LM1 - LM90	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
Kalium sulfocyanatum	† *			C3 - C200	C4 - C200							
Kalium sulfuricum		D9 - D200	D5 - D200	C2 - C200	C3 - C200		LM1 - LM94	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC50M	1M - 100M
Kalium tartaricum		D9 - D30	D6 - D30	C4 - C200	C5 - C200							1M - 1M
Kalmia latifolia		D0 - D200	D1 - D200	C1 - C200	C0 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC5M	1M - 50M
Kalmiopsis leachiana				C12 - C12								
Kalopanax septemlobus				C12 - C30			LM1 - LM1					
Kamala	*			C4 - C200	C4 - C200							1M - 1M
Kaninchenhaare (Allergen)				C6 - C30	C6 - C30							

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Karies Nos.	*			C9 - C200	C9 - C200							1M - 10M
Karomia tettensis				C12 - C12								
Katarrhalische Mischflora Nos.	*	D30 - D200	D30 - D200									
Katzenhaare (Allergen)				C6 - C200	C6 - C200							1M - 10M
Kazuar ssp.						C12 - C200						1M - 10M
Kerosolenum		D10 - D200	D9 - D200	C4 - C200	C5 - C200							1M - 50M
Kerria japonica				C12 - C30								
Khaya senegalensis				C12 - C200								1M - 1M
Khellinum	*	D5 - D12	D3 - D12	C3 - C200	C4 - C200							1M - 10M
Kieferhöhlcyste Nos.		D9 - D200	D7 - D200									
Kieferhöhlenpolyp Nos.	*	D9 - D200	D7 - D200									
Kieferostitis Nos.	*	D9 - D200	D9 - D200	C5 - C200	C6 - C200							1M - 10M
Kieferostitis, akute bakterielle, Nos.	*			C6 - C200	C7 - C200							1M - 1M
Kieferostitis, fettige * Nos.	*	D9 - D200	D9 - D200									
Kigelia africana				C12 - C200			LM1 - LM1					1M - 1M
Kiggelaria africana				C12 - C200		C12 - C200	LM1 - LM6					1M - 1M
Kirengeshoma palmata				C12 - C200								1M - 1M
Kitaibelia vitifolia				C12 - C200								
Klebsiella pneumoniae Nos.	*	D9 - D200	D7 - D200	C5 - C200	C6 - C200							1M - 10M
Kleinia abyssinica				C12 - C200								1M - 1M
Knautia arvensis		D7 - D200	D6 - D200									
Knautia macedonica				C12 - C30			LM1 - LM1					
Kneiffia pumila				C12 - C12								
Kniphofia fluviatilis				C12 - C200								1M - 50M
Kobaltblau				C10 - C200	C10 - C200		LM1 - LM1	LM1 - LM1				
Koeleria pyramidata				C12 - C30								
Koeleria vallesiana				C12 - C30								
Koelreuteria paniculata				C12 - C30								
Kohleria spicata				C12 - C30								
Kolkwitzia amabilis				C12 - C30			LM1 - LM1					
Kongorot				C4 - C200	C3 - C200							1M - 50M
Kopsia singapurensis				C12 - C200								
Krascheninnikovia ceratoides				C12 - C30								
Kreatininum		D10 - D200	D9 - D200	C5 - C200	C6 - C200							1M - 10M
Kreosotum	† *	D9 - D200	D4 - D200	C2 - C200	C4 - C200	C12 - C200	LM1 - LM60	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Kresolum	† *	D9 - D30	D4 - D30	C2 - C200	C3 - C200		LM1 - LM28	LM1 - LM28				1M - 100M
Krokydolith						C12 - C200			Q1 - Q1			1M - 1M
Kuehneromyces mutabilis				C12 - C12								
Kugelblitz							C12 - C200					1M - 50M
L-Cystine		D30 - D200	D15 - D200	C5 - C200	C6 - C200							1M - 10M
L-Ekzem Nos.	*	D15 - D200	D12 - D200	C4 - C200	C5 - C200							1M - 1M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
L-Glutamin		D5 - D6	D5 - D6	C3 - C30	C3 - C30							
L-NIL				C5 - C30	C6 - C30		LM1 - LM1	LM1 - LM1				
L-Noradrenalin-hydrochlorid	*	D15 - D200	D12 - D200									
Laburnum anagyroides	† *	D15 - D30	D12 - D30	C6 - C200	C6 - C200	C12 - C30	LM1 - LM6	LM1 - LM6	Q1 - Q17	Q1 - Q17		1M - 10M
Lac Alpaca				C3 - C200			LM1 - LM1					
Lac asinum						C12 - C200	LM2 - LM30	LM2 - LM30	Q2 - Q30	Q2 - Q30	FC1M - FC10M	1M - 100M
Lac cameli dromedari						C12 - C200	LM1 - LM12		Q1 - Q3		FC1M - FC100M	1M - 100M
Lac caninum		D10 - D200	D9 - D200	C3 - C200	C4 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Lac caninum e Basset Hounder				C2 - C200	C2 - C200		LM1 - LM9	LM1 - LM9				1M - 100M
Lac caninum e Beagle						C12 - C200	LM1 - LM30					1M - 50M
Lac caninum e Border Collie				C4 - C200	C4 - C200		LM1 - LM24	LM1 - LM24				1M - 50M
Lac caninum e Bullterrier				C3 - C200			LM1 - LM1					1M - 50M
Lac caninum e Cockerspaniel				C5 - C200	C5 - C200		LM1 - LM5	LM1 - LM5				1M - 10M
Lac caninum e Kromfohrländer		D4 - D30	D3 - D30	C2 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Lac caninum e Labrador						C12 - C200	LM1 - LM30		Q1 - Q20		FC1M - FC100M	1M - 100M
Lac caninum e Langhaarcollie				C2 - C200			LM1 - LM12					1M - 50M
Lac caninum e Mops				C2 - C200	C3 - C200		LM1 - LM10	LM1 - LM10				1M - 50M
Lac caninum e Rauhhaar dackel		D15 - D200	C6 - C200			C12 - C200	LM1 - LM30		Q1 - Q24		FC1M - FC100M	1M - 50M
Lac caninum e Retriever						C12 - C200	LM1 - LM30		Q1 - Q18			1M - 100M
Lac caninum e Schäferhund		D5 - D12	D4 - D12	C3 - C200	C3 - C200	C12 - C200	LM1 - LM30	LM1 - LM30				1M - 50M
Lac caninum e Windhund				C2 - C200	C3 - C200		LM1 - LM4	LM1 - LM4				1M - 100M
Lac caprinum		D15 - D30	D12 - D30	C4 - C200	C5 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
Lac condensatum		D4 - D30	D3 - D30	C3 - C30	C3 - C30	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 1M
Lac defloratum		D5 - D200	D4 - D200	C5 - C200	C6 - C200	C12 - C200	LM1 - LM100	LM1 - LM30	Q1 - Q18	Q1 - Q18	FC1M - FC50M	1M - 100M
Lac delphinum				C12 - C200	C12 - C200		LM2 - LM120	LM2 - LM30			FC1M - FC100M	1M - 100M
Lac elephas maximus						C12 - C200	LM1 - LM18	LM1 - LM18				1M - 100M
Lac equus		D10 - D200	D7 - D200	C10 - C200	C10 - C200		LM1 - LM60	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Lac equus ex Araber				C2 - C200			LM1 - LM45					1M - 100M
Lac equus ex Islandpferd						C12 - C200	LM1 - LM8	LM1 - LM8	Q1 - Q4	Q1 - Q4		1M - 10M
Lac felinum						C12 - C200	LM1 - LM60	LM1 - LM30	Q1 - Q27	Q1 - Q27	FC1M - FC50M	1M - 100M
Lac humanum		D8 - D200	D7 - D200	C4 - C200	C5 - C200		LM2 - LM120	LM2 - LM30				1M - 100M
Lac jama						C12 - C200	LM1 - LM42		Q1 - Q3		FC1M - FC10M	1M - 10M
Lac leontis				C31 - C200	C32 - C200							1M - 100M
Lac loxodonta				C7 - C200	C8 - C200		LM2 - LM30	LM2 - LM30			FC1M - FC1M	1M - 100M
Lac lupi				C8 - C200	C8 - C200		LM2 - LM120	LM2 - LM30			FC1M - FC100M	1M - 100M
Lac macropus				C20 - C200	C20 - C200							1M - 10M
Lac maternum				C30 - C200	C60 - C200							1M - 100M
Lac oryctolaginum						C12 - C200	LM2 - LM30		Q1 - Q18		FC1M - FC10M	1M - 100M
Lac ovinum		D8 - D200	D6 - D200	C2 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q24	Q1 - Q24	FC1M - FC10M	1M - 100M
Lac phoca vitulina				C200 - C200								1M - 100M
Lac puma concolor				C7 - C200	C8 - C200							1M - 50M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Lac rhesus				C30 - C200	C30 - C200							1M - 50M
Lac suinum		D7 - D200	D4 - D200	C3 - C200	C4 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q12	Q1 - Q12	FC1M - FC10M	1M - 100M
Lac vaccini flos						C12 - C200	LM1 - LM30		Q1 - Q1			1M - 1M
Lac vaccinum		D10 - D200	D9 - D200	C3 - C200	C4 - C200	C12 - C30	LM1 - LM30	LM1 - LM30	Q1 - Q12	Q1 - Q12	FC1M - FC10M	1M - 100M
Lac vaccinium coagulatum						C12 - C200						1M - 1M
Laccaria amethystina				C12 - C12								
Lacerta agilis				C3 - C200	C4 - C200		LM1 - LM28	LM1 - LM28				1M - 10M
Lachenalia comptonii				C12 - C200								1M - 1M
Lachesis	++	D12 - D200	D8 - D200	C6 - C200	C6 - C200		LM1 - LM120	LM1 - LM30	Q1 - Q36	Q1 - Q30	FC1M - FC100M	0M - 100M
Lachnanthes tinctoria		D7 - D200	D5 - D200	C5 - C200	C6 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC1M	1M - 100M
Lactarius blennius				C12 - C12								
Lactarius deterrimus				C12 - C12								
Lactarius quietus				C12 - C12								
Lactuca sativa				C2 - C200	C3 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Lactuca virosa	+ *	D9 - D200	D7 - D200	C2 - C200	C3 - C200	C12 - C30	LM1 - LM60	LM1 - LM30	Q1 - Q3	Q1 - Q3	FC1M - FC1M	1M - 50M
Lacus Mono						C12 - C200	LM1 - LM1		Q1 - Q1			
Lagerstroemia indica						C12 - C200	LM1 - LM1		Q1 - Q1			
Lagopus mutus						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 1M
Lagunaria patersonia				C12 - C200								
Lagurus ovatus				C12 - C12								
Lama glama pel						C12 - C200			Q1 - Q1	Q1 - Q1		
lamblia intestinalis Nos.	*			C5 - C200	C9 - C200						FC1M - FC10M	1M - 50M
Lamium album		D6 - D30	D3 - D30	C2 - C200	C2 - C200	C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q1	Q1 - Q1		1M - 10M
Lamotriginum	*	D13 - D30	D11 - D30	C2 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Lampona cylindrata				C7 - C200	C8 - C200							1M - 100M
Lampranthus aureus				C12 - C200			LM1 - LM1					1M - 1M
Lamprohiza splendidula						C12 - C200	LM1 - LM12		Q1 - Q3		FC1M - FC10M	1M - 50M
Lampropeltis triangulum						C12 - C200			Q1 - Q1			1M - 10M
Lantana camara						C12 - C200			Q1 - Q1			1M - 1M
Lanthane A						C12 - C200						1M - 10M
Lanthane B						C12 - C200						1M - 10M
Lanthanum arsenicosum	++ *					C12 - C200	LM1 - LM30		Q1 - Q8			1M - 50M
Lanthanum bromatum	*					C12 - C200	LM1 - LM30		Q1 - Q3			1M - 100M
Lanthanum carbonicum	*					C12 - C200	LM1 - LM30		Q1 - Q8			1M - 100M
Lanthanum chloratum						C12 - C200	LM1 - LM18		Q1 - Q20			1M - 100M
Lanthanum fluoratum	*					C12 - C200	LM1 - LM30		Q1 - Q6			1M - 50M
Lanthanum glutaminicum				C10 - C200			LM1 - LM1		Q1 - Q1			1M - 50M
Lanthanum hydroxydatum						C12 - C200	LM1 - LM6					1M - 10M
Lanthanum iodatum	*					C12 - C200	LM1 - LM30					1M - 10M
Lanthanum lacticum						C12 - C200	LM1 - LM13		Q1 - Q3			1M - 10M
Lanthanum metallicum	*					C12 - C200	LM1 - LM30		Q1 - Q30		FC1M - FC100M	1M - 50M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Lanthanum nitricum						C12 - C200	LM1 - LM18		Q1 - Q1		FC1M - FC100M	1M - 50M
Lanthanum oxalicum						C12 - C200	LM1 - LM18		Q1 - Q1			1M - 10M
Lanthanum oxydatum						C12 - C200	LM1 - LM30		Q1 - Q9			1M - 100M
Lanthanum phosphoricum						C12 - C200	LM1 - LM36		Q1 - Q18		FC1M - FC10M	1M - 50M
Lanthanum selenicosum	† *					C12 - C200						1M - 10M
Lanthanum silicum						C12 - C200	LM1 - LM30		Q1 - Q6			1M - 50M
Lanthanum sulfuricum						C12 - C200	LM1 - LM30		Q1 - Q21			1M - 100M
Lapageria rosea				C12 - C200								1M - 1M
Lapathum acutum				C4 - C200	C5 - C200							1M - 1M
Lapis albus		D10 - D30	D10 - D30	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q12	Q1 - Q12	FC1M - FC10M	1M - 10M
Lapis arduensis						C12 - C200						1M - 1M
Lapis caminus						C12 - C200			Q1 - Q3	Q1 - Q3		1M - 50M
Lapis igneus						C12 - C200			Q1 - Q6	Q1 - Q6		1M - 50M
Lapis lazuli				C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q18	Q1 - Q18	FC1M - FC1M	1M - 50M
Lapis ruber						C12 - C200	LM1 - LM8		Q1 - Q9		FC1M - FC10M	1M - 10M
Laportea canadensis				C12 - C200								1M - 1M
Larch (Bach)				C4 - C200	C5 - C200							1M - 50M
Lariciformes officinalis	*	D12 - D200	D12 - D200	C6 - C200	C8 - C200		LM1 - LM18	LM1 - LM18				1M - 100M
Larimar				C10 - C200	C10 - C200							1M - 1M
Larix decidua		D3 - D200	D2 - D200	C1 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 100M
Larrea mexicana				C4 - C200	C5 - C200							1M - 100M
Larrea tridentata				C12 - C200			LM1 - LM1					1M - 1M
Larus argentatus				C12 - C200	C12 - C200							1M - 100M
Larus marinus						C12 - C200	LM1 - LM12	LM1 - LM12	Q1 - Q1	Q1 - Q1		1M - 10M
Larynx		D9 - D200	D7 - D200									
Laserpitium latifolium				C12 - C30								
Lasia spinosa				C12 - C30								
Lathraea clandestina				C12 - C200								1M - 10M
Lathyrus sativus		D4 - D200	D2 - D200	C1 - C200	C2 - C200		LM1 - LM60	LM1 - LM30			FC1M - FC100M	1M - 100M
Latrodectus geometricans						C12 - C200			Q1 - Q5			1M - 10M
Latrodectus hasselti	†					C12 - C200	LM1 - LM24	LM1 - LM24	Q1 - Q18	Q1 - Q18	FC1M - FC10M	1M - 100M
Latrodectus katipo						C12 - C200	LM1 - LM29	LM1 - LM29	Q1 - Q3	Q1 - Q3		1M - 10M
Latrodectus mactans	†	D4 - D200	D3 - D200	C4 - C200	C5 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q12	Q1 - Q12	FC1M - FC100M	1M - 100M
Latrodectus mactans mexicanus						C12 - C200			Q1 - Q1			
Latrodectus tredecimguttatus						C12 - C200	LM1 - LM8		Q1 - Q1			1M - 10M
Laurentia longitubus				C12 - C30								
Laurus nobilis	†	D12 - D200	D12 - D200	C2 - C200	C3 - C200	C12 - C30	LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1		1M - 1M
Lavandula angustifolia		D3 - D60	D1 - D60	C1 - C200	C2 - C200	C12 - C30	LM1 - LM12	LM1 - LM12	Q1 - Q3	Q1 - Q3		1M - 100M
Lavatera olbia				C12 - C200			LM1 - LM12					1M - 1M
Lawsonia inermis				C12 - C12								
Leberzirrhose Nos.	*			C5 - C200	C6 - C200							1M - 10M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
<i>Leccinum testaceoscabrum</i>	*					C12 - C200						1M - 1M
<i>Lecithinum</i>		D9 - D200	D4 - D200	C4 - C200	C5 - C200		LM1 - LM30	LM1 - LM30				1M - 50M
<i>Lecythis pisonis</i>				C12 - C200								1M - 1M
<i>Ledebouria revoluta</i>				C12 - C200			LM1 - LM1					1M - 1M
<i>Ledum palustre</i>		D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM60	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
<i>Leea rubra</i>				C12 - C30								
<i>Legionella Nos.</i>	*	D10 - D200	D9 - D200	C6 - C200	C7 - C200		LM2 - LM30	LM2 - LM30				1M - 50M
<i>Lehm</i>						C12 - C200	LM1 - LM1		Q1 - Q1		FC1M - FC10M	1M - 50M
<i>Leiophyllum buxifolium</i>				C12 - C30								
<i>Leiurus quinquestriatus</i>						C12 - C200			Q1 - Q1			1M - 10M
<i>Lemna minor</i>		D4 - D200	D2 - D200	C2 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q3	Q1 - Q3		1M - 10M
<i>Lens crystallina Gl</i>		D9 - D200	D7 - D200									
<i>Leonotis leonurus</i>				C12 - C30								
<i>Leontodon hispidus</i>				C12 - C12								
<i>Leontopodium alpinum</i>		D7 - D200	D4 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q5	Q1 - Q5	FC1M - FC50M	1M - 50M
<i>Leonurus cardiaca</i>	*	D4 - D30	D4 - D30	C3 - C200	C2 - C200	C12 - C200	LM1 - LM12	LM1 - LM12	Q1 - Q1	Q1 - Q1		1M - 100M
<i>Lepechinia hastata</i>				C12 - C30			LM1 - LM1					
<i>Lepidium bonariense</i>				C9 - C200	C10 - C200		LM2 - LM18	LM2 - LM18			FC1M - FC10M	1M - 10M
<i>Lepisma saccharina</i>						C12 - C200			Q2 - Q6			1M - 10M
<i>Lepismium houletteianum</i>				C12 - C30								
<i>Leprominium</i>	*			C7 - C200	C8 - C200						FC1M - FC100M	1M - 100M
<i>Leptinella pectinata</i>				C12 - C30			LM1 - LM1					
<i>Leptinotarsa decemlineata</i>		D12 - D30	D10 - D30	C3 - C200	C4 - C200		LM1 - LM30	LM1 - LM30				1M - 100M
<i>Leptopus chinensis</i>				C12 - C30			LM1 - LM1					
<i>Leptospermum scoparium</i>						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 10M
<i>Leptospira interrogans</i>	*			C4 - C200	C5 - C200							1M - 50M
<i>Lepus europaeus</i>						C12 - C200						1M - 50M
<i>Lespedeza capitata</i>	† *	D9 - D100	D6 - D100	C6 - C200	C6 - C200		LM1 - LM18	LM1 - LM18				
<i>Lespedeza thunbergii</i>	† *	D4 - D200	D2 - D200	C3 - C200	C5 - C200		LM1 - LM30	LM1 - LM30				1M - 100M
<i>Letrozol</i>	*		D9 - D12	C3 - C200								1M - 1M
<i>Leucadendron eucalyptifolium</i>				C12 - C200								1M - 10M
<i>Leucadendron uliginosum</i>				C12 - C200								1M - 1M
<i>Leucobryum glaucum</i>				C3 - C200	C1 - C200		LM1 - LM3	LM1 - LM3				1M - 1M
<i>Leucocoryne ixioides</i>				C12 - C30								
<i>Leucojum aestivum</i>				C12 - C200								
<i>Leucosidea sericea</i>				C12 - C200								1M - 1M
<i>Leucospermum cordifolium</i>				C12 - C30								
<i>Leucospermum oleaefolium</i>				C12 - C200								1M - 1M
<i>Leucothoe fontanesiana</i>				C12 - C200								
<i>Leukaemie feline Nos.</i>	*			C5 - C200	C6 - C200							1M - 10M
<i>Levetiracetam</i>	*			C2 - C200	C3 - C200							1M - 10M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Levisticum officinale		D3 - D200	D1 - D200	C1 - C200	C2 - C200		LM1 - LM7	LM1 - LM7			FC1M - FC10M	1M - 1M
Levodopa + Carbidopa	*		D6 - D200									
Levodopa + Carbidopa + Entacapon	*			C3 - C200								1M - 10M
Levofoxacin	*			C3 - C200	C4 - C200		LM1 - LM12	LM1 - LM12				1M - 10M
Levomepromazin	†† *					C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1	FC1M - FC100M	
Levonorgestrel	*			C6 - C200	C9 - C200							1M - 10M
Levonorgestrel/Ethinylestradiol	*	D12 - D30	D12 - D30	C6 - C200	C9 - C200							1M - 10M
Levothyroxin	*			C4 - C200							FC1M - FC10M	1M - 50M
Lewisia cotyledon				C12 - C200								
Leycesteria formosa				C12 - C200			LM1 - LM3					1M - 1M
Leymus arenarius				C12 - C30								
Liatris spicata		D30 - D30	D12 - D30	C10 - C200	C12 - C200		LM1 - LM3	LM1 - LM3				1M - 100M
Libertia chilensis				C12 - C200			LM1 - LM1					1M - 1M
Lidocainum hydrochloricum	† *			C2 - C200	C2 - C200		LM1 - LM8	LM1 - LM8				1M - 1M
Lien bovis Gl		D8 - D12	D6 - D12									
Ligularia sibirica				C12 - C200			LM1 - LM1					
Ligustrum vulgare				C1 - C200	C2 - C200							1M - 1M
Lilium album				C5 - C200	C6 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 50M
Lilium auratum						C12 - C200						1M - 1M
Lilium bulbiferum						C12 - C200	LM2 - LM6		Q2 - Q6			1M - 10M
Lilium lancifolium		D3 - D200	D2 - D200	C2 - C200	C2 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q24	Q1 - Q24	FC1M - FC10M	1M - 100M
Lilium speciosum				C12 - C30			LM1 - LM1					
Limenitis bredowii californica				C10 - C200	C12 - C200		LM2 - LM30	LM2 - LM30			FC1M - FC10M	1M - 50M
Limestone									Q3 - Q24	Q3 - Q24		
Limnanthes douglasii				C12 - C200								1M - 1M
Limnobium spongia				C12 - C30								
Limnocharis flava				C12 - C30			LM1 - LM1					
Limoniastrum monopetalum				C12 - C30								
Limonium bellidifolium	†			C12 - C12								
Limonium delicatulum				C12 - C200								1M - 1M
Limonium graecum				C12 - C200								1M - 1M
Limonium minutum				C12 - C12								
Limonium platyphyllum				C12 - C200			LM1 - LM1					1M - 1M
Limonium sinuatum				C12 - C200			LM1 - LM1					1M - 1M
Limulus cyclops				C6 - C200	C9 - C200		LM1 - LM12	LM1 - LM12				1M - 100M
Linaria vulgaris		D6 - D30	D4 - D30	C2 - C200	C1 - C200		LM1 - LM30	LM1 - LM30				1M - 10M
Lindelofia longiflora				C12 - C200			LM1 - LM1					1M - 1M
Lindera umbellata				C12 - C200			LM1 - LM1					1M - 10M
Lindheimera texana				C12 - C30								
Linnea borealis				C2 - C200			LM1 - LM6					1M - 1M
Linolum acidum				C4 - C200	C5 - C200							1M - 50M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
<i>Linum arboreum</i>				C12 - C30								
<i>Linum austriacum</i>				C12 - C12								
<i>Linum flavum</i>				C12 - C30								
<i>Linum grandiflorum</i>				C12 - C30			LM1 - LM1					
<i>Linum hypericifolium</i>				C12 - C12								
<i>Linum suffruticosum</i>				C12 - C30			LM1 - LM1					
<i>Linum usitatissimum</i>		D12 - D30	D9 - D30	C3 - C200	C6 - C200							1M - 100M
<i>Linyphia triangularis</i>						C12 - C200						1M - 1M
<i>Liparis viridiflora</i>						C12 - C200			Q1 - Q1			1M - 10M
Lipom Nos.	*	D9 - D200	D7 - D200									
Lipoteichoic acid				C5 - C200	C5 - C200							1M - 10M
<i>Liquidambar styraciflua</i>				C12 - C200								
<i>Liriodendron tulipifera ex Herba</i>				C12 - C200			LM1 - LM30					1M - 1M
<i>Liriope muscari</i>				C12 - C30								
<i>Liriope spicata</i>				C12 - C200								
Listeriase Nos.	*			C4 - C200	C5 - C200							1M - 10M
Lithium	*		D10 - D200	C10 - C200			LM1 - LM30		Q1 - Q5		FC1M - FC100M	1M - 50M
Lithium arsenicum	†† *					C12 - C200	LM1 - LM9					1M - 1M
Lithium arsenicosum	†† *			C7 - C200	C8 - C200							1M - 100M
Lithium benzoicum	† *	D7 - D200	D5 - D200	C10 - C200	C10 - C200							1M - 50M
Lithium bromatum	† *			C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 1M
Lithium carbonicum	† *	D9 - D200	D6 - D200	C10 - C200	C10 - C200		LM1 - LM60	LM1 - LM30	Q1 - Q5	Q1 - Q5	FC1M - FC10M	1M - 100M
Lithium chloratum	† *	D4 - D200	D2 - D200	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q7	Q1 - Q7	FC1M - FC10M	1M - 100M
Lithium citricum	† *			C2 - C200	C3 - C200		LM1 - LM6	LM1 - LM6				1M - 1M
Lithium fluoricum	† *					C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 100M
Lithium jodatum	† *			C4 - C200	C5 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC100M	1M - 100M
Lithium lacticum	*			C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC100M	1M - 1M
Lithium nitricum	† *	D6 - D30	D4 - D30	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30				1M - 10M
Lithium oxydatum	*					C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q1	Q1 - Q1		1M - 100M
Lithium phosphoricum	*			C5 - C200	C6 - C200		LM2 - LM45	LM2 - LM30				1M - 100M
Lithium silicum	*					C12 - C200	LM1 - LM9	LM1 - LM9	Q1 - Q6	Q1 - Q6		1M - 50M
Lithium sulfuricum	*			C3 - C200	C4 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 50M
Lithocarpus edulis				C12 - C30								
Lithops julii fulleri v. fulleri C171						C12 - C200	LM1 - LM1					1M - 10M
Lithospermum officinale		D9 - D200	D6 - D200									
Litsea cubeba				C12 - C200			LM1 - LM1					1M - 1M
Loasa triphylla				C12 - C200			LM1 - LM1					1M - 10M
Lobaria pulmonaria	*	D12 - D200	D6 - D200	C6 - C200	C9 - C200		LM1 - LM36	LM1 - LM30			FC1M - FC10M	1M - 100M
Lobelia anceps				C12 - C30			LM1 - LM1					
Lobelia cardinalis	*			C5 - C200	C6 - C200							1M - 10M
Lobelia erinus	† *	D12 - D200	D10 - D200	C4 - C200	C5 - C200		LM1 - LM6	LM1 - LM6				1M - 50M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Lobelia inflata	† *	D4 - D200	D4 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q14	Q1 - Q14		1M - 100M
Lobelia pedunculata				C12 - C12								
Lobelia purpurascens	*			C9 - C200	C10 - C200							1M - 1M
Lobelia serpens				C12 - C30								
Lobelia siphilitica	† *			C2 - C200	C3 - C200		LM1 - LM21	LM1 - LM21			FC1M - FC10M	1M - 10M
Lobelia thapoidea				C12 - C12								
Lobelia tupa				C12 - C30			LM1 - LM1					
Lobularia maritima				C12 - C30								
Loeselia coccinea				C10 - C200	C12 - C200							1M - 10M
Loligo vulgaris				C6 - C200	C7 - C200		LM1 - LM18	LM1 - LM18			FC1M - FC10M	1M - 100M
Lolium temulentum	†	D4 - D200	D2 - D200	C2 - C200	C3 - C200		LM1 - LM12	LM1 - LM12			FC1M - FC10M	1M - 50M
Lomalosia graminifolia				C12 - C12								
Lomandra longifolia				C12 - C200								
Lomelosia cretica				C12 - C12								
Lonicera caprifolium		D4 - D30	D2 - D30	C2 - C200	C3 - C200		LM1 - LM6	LM1 - LM6				1M - 50M
Lonicera fragrantissima				C12 - C30			LM1 - LM1					
Lonicera ligustrina				C12 - C200								
Lonicera maackii				C12 - C200			LM1 - LM1					1M - 1M
Lonicera sempervirens				C12 - C30			LM1 - LM1					
Lopezia racemosa				C12 - C200			LM1 - LM1					1M - 1M
Lophocolea bidentata				C12 - C30								
Lophophytum leandri	† *	D4 - D200	D2 - D200	C1 - C200	C2 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 100M
Lophosoria quadripinnata				C12 - C12								
Loracepam	*		D5 - D30									
Loranthus europaeus		D9 - D30	D6 - D30	C2 - C200	C3 - C200							1M - 10M
Loropetalum chinense				C12 - C30								
Lotus corniculatus				C12 - C200								
Lotus maculatus				C12 - C30								
Loxosceles laeta					C12 - C200	LM1 - LM7		Q1 - Q2			FC1M - FC10M	1M - 10M
Loxosceles reclusa				C7 - C200	C10 - C200		LM2 - LM30	LM2 - LM30				1M - 100M
Lucanida					C12 - C200	LM1 - LM21		Q1 - Q5				1M - 10M
Ludwigia peploides				C12 - C200								
Ludwigia peruviana				C12 - C30								
Ludwigia sericea				C12 - C30								
Luesinum	*	D15 - D200	D15 - D200	C13 - C200	C14 - C200		LM4 - LM120	LM4 - LM30			FC1M - FC100M	1M - 100M
Luffa operculata		D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q5	Q1 - Q5	FC1M - FC100M	1M - 100M
Luma apiculata				C12 - C200								
Lumbricus terrestris				C4 - C200	C5 - C200							1M - 10M
Lunaria rediviva				C12 - C30			LM1 - LM1					
Lunularia cruciata				C12 - C200								1M - 1M
Lupinus albus				C7 - C200	C8 - C200							1M - 1M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Lupulinum		D9 - D30	D7 - D30									
Lupus erythematoses Nos.	*			C5 - C200	C6 - C200							1M - 10M
Luscinia megarhynchos						C12 - C200	LM1 - LM8	LM1 - LM8	Q1 - Q8	Q1 - Q8		1M - 50M
Luteinisierendes Hormon	*			C7 - C200	C10 - C200							1M - 1M
Lutetium arsenicosum	†† *					C12 - C200	LM1 - LM8					1M - 1M
Lutetium bromatum	*					C12 - C200	LM1 - LM6		Q1 - Q3			1M - 10M
Lutetium carbonicum						C12 - C200	LM1 - LM12		Q1 - Q9			1M - 50M
Lutetium chloratum						C12 - C200	LM1 - LM6					1M - 10M
Lutetium fluoratum	*					C12 - C200	LM1 - LM36		Q1 - Q1			1M - 50M
Lutetium hexafluorosilicicum	*			C10 - C200								1M - 50M
Lutetium iodatum	*					C12 - C200	LM1 - LM14					1M - 1M
Lutetium lacticum				C10 - C200								1M - 1M
Lutetium metallicum						C12 - C200	LM1 - LM30		Q1 - Q30		FC1M - FC50M	1M - 50M
Lutetium nitricum						C12 - C200	LM1 - LM12					1M - 50M
Lutetium oxalicum						C12 - C200						1M - 10M
Lutetium oxydatum						C12 - C200	LM1 - LM30		Q1 - Q3			1M - 50M
Lutetium permanganicum	*			C3 - C200			LM1 - LM6					1M - 100M
Lutetium phosphoricum						C12 - C200	LM1 - LM6		Q1 - Q2			1M - 50M
Lutetium silicum						C12 - C200			Q1 - Q13		FC1M - FC50M	1M - 1M
Lutetium sulfuricum						C12 - C200	LM1 - LM12		Q1 - Q1			1M - 10M
Luzula forsteri				C12 - C12								
Luzula sylvatica				C12 - C200								1M - 1M
Lycaste aromatica				C12 - C30								
Lyceum berberis	†			C4 - C200	C5 - C200							1M - 1M
Lychnis cognata				C12 - C200								1M - 1M
Lycianthes lycioides				C12 - C30								
Lycianthes pauciflora				C12 - C30								
Lycianthes rantonnetii				C12 - C200			LM1 - LM2					
Lycoperdon perlatum				C12 - C12								
Lycoperdon pyriforme				C12 - C12								
Lycopodium clavatum		D2 - D200	D1 - D200	C1 - C200	C1 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q60	Q1 - Q30	FC1M - FC100M	0M - 100M
Lycopus europaeus						C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30		1M - 100M
Lycopus virginicus		D0 - D200	D1 - D200	C1 - C200	C0 - C200			LM1 - LM30	LM1 - LM30		FC1M - FC10M	1M - 50M
Lygeum spartum				C12 - C30								
Lymphadenitis Nosode		D9 - D200	D7 - D200	C5 - C200	C6 - C200							
Lymphatische Leukose Nos.	*			C7 - C200	C8 - C200							1M - 10M
Lymphoglobulin	*			C32 - C200	C32 - C200							1M - 10M
Lymphogranulomatose Nosode	*	D9 - D200	D7 - D200	C5 - C200	C6 - C200							1M - 10M
Lynestrenolum	*	D12 - D200	D12 - D200									
Lyonia ligustrina				C12 - C30								
Lysichiton americanus				C12 - C200			LM1 - LM1					1M - 1M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Lysimachia ciliata				C12 - C30								
Lysimachia clethroides				C12 - C30			LM1 - LM1					
Lysimachia ephemerum				C12 - C30			LM1 - LM1					
Lysimachia nummularia		D10 - D30	D10 - D30	C9 - C200	C9 - C200		LM1 - LM30	LM1 - LM30				1M - 10M
Lysionotus pauciflora				C12 - C30								
Lyssinum Nos.	*	D17 - D200	D15 - D200	C7 - C200	C7 - C200		LM2 - LM120	LM2 - LM30			FC1M - FC100M	1M - 100M
Lythrum junceum				C12 - C12								
Lythrum salicaria				C12 - C200								1M - 10M
Lytta vesicatoria	† *	D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM60	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
MKS Nos.	*	D10 - D200	D8 - D200	C5 - C200	C6 - C200						FC1M - FC10M	1M - 10M
MMR-Impfstoff 1	*	D30 - D200	D30 - D200	C6 - C200	C9 - C200		LM2 - LM30	LM2 - LM30				1M - 50M
MMR-Impfstoff 2	*	D30 - D200	D15 - D200	C6 - C200	C9 - C200		LM1 - LM1	LM1 - LM1				1M - 50M
MMRV-Impfstoff	*	D12 - D200	D12 - D200	C6 - C200	C9 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
MS Nos.	*	D9 - D200	D7 - D200	C4 - C200	C5 - C200		LM2 - LM30	LM2 - LM30				1M - 50M
Mackaya bella				C12 - C200								1M - 1M
Macleania insignis				C12 - C30			LM1 - LM1					
Macleania rupestris				C12 - C200								
Macleaya microcarpa				C12 - C200			LM1 - LM1					1M - 1M
Macphersonia gracilis						C12 - C200			Q1 - Q1			1M - 1M
Macropiper excelsum				C12 - C30								
Macrothylacia rubi						C12 - C200	LM1 - LM12		Q1 - Q4			1M - 10M
Macrotinum				C6 - C200	C7 - C200							1M - 10M
Macrovipera schweizeri	††			C6 - C200			LM1 - LM1					1M - 10M
Madar		D12 - D200	D6 - D200	C3 - C200	C3 - C200		LM1 - LM50	LM1 - LM30				1M - 100M
Madia elegans				C12 - C200			LM1 - LM1					
Maerua cafra						C12 - C200	LM1 - LM1		Q1 - Q1			
Magnesium		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q14	Q1 - Q14	FC1M - FC10M	1M - 50M
Magnesium aceticum		D4 - D200	D2 - D200	C2 - C200	C3 - C200		LM1 - LM6	LM1 - LM6				1M - 100M
Magnesium amm. phos.						C12 - C200						
Magnesium arsenicosum	†† *					C12 - C200	LM1 - LM24	LM1 - LM24	Q1 - Q8	Q1 - Q8		1M - 100M
Magnesium boro-citicum				C3 - C200	C4 - C200		LM1 - LM8	LM1 - LM8				
Magnesium bromatum	*		D6 - D100	C4 - C200		C12 - C200	LM1 - LM6		Q1 - Q30		FC1M - FC100M	1M - 100M
Magnesium carbonicum		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Magnesium causticum						C12 - C200	LM2 - LM9	LM2 - LM9	Q1 - Q7	Q1 - Q7	FC1M - FC5M	1M - 10M
Magnesium chloratum		D3 - D200	D2 - D200	C3 - C200	C3 - C200		LM1 - LM75	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Magnesium chromicum	*					C12 - C200	LM1 - LM12		Q1 - Q3			1M - 1M
Magnesium citricum		D15 - D200	D15 - D200	C5 - C200	C5 - C200		LM1 - LM120	LM1 - LM30				1M - 50M
Magnesium fluoratum	† *	D10 - D200	D10 - D200	C10 - C200	C10 - C30		LM1 - LM29	LM1 - LM29	Q1 - Q7	Q1 - Q7	FC1M - FC10M	1M - 100M
Magnesium glutamicum		D3 - D200	D3 - D200	C2 - C200	C3 - C200		LM1 - LM1	LM1 - LM1				
Magnesium jodatum	† *	D10 - D30	D10 - D30	C9 - C200	C10 - C200		LM1 - LM100	LM1 - LM30			FC1M - FC100M	1M - 100M
Magnesium lacticum				C3 - C200	C3 - C200		LM1 - LM90	LM1 - LM30				1M - 100M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Magnesium nitricum		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q17	Q1 - Q17	FC1M - FC10M	1M - 50M
Magnesium oroticum		D10 - D30	D10 - D30									
Magnesium oxydatum				C10 - C200	C10 - C200		LM2 - LM12	LM2 - LM12				1M - 100M
Magnesium phosphoricum		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM59	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Magnesium salicylicum	*			C4 - C200	C4 - C200							1M - 1M
Magnesium selenicosum	†† *					C12 - C200						1M - 1M
Magnesium silicum		D10 - D30	D10 - D30	C10 - C200	C12 - C200		LM2 - LM45	LM2 - LM30			FC1M - FC10M	1M - 50M
Magnesium sulfuricum		D3 - D200	D4 - D200	C2 - C200	C2 - C200		LM1 - LM120	LM1 - LM30	Q1 - Q28	Q1 - Q28	FC1M - FC100M	1M - 100M
Magnesium tartaricum						C12 - C200						
Magnetis poli ambo						C12 - C200	LM1 - LM32	LM1 - LM30	Q1 - Q1	Q1 - Q1		1M - 10M
Magnetis polus arcticus				C8 - C200	C8 - C200	C12 - C30	LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1		1M - 100M
Magnetis polus australis						C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 50M
Magnolia coco				C12 - C30			LM1 - LM1					
Magnolia glauca		D9 - D200	D7 - D200									
Magnolia grandiflora				C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30				1M - 50M
Magnolia macrophylla				C12 - C30								
Magnolia wilsonii				C12 - C30			LM1 - LM1					
Mahoberberis miethkeana				C12 - C30								
Mahonia aquifolium	† *	D6 - D200	D4 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q2	Q1 - Q2		1M - 100M
Mahurea exstipulata				C12 - C30								
Maianthemum tatsienense				C12 - C30			LM1 - LM1					
Maiasaura lapidea				C7 - C200	C8 - C200							1M - 10M
Malandrinum Nos.	† *	D30 - D200	D30 - D200	C7 - C200	C8 - C200		LM2 - LM76	LM2 - LM30				1M - 50M
Malaria Nos.	*			C10 - C200	C11 - C200		LM3 - LM3	LM3 - LM3				1M - 100M
Malaria officinalis		D5 - D200	D3 - D200	C3 - C200	C4 - C200		LM1 - LM5	LM1 - LM5			FC1M - FC100M	1M - 10M
Malaria tertiana Nos.		D10 - D30	D9 - D30	C5 - C200	C5 - C200		LM2 - LM60	LM2 - LM30				
Malaria tropica Nos.	*	D15 - D200	D15 - D200									
Malcolmia maritima				C12 - C12								
Malephora crocea				C12 - C12								
Malleola dentifera						C12 - C200			Q1 - Q1			1M - 1M
Mallotus japonicus				C12 - C30								
Malope trifida				C12 - C30								
Malpighia coccigera				C12 - C30								1M - 1M
Malus domestica						C12 - C200			Q1 - Q3	Q1 - Q3		1M - 10M
Malus sylvestris		D9 - D200	D5 - D200	C3 - C200	C5 - C200		LM1 - LM60	LM1 - LM30				1M - 10M
Malva silvestris		D7 - D30	D6 - D30	C2 - C200	C3 - C200	C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q1	Q1 - Q1		1M - 1M
Malva silvestris äth.Decoc		D12 - D200	D12 - D200									
Malvastrum lateritium				C12 - C12								
Malvaviscus arboreus				C12 - C30			LM1 - LM1					
Mamma (dextra) bovis GI		D10 - D12	D9 - D12									
Mamma (sinistra) bovis GI		D9 - D12	D7 - D12									

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Mamma-Sarkom deg. Nosode		D9 - D30	D9 - D30									
Mammillaria melanocentra				C12 - C200			LM1 - LM1					1M - 1M
Manam Lava						C12 - C200	LM1 - LM6		Q1 - Q3			1M - 10M
Mancinella	†	D12 - D200	D12 - D200	C4 - C200	C5 - C200		LM1 - LM60	LM1 - LM30			FC1M - FC100M	1M - 100M
Mandevilla laxa				C12 - C30								
Mandibula (feti) bovis Gl		D9 - D12	D7 - D12									
Mandragora	† *	D30 - D200	D30 - D200	C6 - C200	C7 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q18	Q1 - Q18	FC1M - FC100M	1M - 10M
Mandragora e radice siccata	† *	D5 - D200	D4 - D200	C4 - C200	C4 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 10M
Mandragora officinarum		D5 - D200	D4 - D200									
Manettia paraguariensis				C12 - C30								
Manganum aceticum	† *	D6 - D30	D6 - D30	C4 - C200	C4 - C200		LM1 - LM100	LM1 - LM30	Q1 - Q12	Q1 - Q12		1M - 100M
Manganum arsenicosum	*					C12 - C200	LM1 - LM12		Q1 - Q1			1M - 50M
Manganum bromatum	*					C12 - C200	LM1 - LM5	LM1 - LM5	Q1 - Q5	Q1 - Q5	FC1M - FC10M	1M - 10M
Manganum carbonicum	† *			C10 - C200	C10 - C200							1M - 10M
Manganum chloratum	*	D12 - D30	D6 - D30	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q13	Q1 - Q13	FC1M - FC10M	1M - 50M
Manganum fluoricum	*			C10 - C200	C10 - C200		LM1 - LM12	LM1 - LM12	Q1 - Q3	Q1 - Q3		1M - 100M
Manganum jodatum	† *	D6 - D30	D4 - D30	C10 - C200	C8 - C200		LM2 - LM30	LM2 - LM30			FC1M - FC100M	1M - 50M
Manganum lacticum		D4 - D200	D3 - D200	C2 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				
Manganum metallicum	*	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 50M
Manganum nitricum	*			C4 - C200	C5 - C200		LM1 - LM30	LM1 - LM30				1M - 1M
Manganum oxalicum	*					C12 - C200						1M - 10M
Manganum oxydatum nat.	*					C12 - C200	LM1 - LM12	LM1 - LM12	Q1 - Q6	Q1 - Q6		1M - 100M
Manganum phosphoricum	† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM40	LM1 - LM30	Q1 - Q13	Q1 - Q13	FC1M - FC100M	1M - 50M
Manganum silicum	*			C10 - C200	C10 - C200		LM1 - LM40	LM1 - LM30	Q1 - Q24	Q1 - Q24	FC1M - FC10M	1M - 50M
Manganum sulfuricum	*	D4 - D200	D4 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Mangifera indica		D4 - D200	D4 - D200	C2 - C200	C2 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q7	Q1 - Q7	FC1M - FC1M	1M - 100M
Manihot esculenta	†					C12 - C200			Q1 - Q1	Q1 - Q1		1M - 1M
Manna				C3 - C200								1M - 1M
Mantis religiosa			D6 - D200	C1 - C200			LM1 - LM30				FC1M - FC100M	1M - 50M
Maranta arundinacea				C12 - C200								1M - 1M
Maranta leuconeura				C12 - C200								1M - 1M
Marantochloa conferta				C12 - C200								1M - 1M
Marantochloa purpurea				C12 - C30								
Marble				C12 - C200	C12 - C200						FC1M - FC100M	1M - 10M
Marcgrafia umbellata				C12 - C200			LM1 - LM1					1M - 1M
Marchantia polymorpha				C12 - C200			LM1 - LM1					1M - 1M
Markea sessiliflora				C12 - C30								
Markhamia zanzibarica				C12 - C200								1M - 1M
Marmota marmota						C12 - C200	LM1 - LM12	LM1 - LM12				1M - 100M
Marrubium vulgare		D7 - D200	D5 - D200	C2 - C200	C3 - C200		LM1 - LM11	LM1 - LM11				1M - 1M
Marsdenia cundurango		D0 - D200	D1 - D200	C1 - C200	C0 - C200		LM1 - LM40	LM1 - LM30				1M - 50M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Marsilea quadrifolia				C12 - C200								
Martes foina						C12 - C200			Q1 - Q1		FC1M - FC10M	1M - 1M
Mascarenhasia arborescens				C12 - C30								
Masdevallia veitchiana				C12 - C200								1M - 1M
Massonia pustulata				C12 - C200								1M - 50M
Mastitis Nos.	*	D9 - D200	D7 - D200									
Mastoiditis Nos.	*	D9 - D200	D7 - D200	C4 - C200	C5 - C200							1M - 10M
Mastopathica cystica Nos.	*	D12 - D200	D9 - D200	C5 - C200	C6 - C200							
Mastotermes darwiniensis						C12 - C200			Q1 - Q1		FC1M - FC10M	1M - 100M
Matcha				C3 - C200	C4 - C200							
Mate		D4 - D200	D3 - D200	C1 - C200	C4 - C200	C12 - C30	LM1 - LM18	LM1 - LM18	Q1 - Q1	Q1 - Q1		1M - 10M
Matricaria recutita		D6 - D200	D4 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
Matthiola tricuspidata				C12 - C200			LM1 - LM6					1M - 1M
Mattico						C12 - C200	LM1 - LM24	LM1 - LM24	Q1 - Q6	Q1 - Q6		1M - 100M
Matucana myriacantha				C12 - C12								
Maurandya barclayana				C12 - C30								
Maurandya scandens				C12 - C30								
Mauritia flexuosa				C12 - C200			LM1 - LM1					1M - 1M
Maxillaria uncata				C12 - C200			LM1 - LM1					
Maxillaria variabilis				C12 - C30								
Mazus reptans				C12 - C12								
Mebendazol				C4 - C200	C2 - C200							1M - 10M
Meconopsis paniculata				C12 - C30			LM1 - LM1					
Medinilla magnifica				C12 - C200								
Medinilla venosa				C12 - C30								
Medorrhinum	† *	D10 - D200	D9 - D200	C9 - C200	C10 - C200		LM2 - LM120	LM2 - LM30			FC1M - FC100M	0M - 100M
Medulla oblongata				C6 - C200	C7 - C200							1M - 50M
Medulla oblongata (Ventriculus quartus) bovis G		D9 - D12	D7 - D12									
Medulla ossium Gl		D9 - D200	D6 - D200									
Medulla spinalis (tota) Gl		D9 - D200	D7 - D200									
Medulla spinalis cervicalis		D10 - D15	D8 - D15									
Medusa	†	D9 - D200	D9 - D200	C9 - C200	C9 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC100M	1M - 100M
Meerschweinchenhaare (Allergen)				C6 - C30	C6 - C30							
Mefenaminsäure	*			C3 - C200	C4 - C200							
Megacarpaea polyandra				C12 - C30								
Megaskepsasma erythrochlamys				C12 - C200								1M - 1M
Mel		D2 - D200	D2 - D200	C2 - C200	C2 - C200							
Mel cum sale				C10 - C200	C12 - C200							1M - 10M
Melaleuca alternifolia						C12 - C200			Q1 - Q2	Q1 - Q2	FC1M - FC100M	1M - 10M
Melaleuca gibbosa				C12 - C12								
Melaleuca leucadendron		D15 - D200	D12 - D200	C6 - C200	C7 - C200		LM1 - LM18	LM1 - LM18			FC1M - FC50M	1M - 50M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Melaleuca viridiflora						C12 - C200			Q1 - Q1			1M - 1M
Melampyrum sylvaticum				C12 - C12								
Melanosarcominum Nos.	*			C5 - C200	C6 - C200							
Melasmaea ramosa				C12 - C30								
Melastoma malabathricum				C12 - C200								1M - 1M
Melatoninum	*	D12 - D60	D12 - D60	C9 - C200	C10 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q12	Q1 - Q12	FC1M - FC10M	1M - 10M
Meleagris gallopavo						C12 - C200						1M - 10M
Meles meles						C12 - C200			Q1 - Q1			1M - 50M
Melianthus comosus					C12 - C12			LM1 - LM2				
Melianthus major					C12 - C200			LM1 - LM1				1M - 10M
Melica ciliata					C12 - C12							
Melica uniflora					C12 - C30			LM1 - LM1				
Melicytus alpinus					C12 - C30			LM1 - LM1				
Meligethes aeneus						C12 - C200	LM1 - LM7	LM1 - LM7	Q1 - Q1	Q1 - Q1		1M - 10M
Melilotus albus		D5 - D6	D3 - D6	C4 - C200	C4 - C200		LM1 - LM18	LM1 - LM18				1M - 10M
Melilotus officinalis		D0 - D60	D1 - D60	C1 - C200	C0 - C200	C12 - C30	LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 10M
Meliosma dilleniifolia				C12 - C12								
Melissa officinalis		D6 - D200	D4 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q1	Q1 - Q1		1M - 50M
Melitagrinum Nos.	*			C31 - C200	C32 - C200							1M - 1M
Melolontha						C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q1	Q1 - Q1	FC1M - FC50M	1M - 50M
Melopsittacus undulatus						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q6	Q1 - Q6		1M - 50M
Membrana synovalis Gl		D9 - D30	D7 - D30									
Meningeom Nos.	*	D12 - D200	D9 - D200									
Meningococcinum Nos.	*	D10 - D200	D9 - D200	C4 - C200	C5 - C200		LM2 - LM36	LM2 - LM30				1M - 100M
Meningococcinum Vac.	*			C6 - C200	C9 - C200		LM1 - LM6	LM1 - LM6				1M - 10M
Meningococcinum Vac. V	*			C6 - C200	C9 - C200		LM1 - LM1	LM1 - LM1				1M - 50M
Meningococcinum Vac. VI	*			C6 - C200	C9 - C200							1M - 10M
Meningococcinum Vac.II	*	D12 - D30	D12 - D30	C6 - C200	C9 - C200							1M - 10M
Meningococcinum Vac.III	*	D12 - D15	D12 - D15	C6 - C200	C9 - C200		LM1 - LM6	LM1 - LM6				1M - 10M
Meningococcinum Vac.IV	*	D12 - D200	D12 - D200	C6 - C200	C8 - C200		LM1 - LM8	LM1 - LM8				1M - 10M
Meniscus Gl		D9 - D30	D6 - D30									
Menispernum canadense				C6 - C200	C6 - C200		LM1 - LM6	LM1 - LM6				1M - 10M
Mentha		D6 - D60	D4 - D60	C4 - C200	C4 - C200	C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q7	Q1 - Q7		1M - 50M
Mentha aquatica						C12 - C200						1M - 1M
Mentha crispa						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		
Mentha pulegium		D4 - D30	D4 - D30	C6 - C200	C6 - C200							
Mentha viridis				C4 - C200	C5 - C200							1M - 10M
Mentholum				C1 - C200	C1 - C200		LM1 - LM24	LM1 - LM24	Q1 - Q1	Q1 - Q1		1M - 10M
Mentzelia lindleyi				C12 - C12								
Menyanthes		D7 - D30	D5 - D30	C2 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6	FC1M - FC1M	1M - 10M
Mephitis putorius			D12 - D200	D10 - D200	C6 - C200	C9 - C200		LM1 - LM30	LM1 - LM30			1M - 10M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Mercaptanum		D15 - D200	D12 - D200									
Mercurialis		D12 - D30	D4 - D30	C2 - C200	C3 - C200		LM1 - LM18	LM1 - LM18				1M - 100M
Mercurialis annua		D5 - D30	D4 - D30	C2 - C200	C3 - C200		LM1 - LM20	LM1 - LM20				
Mercurius aceticus	†† *			C4 - C200	C5 - C200							1M - 50M
Mercurius arsenicosus	†† *			C10 - C200	C10 - C200							1M - 10M
Mercurius bromatus	†† *	D9 - D200	D7 - D200	C10 - C200	C10 - C200		LM1 - LM18	LM1 - LM18	Q1 - Q1	Q1 - Q1		1M - 10M
Mercurius chloratus cum Natrio chlorato	†† *			C3 - C200	C3 - C200		LM1 - LM100	LM1 - LM30				1M - 100M
Mercurius cyanatus	†† *	D6 - D200	D4 - D200	C4 - C200	C4 - C200		LM1 - LM36	LM1 - LM30	Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 100M
Mercurius dulcis	†† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM2 - LM30	LM2 - LM30			FC1M - FC100M	1M - 50M
Mercurius jodatus cum kalium jodatum	†† *	D9 - D12	D6 - D12	C5 - C200	C5 - C200		LM1 - LM24	LM1 - LM24				1M - 1M
Mercurius jodatus flavus	†† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q20	Q1 - Q20	FC1M - FC100M	1M - 100M
Mercurius jodatus ruber	†† *	D6 - D30	D4 - D30	C3 - C200	C3 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q8	Q1 - Q8	FC1M - FC10M	1M - 50M
Mercurius nitricus oxydatus	†† *			C10 - C200	C10 - C200						FC1M - FC10M	1M - 50M
Mercurius nitricus oxydulatus	†† *			C6 - C200	C6 - C200		LM1 - LM6	LM1 - LM6				1M - 50M
Mercurius phosphoricus	†† *			C14 - C200	C14 - C200	C12 - C30	LM1 - LM30	LM1 - LM30	Q1 - Q4	Q1 - Q4		1M - 10M
Mercurius phosphoricus oxydulatus	†† *					C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q2	Q1 - Q2	FC1M - FC100M	1M - 50M
Mercurius praecipitatus albus	†† *					C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q1	Q1 - Q1		1M - 10M
Mercurius praecipitatus flavus	†† *			C10 - C200	C10 - C200							1M - 10M
Mercurius praecipitatus ruber	†† *	D10 - D200	D10 - D200				LM2 - LM60	LM2 - LM30				
Mercurius solubilis Hahnemannii	†† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	0M - 100M
Mercurius sulfocyanatus	†† *					C12 - C200	LM1 - LM24					1M - 1M
Mercurius sulfuricus	†† *	D15 - D200	D12 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q24	Q1 - Q24	FC1M - FC100M	1M - 100M
Meripilus giganteus				C12 - C12								
Merremia peltata						C12 - C200	LM1 - LM9		Q1 - Q1			
Merremia umbellata				C12 - C30								
Mertensia sibirica				C12 - C30								
Merxmuellera stereophylla				C12 - C12								
Mesembryanthemum cordifolium				C12 - C200			LM1 - LM1					1M - 1M
Mesembryanthemum crystallinum				C12 - C200								1M - 1M
Mesembryanthemum nodiflorum				C12 - C200								1M - 10M
Mesenchym		D9 - D200	D7 - D200									
Mespilus germanica						C12 - C200			Q1 - Q1			1M - 1M
Messing				C7 - C200	C8 - C200							1M - 1M
Metasequoia glyptostroboides				C12 - C200								1M - 1M
Metformin	*	D6 - D30	D4 - D30	C2 - C200	C3 - C200		LM1 - LM3	LM1 - LM3				1M - 1M
Methioninum			D5 - D30	C3 - C200			LM1 - LM30					1M - 10M
Methylalkohol	† *			C3 - C200	C3 - C200		LM1 - LM6	LM1 - LM6				1M - 10M
Methylcholanthrenum		D18 - D30	D18 - D30									
Methyldopa		D3 - D30	D1 - D30	C2 - C200	C2 - C200							
Methylenum caeruleum		D6 - D200	D12 - D200	C6 - C200	C4 - C200		LM1 - LM18	LM1 - LM18				1M - 1M
Methylglycoxalidin		D7 - D200	D6 - D200									

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Methylphenylpyridiniumiodide	*			C2 - C200								1M - 1M
Methylprednisolonum	†† *	D4 - D200	D2 - D200	C1 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Methylsulfonylmethan			D7 - D12	C3 - C200								1M - 1M
Metoprololtartrat	*	D12 - D200	D12 - D200	C6 - C200	C6 - C200		LM1 - LM30	LM1 - LM30				1M - 10M
Metronidazolum	*	D10 - D200	D9 - D200									
Metrosideros excelsa				C12 - C200								1M - 1M
Metzgeria furcata				C12 - C200								
Meum athamanticum	†			C12 - C30								
Michauxia tchihatcheffii				C12 - C30			LM1 - LM1					
Miconia serrulata				C12 - C200								1M - 50M
Microcachrys tetragona				C12 - C30			LM1 - LM1					
Microcystis aeruginosa Nos.	*			C19 - C200	C20 - C200							1M - 1M
Microlepia platyphylla				C12 - C30								
Micromeria croatica				C12 - C30			LM1 - LM1					
Micropterum papulosum				C12 - C200								
Microsorum punctatum				C12 - C200								
Microsporum Nos.	*			C7 - C200	C8 - C200							1M - 1M
Midazolam	*	D5 - D30	D4 - D30	C3 - C200	C3 - C200							1M - 1M
Mikania guaco		D4 - D200	D2 - D200	C6 - C200	C7 - C200						FC1M - FC10M	1M - 1M
Miltonia clowesii				C12 - C30								
Mimetes cucullatus				C12 - C200			LM1 - LM18					
Mimosa humilis				C2 - C200	C3 - C200		LM1 - LM18	LM1 - LM18				1M - 10M
Mimosa pudica		D7 - D200	D5 - D200	C3 - C200	C3 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q9	Q1 - Q9		1M - 50M
Mimulus (Bachblüten)				C2 - C200	C2 - C200							1M - 50M
Mimulus aurantiacus				C12 - C200			LM1 - LM1					1M - 1M
Mimulus cardinalis				C12 - C200								1M - 1M
Mimulus cupreus				C12 - C12								
Mimulus guttatus				C12 - C200			LM1 - LM5					1M - 1M
Minium	† *			C10 - C200	C10 - C200							
Minuartia guianensis				C12 - C30								1M - 1M
Minuartia circassica				C12 - C200								1M - 1M
Minuartia imbricata				C12 - C30			LM1 - LM1					
Mirabilis jalapa				C12 - C200			LM1 - LM1					1M - 1M
Mirabilis nyctaginea				C12 - C30			LM1 - LM1					
Mirtazapin	*	D4 - D4	D2 - D4	C3 - C200	C2 - C200							1M - 10M
Misanthus sinensis				C12 - C200			LM1 - LM5					1M - 1M
Mischocarpus sundaicus				C12 - C30								
Misopates orontium				C12 - C30								
Misoprostol	*			C5 - C200	C6 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Mitchella		D30 - D200	D30 - D200	C9 - C200	C10 - C200		LM1 - LM30	LM1 - LM30				1M - 1M
Mitriostigma axillare				C12 - C30								

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Moderhinke Vaccine	*			C6 - C200	C9 - C200							1M - 10M
Molinia caerulea				C12 - C200								1M - 1M
Molluscum contagiosum Nos.	*			C7 - C200	C8 - C200							1M - 50M
Molopospermum peloponnesiacum				C12 - C30								
Moltkia petraea				C12 - C200								1M - 1M
Molva molva			D5 - D30	C3 - C30			LM1 - LM1					
Molybdaenum carbide						C12 - C200			Q1 - Q1			1M - 1M
Molybdaenum chloratum	*			C7 - C200	C8 - C200	C12 - C200	LM1 - LM24	LM1 - LM24				1M - 1M
Molybdaenum metallicum	*	D12 - D200	D10 - D200	C12 - C200	C15 - C200						FC1M - FC10M	1M - 50M
Molybdaenum nitrogenisatum	*					C12 - C200	LM1 - LM3	LM1 - LM3				1M - 10M
Molybdaenum oxydatum	*					C12 - C200			Q1 - Q6	Q1 - Q6		1M - 1M
Molybdaenum phosphoricum	*					C12 - C200	LM1 - LM18	LM1 - LM18				1M - 50M
Molybdaenum sulfuratum	*			C10 - C200	C10 - C200		LM1 - LM18	LM1 - LM18	Q1 - Q1	Q1 - Q1		1M - 50M
Momordica balsamina	*	D9 - D200	D6 - D200	C3 - C200	C4 - C200		LM1 - LM12	LM1 - LM12				1M - 10M
Momordica charantia				C10 - C200			LM1 - LM15					1M - 10M
Monarda fistulosa				C12 - C200			LM1 - LM1					
Mondstein						C12 - C200			Q1 - Q10			1M - 10M
Monnina xalapensis				C12 - C200								1M - 1M
Monoclea gottschei				C12 - C30								
Monodora myristica				C12 - C30			LM1 - LM1					
Monolena primuliflora				C12 - C200								
Monstera adansonii				C2 - C200	C3 - C200							
Montelukast		D5 - D30	D5 - D30	C3 - C200	C3 - C200							
Montivipera wagneri	††			C6 - C200			LM1 - LM1					1M - 10M
Morea collina				C12 - C12								
Morea modesta				C12 - C200								1M - 1M
Moraxella catarrhalis Nos.				C4 - C200	C4 - C200							
Morbillinum Nos.	*	D30 - D200	D15 - D200	C5 - C200	C6 - C200		LM2 - LM120	LM2 - LM30				1M - 100M
Morelia spilota variegata						C12 - C200	LM1 - LM12		Q1 - Q6			1M - 10M
Morelia viridis						C12 - C200			Q1 - Q10			1M - 10M
Moricandia arvensis				C12 - C30								
Morina longifolia				C12 - C200								1M - 1M
Morina nepalensis				C12 - C12								
Morinda citrifolia						C12 - C200			Q1 - Q1			1M - 50M
Moringa oleifera						C12 - C200	LM1 - LM21					1M - 1M
Mormolyca ringens				C12 - C12								
Morphinum aceticum	*			C30 - C200	C30 - C200							1M - 1M
Morphinum hydrochloricum	† *	D24 - D200	D24 - D200	C12 - C200	C12 - C200		LM2 - LM120	LM2 - LM30			FC1M - FC10M	1M - 100M
Morphinum sulfuricum	*			C13 - C200	C14 - C200							1M - 10M
Morpho menelaus occidentalis				C2 - C200	C4 - C200		LM1 - LM7	LM1 - LM7				1M - 100M
Morpho peleides						C12 - C200	LM1 - LM12		Q1 - Q6			1M - 50M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Morus nigra		D6 - D30	D3 - D30	C3 - C200	C3 - C200		LM1 - LM60	LM1 - LM30				1M - 50M
Moschus		D10 - D200	D9 - D200	C5 - C200	C6 - C200		LM2 - LM60	LM2 - LM30			FC1M - FC100M	1M - 100M
Motacilla alba						C12 - C200			Q1 - Q5	Q1 - Q5		1M - 50M
Moxifloxacinum hydrochloricum	*	D8 - D30	D6 - D30	C3 - C200	C4 - C200		LM1 - LM30	LM1 - LM30				1M - 1M
Mucor mucedo Nos.	*	D12 - D200	D12 - D200	C6 - C200	C9 - C200						FC1M - FC10M	1M - 1M
Mucor racemosus	*	D10 - D200	D8 - D200	C5 - C200	C5 - C200		LM2 - LM50	LM2 - LM30			FC1M - FC50M	1M - 10M
Mucoviscidosis Nos.	*			C7 - C200	C8 - C200							1M - 10M
Mucuna pruriens	† *	D6 - D30	D4 - D30	C1 - C200	C2 - C200		LM1 - LM40	LM1 - LM30				1M - 100M
Muehlenbeckia axillaris				C12 - C200								1M - 1M
Muraena melanotis						C12 - C200	LM1 - LM18		Q1 - Q2			1M - 10M
Murex		D12 - D200	D10 - D200	C10 - C200	C10 - C200		LM2 - LM36	LM3 - LM30			FC1M - FC10M	1M - 50M
Murraya paniculata				C12 - C30								
Mus musculus						C12 - C200	LM1 - LM24	LM1 - LM24				1M - 50M
Musa sapientum				C6 - C200	C6 - C200		LM2 - LM6	LM2 - LM6				1M - 10M
Musca domestica				C5 - C200	C6 - C200		LM2 - LM30	LM2 - LM30			FC1M - FC10M	1M - 100M
Muscari neglectum				C12 - C200			LM1 - LM18					1M - 1M
Muskowit						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 10M
Musschia aurea				C12 - C30								
Mustard (Bach)		D3 - D6	D2 - D6	C2 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 50M
Mustella putorius furo						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 50M
Mutabilis Bacillus (Bach)	*			C7 - C200	C7 - C200							1M - 10M
Mutisia decurrens				C12 - C30			LM1 - LM1					
Mutisia subulata				C12 - C200								1M - 1M
Mycena galericulata				C12 - C12								
Mycena rosea				C12 - C12								
Mycoplasma pneumoniae Nos.	*	D12 - D200	D9 - D200	C4 - C200	C5 - C200							1M - 10M
Mycosis fungoides Nos.	*	D12 - D200	D12 - D200	C7 - C200	C8 - C200							1M - 50M
Myom Nos.	*	D15 - D200	D12 - D200	C9 - C200	C9 - C200							1M - 10M
Myoporum parvifolium				C12 - C200								
Myosotis arvensis		D9 - D60	D7 - D60	C2 - C200	C3 - C200		LM1 - LM9	LM1 - LM9				1M - 50M
Myrceugenia ovata				C12 - C30								
Myrica cerifera		D4 - D200	D1 - D200	C3 - C200	C4 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 50M
Myricaria germanica		D9 - D200	D7 - D200	C3 - C200	C4 - C200		LM1 - LM9	LM1 - LM9				1M - 10M
Myriocarpa longipes						C12 - C30			Q1 - Q1			
Myriophyllum aquaticum				C12 - C200								1M - 1M
Myristica fragrans		D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM40	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC50M	1M - 100M
Myrrha		D3 - D200	D1 - D200	C1 - C200	C1 - C200	C12 - C200	LM1 - LM60	LM1 - LM30	Q1 - Q5	Q1 - Q5	FC1M - FC10M	1M - 100M
Myrrhis odorata		D4 - D30	D2 - D30	C2 - C200	C2 - C200	C12 - C30	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 1M
Myrsine africana				C12 - C200								
Myrtleola nummularia				C12 - C30			LM1 - LM1					
Myrtillocactus geometrizans		D6 - D200	D4 - D200	C10 - C200	C10 - C200		LM1 - LM1	LM1 - LM1				1M - 100M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
<i>Myrtus communis</i>		D4 - D30	D2 - D30	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30				1M - 50M
<i>Mytilus edulis</i>						C12 - C200	LM1 - LM10		Q1 - Q7			1M - 50M
N-Methylnicotinylamid		D4 - D5	D3 - D5	C2 - C200	C2 - C200							1M - 1M
NADH		D6 - D200	D4 - D200									
<i>Nabalus albus</i>		D6 - D200	D4 - D200									
<i>Nabalus serpentinaria</i>		D4 - D30	D2 - D30	C3 - C200	C4 - C200		LM1 - LM30	LM1 - LM30				1M - 50M
Nafarelinacetat	*			C6 - C200								1M - 1M
Naftidrofurylhydrogenoxalat	*					C12 - C200	LM1 - LM1		Q1 - Q1		FC1M - FC10M	1M - 1M
Naja anchieta	††					C12 - C200	LM1 - LM1		Q1 - Q3			1M - 50M
Naja atra	††					C12 - C200			Q1 - Q1			1M - 50M
Naja haje	††					C12 - C200	LM1 - LM18		Q1 - Q18			1M - 50M
Naja melanoleuca	††					C12 - C200	LM1 - LM1		Q1 - Q1			1M - 50M
Naja mossambica pallida	††					C12 - C200	LM1 - LM24		Q1 - Q1			1M - 50M
Naja n. nigricincta	††			C6 - C200			LM1 - LM1					
Naja naja	††	D12 - D200	D12 - D200	C10 - C200	C10 - C200	C12 - C200	LM1 - LM60	LM1 - LM30	Q1 - Q24	Q1 - Q24	FC1M - FC100M	1M - 100M
Naja naja kaouthia	††					C12 - C200	LM1 - LM3		Q1 - Q6			1M - 50M
Naja nigricollis	††			C6 - C200			LM1 - LM4					1M - 50M
Naja nivea	††					C12 - C200	LM1 - LM6		Q1 - Q1			1M - 100M
Naja nubiae	††			C6 - C200			LM1 - LM1					1M - 10M
Naja pallida	††			C6 - C200								1M - 50M
Naja philippensis	††			C6 - C200			LM1 - LM1					1M - 10M
Naja samarensis	††			C6 - C200			LM1 - LM1					1M - 10M
Naja siamensis	††			C6 - C200			LM1 - LM1					1M - 10M
Naja sputatrix	††			C6 - C200			LM1 - LM1					1M - 10M
Naja sumatrana	††			C6 - C200			LM1 - LM1					1M - 10M
Nalbuphinhydrochlorid	*		D3 - D10									
Nandina domestica				C12 - C30			LM1 - LM1					
Napaea dioica				C12 - C30								
Naphthalinum		D6 - D200	D5 - D200	C2 - C200	C2 - C200		LM1 - LM30	LM1 - LM30				1M - 100M
Naphthochinonum		D30 - D200	D30 - D200	C12 - C200	C12 - C200							
Naplus sericeus				C12 - C30								
Napoleonaea imperialis				C12 - C12								
Naratriptan		D4 - D12	D2 - D12	C1 - C200	C2 - C200							
Narcissus poeticus		D6 - D200	D4 - D200	C3 - C200	C4 - C200	C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q1	Q1 - Q1		1M - 1M
Narcissus pseudonarcissus						C12 - C200	LM1 - LM23	LM1 - LM23	Q1 - Q1	Q1 - Q1		1M - 100M
Narcotinum	*			C10 - C200	C11 - C200							1M - 1M
Nardus stricta				C12 - C12								
Narthecium ossifragum				C12 - C200			LM1 - LM1					1M - 1M
Nassella tenuissima				C12 - C12								
Nasturtium officinale		D5 - D200	D3 - D200	C2 - C200	C3 - C200		LM1 - LM100	LM1 - LM30				1M - 1M
Natr.tetrachloroauratum	† *	D10 - D200	D9 - D200	C5 - C200	C6 - C200		LM1 - LM80	LM1 - LM30	Q1 - Q18	Q1 - Q18	FC1M - FC100M	1M - 100M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Natrium DMPS		D5 - D200	D3 - D200	C2 - C200	C3 - C200		LM1 - LM3	LM1 - LM3				1M - 1M
Natrium aceticum				C10 - C200	C10 - C200							1M - 50M
Natrium arsenicum	†† *			C3 - C200	C4 - C200							1M - 100M
Natrium arsenicosum	†† *	D12 - D200	D6 - D200	C9 - C200	C10 - C200		LM1 - LM87	LM1 - LM30	Q1 - Q22	Q1 - Q22	FC1M - FC50M	1M - 100M
Natrium aureothiosulfuricum	† *			C3 - C200	C4 - C200							1M - 1M
Natrium benzoicum		D4 - D12	D3 - D12	C2 - C200	C2 - C200							1M - 1M
Natrium bicarbonicum		D4 - D200	D4 - D200	C3 - C200	C3 - C200		LM2 - LM20	LM2 - LM20				1M - 50M
Natrium bichromicum	† *	D9 - D12	D6 - D30	C4 - C200	C4 - C200							1M - 1M
Natrium bromatum	*	D9 - D200	D7 - D200	C4 - C200	C5 - C200		LM1 - LM35	LM1 - LM30	Q1 - Q12	Q1 - Q12	FC1M - FC10M	1M - 50M
Natrium cacodylicum	†† *	D6 - D30	D4 - D30	C2 - C200	C3 - C200		LM1 - LM6	LM1 - LM6				
Natrium carbonicum		D4 - D200	D5 - D200	C3 - C200	C3 - C200		LM1 - LM60	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 50M
Natrium causticum	†	D4 - D12	D4 - D12	C2 - C200	C3 - C200		LM1 - LM42	LM1 - LM30	Q1 - Q28	Q1 - Q28		1M - 50M
Natrium chloratum		D3 - D200	D3 - D200	C2 - C200	C2 - C200		LM1 - LM120	LM1 - LM30	Q1 - Q37	Q1 - Q30	FC1M - FC100M	0M - 100M
Natrium choleinicum purum		D12 - D200	D12 - D200	C6 - C200	C7 - C200		LM1 - LM30	LM1 - LM30				1M - 100M
Natrium chondroitinsulfuricum				C6 - C200	C6 - C200							
Natrium citricum		D6 - D6	D4 - D6	C3 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Natrium cromoglicinicum	*			C3 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				
Natrium cyanatum	†† *			C5 - C200	C6 - C200							1M - 100M
Natrium fluoratum	†† *	D9 - D200	D6 - D200	C3 - C200	C4 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q3	Q1 - Q3	FC1M - FC10M	1M - 100M
Natrium glutamicum				C4 - C200	C5 - C200		LM1 - LM3	LM1 - LM3				1M - 10M
Natrium hexafluorosilicicum	*					C12 - C200	LM1 - LM25	LM1 - LM25	Q1 - Q18	Q1 - Q18		1M - 10M
Natrium hippuricum		D5 - D6	D3 - D6	C2 - C200	C3 - C200							
Natrium hypochlorosum		D9 - D200	D6 - D200			C12 - C200	LM1 - LM12	LM1 - LM12	Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 10M
Natrium hypophosphorosum				C4 - C200	C5 - C200							1M - 1M
Natrium iodatum	† *	D7 - D200	D5 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q12	Q1 - Q12	FC1M - FC100M	1M - 100M
Natrium lacticum		D7 - D30	D5 - D30	C3 - C200	C4 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q12	Q1 - Q12	FC1M - FC10M	1M - 10M
Natrium laurylsulfuricum				C3 - C30	C4 - C30							
Natrium nitricum		D4 - D200	D3 - D200	C2 - C200	C2 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q8	Q1 - Q8	FC1M - FC10M	1M - 50M
Natrium nitrosum	† *			C3 - C200	C4 - C200		LM1 - LM6	LM1 - LM6				1M - 1M
Natrium oxalaceticum		D10 - D200	D10 - D200			C12 - C200						1M - 1M
Natrium oxalicum	†	D10 - D200	D10 - D200	C3 - C200	C4 - C200		LM1 - LM6	LM1 - LM6				1M - 10M
Natrium perchloricum	† *	D5 - D5	D3 - D5	C4 - C30	C5 - C30		LM1 - LM6	LM1 - LM6				
Natrium phosphoricum		D6 - D200	D4 - D200	C3 - C200	C3 - C200		LM1 - LM60	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC50M	1M - 100M
Natrium pyrophosphoricum		D12 - D30	D10 - D12	C10 - C200	C9 - C200		LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		
Natrium pyruvicum		D4 - D200	D4 - D200	C2 - C200	C3 - C200		LM1 - LM12	LM1 - LM12				
Natrium salicylicum	*	D6 - D30	D4 - D30	C4 - C200	C5 - C200		LM1 - LM24	LM1 - LM24	Q1 - Q6	Q1 - Q6	FC1M - FC100M	1M - 10M
Natrium selenicum	† *	D6 - D200	D4 - D200	C3 - C200	C4 - C200		LM1 - LM7	LM1 - LM7			FC1M - FC10M	1M - 1M
Natrium silicicum		D10 - D200	D10 - D200	C4 - C200	C5 - C200		LM1 - LM90	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Natrium succinicum				C3 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Natrium sulfuratum pur.						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 10M
Natrium sulfuricum		D6 - D200	D4 - D200	C2 - C200	C3 - C200		LM1 - LM60	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Natrium telluricum				C5 - C200	C6 - C200		LM1 - LM6	LM1 - LM6				1M - 1M
Natrium tetraboracicum	†	D4 - D200	D4 - D200	C3 - C200	C3 - C200		LM1 - LM60	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Natrium thiosulfuricum		D5 - D6	D4 - D6	C4 - C200	C5 - C200		LM1 - LM30	LM1 - LM30				1M - 1M
Natrix natrix						C12 - C200			Q1 - Q12			1M - 50M
Nautilocalyx adenosiphon				C12 - C200								
Nautilus						C12 - C200	LM1 - LM18		Q1 - Q3		FC1M - FC10M	1M - 100M
Nectandra reticulata				C12 - C200			LM1 - LM1					1M - 1M
Nectrianinum	*			C6 - C200	C9 - C200	C12 - C200	LM1 - LM12	LM1 - LM12	Q1 - Q1	Q1 - Q1		1M - 50M
Negundo aceroides				C31 - C31								
Neisseria gonorrhoeae Nos.				C4 - C200	C4 - C200							
Nelumbo nucifera				C4 - C200	C5 - C200							1M - 10M
Nemesia strumosa				C12 - C200								1M - 1M
Nemophila maculata				C12 - C200								1M - 1M
Neoboletus luridiformis				C12 - C12								
Neodym(III) acetat						C12 - C200			Q1 - Q1	Q1 - Q1		1M - 1M
Neodymium arsenicosum	†† *					C12 - C200	LM1 - LM8		Q1 - Q10			1M - 50M
Neodymium bromatum	*					C12 - C200	LM1 - LM6		Q1 - Q3			1M - 10M
Neodymium carbonicum						C12 - C200	LM1 - LM30		Q1 - Q9			1M - 10M
Neodymium chloratum						C12 - C200	LM1 - LM12		Q1 - Q1			1M - 100M
Neodymium chromicum	*					C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		
Neodymium citricum						C12 - C200						1M - 1M
Neodymium fluoratum	*					C12 - C200	LM1 - LM30		Q1 - Q1			1M - 10M
Neodymium glutamicum						C12 - C200						1M - 10M
Neodymium hydroxydatum						C12 - C200						1M - 1M
Neodymium iodatum	*					C12 - C200	LM1 - LM18		Q1 - Q9			1M - 100M
Neodymium lacticum						C12 - C200	LM1 - LM6		Q1 - Q1			1M - 1M
Neodymium metallicum						C12 - C200	LM1 - LM30		Q1 - Q30		FC1M - FC100M	1M - 50M
Neodymium nitricum						C12 - C200	LM1 - LM30		Q1 - Q7		FC1M - FC100M	1M - 100M
Neodymium oxalicum						C12 - C200	LM1 - LM6		Q1 - Q6			1M - 10M
Neodymium oxydatum						C12 - C200	LM1 - LM30		Q1 - Q9			1M - 100M
Neodymium phosphoricum						C12 - C200	LM1 - LM30		Q1 - Q8			1M - 50M
Neodymium silicicum						C12 - C200	LM1 - LM30		Q1 - Q1			1M - 1M
Neodymium sulfuricum						C12 - C200	LM1 - LM30		Q1 - Q6			1M - 50M
Neodymium tetraboricum						C12 - C200						1M - 1M
Neolloydia grandiflora	*			C12 - C12								
Neomarica longifolia				C12 - C30								
Neon				C7 - C200	C8 - C200		LM2 - LM120	LM2 - LM30				1M - 50M
Neophron percnopterus						C12 - C200	LM1 - LM6				FC1M - FC50M	1M - 100M
Neotrombicula autumnalis						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 100M
Nepenthes distillatoria		D5 - D12	D4 - D12	C5 - C200	C6 - C200		LM2 - LM30	LM2 - LM30			FC1M - FC10M	1M - 50M
Nephila ssp.						C12 - C200	LM1 - LM12	LM1 - LM12				1M - 10M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Nephritis Nos.	*	D11 - D200	D9 - D200	C5 - C200	C6 - C200							1M - 1M
Nephrose Nos.	*	D9 - D200	D7 - D200									
Neptunia oleracea				C12 - C200								
Neptunia plena				C12 - C30			LM1 - LM1					
Nerium oleander	† *	D7 - D200	D4 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q12	Q1 - Q12	FC1M - FC100M	1M - 100M
Nervus facialis		D10 - D200	D8 - D200									
Nervus femoralis Gl		D10 - D30	D9 - D30									
Nervus glossopharyngeus bovis Gl		D12 - D200	D9 - D200									
Nervus hypoglossus Gl		D9 - D30	D7 - D30									
Nervus ischiaticus Gl		D9 - D200	D7 - D200	C7 - C200	C9 - C200							1M - 100M
Nervus medianus Gl		D9 - D200	D7 - D200									
Nervus oculomotoricus Gl		D12 - D200	D9 - D200									
Nervus opticus Gl		D9 - D200	D6 - D200									
Nervus phrenicus		D11 - D30	D9 - D30									
Nervus pudendus		D10 - D200	D8 - D200									
Nervus radialis Gl		D9 - D200	D7 - D200									
Nervus trigeminus		D10 - D200	D8 - D200									
Nervus vagus bovis Gl		D9 - D200	D6 - D200									
Nervus vagus pars thoracica		D10 - D200	D8 - D200									
Neuralgie Nos.	*			C5 - C200	C6 - C200							1M - 1M
Neurofibrom Nosode	*	D9 - D30	D7 - D30	C5 - C200	C6 - C200							1M - 1M
Neviusia alabamensis				C12 - C30								
Newcastle Disease Virus Nos.	*			C5 - C200	C6 - C200							1M - 10M
Nicandra physalodes				C12 - C200			LM1 - LM1					1M - 1M
Niccolum	*	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q13	Q1 - Q13	FC1M - FC100M	1M - 100M
Niccolum arsenicosum	†† *			C10 - C200	C10 - C200		LM1 - LM2	LM1 - LM2				1M - 10M
Niccolum bromatum	† *			C3 - C200	C4 - C200		LM1 - LM3	LM1 - LM3				1M - 10M
Niccolum carbonicum	† *					C12 - C200	LM1 - LM10	LM1 - LM30			FC1M - FC100M	1M - 10M
Niccolum chloratum	† *					C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q12	Q1 - Q12		1M - 10M
Niccolum fluoratum	† *					C12 - C200						1M - 1M
Niccolum iodatum	† *					C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q3	Q1 - Q3		1M - 1M
Niccolum nitricum	† *	D10 - D30	D10 - D30	C10 - C200	C10 - C200		LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 10M
Niccolum oxydatum	† *					C12 - C200	LM1 - LM10	LM1 - LM10	Q1 - Q1	Q1 - Q1		1M - 1M
Niccolum phosphoricum	*			C10 - C200			LM1 - LM30		Q1 - Q12			1M - 50M
Niccolum silicum	*			C13 - C200	C14 - C200							1M - 50M
Niccolum sulfuricum	† *	D4 - D12	D3 - D12	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q16	Q1 - Q16		1M - 50M
Nicotiana glauca				C12 - C30								
Nicotiana tabacum	† *	D12 - D200	D9 - D200	C3 - C200	C3 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q14	Q1 - Q14	FC1M - FC10M	1M - 100M
Nicotiana tabacum fermentatum				D3 - D30	C2 - C200							1M - 10M
Nicotinamide		D16 - D200	D15 - D200									
Nicotinum	†† *	D12 - D200	D10 - D200	C8 - C200	C9 - C200		LM1 - LM20	LM1 - LM20			FC1M - FC10M	1M - 100M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Nicrophorus vespillo						C12 - C200						1M - 10M
Nidularium billbergioides	†			C12 - C200								
Nidus edulis						C12 - C200	LM1 - LM2	LM1 - LM2	Q1 - Q1	Q1 - Q1		1M - 50M
Nidus hirundo rustica						C12 - C200			Q1 - Q1			
Nierembergia scoparia				C12 - C200			LM1 - LM1					1M - 1M
Nifedipin	*	D5 - D30	D5 - D30	C3 - C30	C3 - C30		LM1 - LM1	LM1 - LM1				
Nigella damascena				C12 - C200								
Nigella sativa		D30 - D200	D15 - D200	C6 - C200	C7 - C200							1M - 10M
Niobium				C15 - C200	C15 - C200							1M - 10M
Niobium arsenicosum	†† *					C12 - C200	LM1 - LM6		Q1 - Q1			1M - 10M
Niobium carbonatum				C6 - C200	C7 - C200							1M - 10M
Niobium chloratum						C12 - C200	LM1 - LM30		Q1 - Q30			1M - 50M
Niobium fluoratum	*					C12 - C200	LM1 - LM11	LM1 - LM11	Q1 - Q1	Q1 - Q1		1M - 10M
Niobium oxydatum						C12 - C200	LM1 - LM4		Q1 - Q1			1M - 10M
Niobium phosphoricum						C12 - C200	LM1 - LM11	LM1 - LM11	Q1 - Q1	Q1 - Q1		1M - 10M
Niobium sulfuratum						C12 - C200	LM1 - LM24		Q1 - Q1			1M - 50M
Niro V4A						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q2	Q1 - Q2		1M - 10M
Nitrendipin		D4 - D30	D3 - D30	C2 - C200	C2 - C200		LM1 - LM6	LM1 - LM6				
Nitri spiritus dulcis		D10 - D30	D9 - D30	C3 - C200	C4 - C200		LM1 - LM6	LM1 - LM6				1M - 10M
Nitrogenium		D7 - D200	D6 - D200	C4 - C200	C5 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q15	Q1 - Q15	FC1M - FC10M	1M - 50M
Nitrogenium oxydatum	†† *		D12 - D200	C12 - C200			LM1 - LM18					1M - 100M
Nitrogenium oxygenisatum	*	D5 - D30	D3 - D30	C2 - C200	C3 - C200		LM1 - LM18	LM1 - LM18				1M - 100M
Nitroglycerinum	†† *	D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM44	LM1 - LM30	Q1 - Q30	Q2 - Q30	FC1M - FC100M	1M - 100M
Nivaflex						C12 - C200			Q1 - Q1			1M - 10M
Nodi lymphatici bovis GI		D10 - D12	D9 - D12									
Nolana paradoxa						C12 - C200			Q1 - Q1	Q1 - Q1		1M - 10M
Nonea lutea					C12 - C30							
Norethisteronacetat	*			C6 - C200			LM1 - LM6					1M - 10M
Nothapodytes nimmoniana						C12 - C200			Q1 - Q1	Q1 - Q1		1M - 1M
Notopleura uliginosa			D1 - D6	C1 - C200			LM1 - LM1					
Nuphar lutea		D12 - D200	D7 - D200	C4 - C200	C5 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q8	Q1 - Q8	FC1M - FC10M	1M - 50M
Nuxia floribunda					C12 - C30							
Nyctanthes arbor tristis					C12 - C12							
Nymphaea alba		D6 - D200	D5 - D200	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC100M	1M - 10M
Nymphaea odorata		D6 - D200	D6 - D200									
Nymphaea stellata				C1 - C200	C2 - C200		LM1 - LM10	LM1 - LM10				
Nymphalis urticae						C12 - C200	LM1 - LM4	LM1 - LM4	Q1 - Q12	Q1 - Q12		1M - 50M
Nymphoides ezannoii				C12 - C200			LM1 - LM1					
Nymphoides peltata				C12 - C12								
Nypa fruticans				C12 - C20								1M - 1M
Nystatinum	*					C12 - C200	LM1 - LM12	LM1 - LM12	Q1 - Q1	Q1 - Q1		1M - 10M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Obetia ficifolia				C12 - C200								1M - 1M
Obsidian						C12 - C200	LM3 - LM30	LM3 - LM30				1M - 10M
Ochna madagascarensis						C12 - C200						
Ochna serrulata				C12 - C200			LM1 - LM18					1M - 1M
Ochroma pyramidalis						C12 - C200			Q1 - Q1			1M - 1M
Ocimum basilicum ex herba		D3 - D200	D1 - D200	C1 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Ocimum canum		D6 - D30	D4 - D30	C4 - C200	C4 - C200		LM1 - LM5	LM1 - LM5				1M - 100M
Ocimum sanctum				C3 - C200	C4 - C200		LM1 - LM15	LM1 - LM15				1M - 10M
Ocotea foetens				C12 - C200								
Octopus vulgaris			D4 - D200	C2 - C200			LM1 - LM21				FC1M - FC10M	1M - 100M
Octreotid	*	D12 - D30	D12 - D30									
Odontonema tubaeforme				C12 - C200								1M - 100M
Oenanthe aquatica	*	D12 - D200	D10 - D200	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 50M
Oenanthe crocata	† *	D5 - D200	D4 - D200	C2 - C200	C3 - C200		LM1 - LM18	LM1 - LM18			FC1M - FC10M	1M - 100M
Oenothera biennis		D4 - D30	D2 - D30	C2 - C200	C3 - C200		LM1 - LM6	LM1 - LM6			FC1M - FC10M	1M - 1M
Oestro / Gesta Combi	*	D12 - D200	D12 - D200	C6 - C200	C9 - C200							1M - 1M
Oestrogen	*			C6 - C200	C9 - C200						FC1M - FC50M	1M - 100M
Oidium tuckeri	*					C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q4	Q1 - Q4		1M - 10M
Okoubaka aubrevillei		D0 - D200	D1 - D200	C1 - C200	C0 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC100M	1M - 100M
Olanzapin	*		D6 - D200	C3 - C200			LM1 - LM1					1M - 10M
Olea europaea		D5 - D200	D2 - D200	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30				1M - 10M
Olearia phlogopappa				C12 - C30								
Oleum Lini		D4 - D30	D4 - D30	C3 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Oleum animale aethereum Dippelii				C9 - C200	C9 - C200							1M - 50M
Oleum animale foetidum crudum		D4 - D30	D2 - D30	C2 - C200	C3 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q3	Q1 - Q3	FC1M - FC10M	1M - 10M
Oleum chaulmoograe		D10 - D200	D8 - D200	C5 - C200	C6 - C200							
Oleum jecoris aselli		D6 - D200	D4 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q6	Q1 - Q6	FC1M - FC100M	1M - 50M
Oleum olivae		D3 - D30	D3 - D30	C2 - C200	C2 - C200		LM1 - LM5	LM1 - LM5				1M - 1M
Oleum ricini		D4 - D30	D2 - D30	C2 - C200	C3 - C200		LM1 - LM3	LM1 - LM3				1M - 1M
Oleum sesami		D12 - D30	D10 - D30	C4 - C200	C5 - C200		LM1 - LM1	LM1 - LM1				
Oleum succini				C4 - C200	C5 - C200		LM1 - LM3	LM1 - LM3			FC1M - FC10M	1M - 10M
Olive (Bach flower)				C2 - C200	C2 - C200							
Omeprazolum	*			C2 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Omphalodes cappadocica				C12 - C200								
Omphalodes linifolia				C12 - C200			LM1 - LM1					
Oncidium cebolleta				C12 - C30								
Oncidium ornithorhynchum						C12 - C200			Q1 - Q1			1M - 10M
Oncoba spinosa				C12 - C30								
Oncorhynchus Tschawytscha				C13 - C200	C14 - C200		LM2 - LM24	LM2 - LM24			FC1M - FC10M	1M - 10M
Oniscus asellus millepedes		D11 - D30	D11 - D30			C12 - C200	LM1 - LM3	LM1 - LM3	Q1 - Q1	Q1 - Q1		1M - 1M
Ononis spinosa						C12 - C200	LM1 - LM11	LM1 - LM11	Q1 - Q1	Q1 - Q1		

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Onopordon acanthium				C3 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Onosma bourgaei				C12 - C200								1M - 1M
Onosmodium		D7 - D200	D4 - D200	C4 - C200	C5 - C200		LM1 - LM18	LM1 - LM18			FC1M - FC10M	1M - 100M
Onychoteuthis banksii				C3 - C200			LM1 - LM12				FC1M - FC10M	1M - 10M
Onyx						C12 - C200	LM1 - LM1		Q1 - Q6			1M - 10M
Ophiophagus hannah	++					C12 - C200	LM1 - LM30		Q1 - Q30		FC1M - FC100M	1M - 100M
Ophiopogon jabun				C12 - C30								
Opium	*	D24 - D200	D24 - D200	C12 - C200	C12 - C200	C15 - C200	LM1 - LM90	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Opopanax horridus				C7 - C200	C9 - C200							1M - 10M
Opuntia ficus indica				C7 - C200	C9 - C200							1M - 10M
Opuntia microdasys						C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q5	Q1 - Q5		1M - 100M
Opuntia vulgaris						C12 - C200	LM1 - LM100	LM1 - LM30	Q1 - Q8	Q1 - Q8		1M - 50M
Opus calcae structum						C12 - C200	LM1 - LM5	LM1 - LM5	Q1 - Q1	Q1 - Q1		1M - 10M
Orang Utan, pili						C12 - C200						1M - 100M
Orbea variegata				C12 - C12								
Orchis mascula				C2 - C200	C3 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Orchis militaris				C1 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Orchis simia						C12 - C200	LM1 - LM6		Q1 - Q1			1M - 10M
Orchitimum		D12 - D15	D9 - D15	C3 - C200	C4 - C200		LM2 - LM30	LM2 - LM30				
Oreodaphne californica				C4 - C200	C5 - C200							1M - 1M
Origanum majorana		D4 - D30	D2 - D30	C1 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q3	Q1 - Q3	FC1M - FC10M	1M - 10M
Origanum vulgare		D12 - D30	D12 - D30	C2 - C200	C3 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 10M
Orixa japonica				C12 - C30								
Orlaya grandiflora				C12 - C12								
Ornithinum monohydrochloricum		D5 - D30	D3 - D30	C2 - C200	C3 - C200		LM1 - LM24	LM1 - LM24				1M - 1M
Ornithogalum umbellatum		D4 - D200	D2 - D200	C1 - C200	C2 - C200		LM1 - LM56	LM1 - LM30				1M - 100M
Ornithogalum umbellatum (Bach)				C2 - C200	C2 - C200		LM1 - LM6	LM1 - LM6			FC1M - FC5M	1M - 1M
Orostachys spinosa				C12 - C30								
Orthosiphon aristatus				C12 - C200			LM1 - LM1					
Orthosiphon stamineus		D30 - D60	D30 - D60	C10 - C200	C11 - C200						FC1M - FC10M	1M - 1M
Orthotrichum affine				C12 - C200								
Orthrosanthus polystachyus				C12 - C30								
Oryctanthus occidentalis				C12 - C30								
Oryza sativa						C12 - C200	LM1 - LM30	LM1 - LM30				1M - 100M
Osmanthus decorus				C12 - C200								1M - 1M
Osmium carbonicum						C12 - C200	LM1 - LM15					1M - 1M
Osmium chloratum						C12 - C200						1M - 10M
Osmium met.		D10 - D200	D10 - D200	C10 - C200	C12 - C200		LM2 - LM30	LM2 - LM30			FC1M - FC1M	1M - 50M
Osmoxylon lineare				C12 - C30								
Osmunda regalis				C12 - C200			LM1 - LM30	LM1 - LM30				
Osteo-Sinusitis maxillaris Nos.	*	D10 - D200	D8 - D200	C5 - C200	C6 - C200							1M - 1M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Osteomeles anthyllidifolia				C12 - C12								
Osteomyelitis Nos.	*	D10 - D200	D9 - D200	C5 - C200	C6 - C200		LM2 - LM6	LM2 - LM6				1M - 10M
Osteomyelosklerose Nos.	*	D9 - D60	D9 - D60	C4 - C200	C5 - C200							1M - 1M
Osteosklerose des Kiefers Nos.	*	D9 - D200	D7 - D200									
Osteospermum ecklonis				C12 - C200								1M - 1M
Ostracion cubicus						C12 - C200						1M - 100M
Ostrya virginica				C2 - C200	C3 - C200		LM1 - LM18	LM1 - LM18			FC1M - FC10M	1M - 10M
Otaria flavescens						C12 - C200			Q1 - Q4			1M - 10M
Othonna capensis				C12 - C30								
Ottelia alismoides				C12 - C30								
Ovaria Gl		D9 - D30	D7 - D30									
Ovaria siccata		D10 - D30	D10 - D30	C10 - C200	C10 - C200		LM2 - LM17	LM2 - LM17				1M - 100M
Ovarialkystom Nos.	*	D9 - D200	D7 - D200									
Ovi gallinae pellicula		D11 - D12	D9 - D12	C5 - C200	C6 - C200							1M - 10M
Ovi vitellus						C12 - C200			Q2 - Q6			1M - 1M
Ovininum		D12 - D200	D9 - D200	C6 - C200	C6 - C200		LM2 - LM30	LM2 - LM30				1M - 10M
Ovis gmelini musimon						C12 - C200						1M - 1M
Ovum cuculi						C12 - C200	LM1 - LM13	LM1 - LM13	Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 100M
Ovum gallinae		D10 - D30	D7 - D30			C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q5	Q1 - Q5		1M - 100M
Ovum gallinae toto						C12 - C200			Q1 - Q1	Q1 - Q1		1M - 50M
Ovum turdus merulae						C12 - C200			Q1 - Q1	Q1 - Q1		1M - 1M
Oxaceprol	*	D4 - D200	D3 - D200									
Oxalis acetosella		D9 - D200	D4 - D200	C2 - C200	C3 - C200		LM1 - LM8	LM1 - LM8				1M - 50M
Oxalis gigantea				C12 - C30								
Oxalis pes-caprae				C12 - C30								
Oxalis psoraleoides				C12 - C30			LM1 - LM1					
Oxalis squamata				C12 - C30								
Oxalis triangularis						C12 - C200			Q1 - Q1			
Oxazepam	*			C7 - C200	C9 - C200							
Oxcarbazepin		D6 - D30	D5 - D30	C3 - C200	C3 - C200							
Oxyanthus formosus				C12 - C30								
Oxybaphus nyctagineus				C12 - C200			LM1 - LM1					1M - 1M
Oxydendron arboreum				C5 - C200	C6 - C200							
Oxygenium		D8 - D200	D6 - D200	C5 - C200	C6 - C200		LM1 - LM30	LM1 - LM30				1M - 100M
Oxypetalum coeruleum				C12 - C30								
Oxyria digyna				C12 - C200								
Oxyrrhynchium hians				C12 - C30								
Oxytetracyclin	†† *					C12 - C30	LM1 - LM1		Q1 - Q1			1M - 50M
Oxytocin	*			C6 - C200	C9 - C200							1M - 100M
Oxytropis lambertii		D15 - D30	D13 - D30	C6 - C200	C7 - C200		LM2 - LM39	LM2 - LM30			FC1M - FC1M	1M - 100M
Oxyuranus microlepidotus	††			C12 - C200			LM1 - LM18		Q1 - Q30		FC1M - FC100M	1M - 50M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Oxyuranus scutellatus canni	††			C12 - C200					Q1 - Q17		FC1M - FC10M	1M - 10M
Oxyuren	*	D13 - D200	D11 - D200			C12 - C200	LM1 - LM30	LM1 - LM30				1M - 50M
Ozonom	†† *	D6 - D200	D4 - D200	C2 - C200	C3 - C200		LM2 - LM30	LM2 - LM30			FC1M - FC100M	1M - 100M
Ozothamnus diosmifolius		D15 - D200	D15 - D200									
Ozothamnus leptophyllus				C12 - C30			LM1 - LM1					
PCB		D30 - D200	D15 - D200									
Pachira quinata						C12 - C200	LM1 - LM5	LM1 - LM5	Q1 - Q12	Q1 - Q12		1M - 1M
Pachypodium rosulatum				C12 - C200			LM1 - LM5					1M - 1M
Pachysandra terminalis				C12 - C30								
Pachystachys spicata				C12 - C200			LM1 - LM5					1M - 1M
Pachystegia insignis				C12 - C30			LM1 - LM1					
Padus avium		D30 - D60	D30 - D60	C10 - C200	C12 - C200		LM1 - LM18	LM1 - LM18				1M - 10M
Paederia foetida				C12 - C30								
Paeonia daurica				C12 - C12								
Paeonia mascula				C12 - C12								
Paeonia officinalis		D3 - D200	D1 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC50M	1M - 100M
Paesia scaberula				C12 - C200								
Pagophila eburnea				C5 - C200	C6 - C200						FC1M - FC10M	
Pagurus bernhardus						C12 - C200	LM1 - LM8		Q1 - Q6		FC1M - FC10M	1M - 100M
Palicourea padifolia				C12 - C200								1M - 1M
Palisota pynaertii				C12 - C200								1M - 1M
Paliurus spina-christi				C12 - C200			LM1 - LM1					1M - 1M
Palladium metallicum		D10 - D200	D10 - D200	C12 - C200	C12 - C200		LM1 - LM90	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
Palladium muriaticum						C12 - C200	LM1 - LM29		Q1 - Q12			1M - 50M
Palladium nitricum				C4 - C200	C5 - C200		LM1 - LM14	LM1 - LM14				1M - 1M
Palladium oxydatum						C12 - C200	LM1 - LM16		Q1 - Q1			1M - 10M
Palladium sulfuricum						C12 - C200	LM1 - LM42	LM1 - LM30	Q1 - Q28	Q1 - Q28		1M - 50M
Palladium-Silber-Legierung		D10 - D30	D10 - D30	C10 - C200	C10 - C200							1M - 10M
Pallenis spinosa				C12 - C30								
Pamianthe peruviana				C12 - C30								
Panax ginseng	† *	D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q4	Q1 - Q4	FC1M - FC10M	1M - 100M
Pancreatinum		D10 - D200	D10 - D200				LM2 - LM30	LM2 - LM30				
Pandanus tectorius						C12 - C200	LM1 - LM6		Q1 - Q1			1M - 50M
Pandinus imperator						C12 - C200	LM1 - LM3		Q1 - Q6			1M - 10M
Panicum virgatum				C12 - C200			LM1 - LM1					1M - 1M
Pankreas GI		D12 - D200	D12 - D200	C5 - C200	C6 - C200		LM2 - LM100	LM2 - LM30				1M - 50M
Panna	† *	D9 - D200	D7 - D200	C5 - C200	C6 - C200							1M - 1M
Panorpa communis						C12 - C200	LM1 - LM4		Q1 - Q1		FC1M - FC10M	1M - 10M
Panthera onca				C7 - C200	C9 - C200							1M - 10M
Panthera pardus (Urin)				C4 - C200			LM1 - LM23	LM1 - LM23				1M - 10M
Panthera pardus (sanguis)				C10 - C200	C12 - C200							1M - 100M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Panthera tigris tigris				C31 - C200	C32 - C200							1M - 50M
Pantoprazol	*			C3 - C200	C4 - C200							1M - 1M
Papaver alpinum				C12 - C12								
Papaver orientale						C12 - C200	LM1 - LM6	LM1 - LM6				1M - 1M
Papaver rhoeas		D4 - D200	D2 - D200	C2 - C200	C3 - C200		LM1 - LM24	LM1 - LM24				1M - 10M
Papilio Paris				C3 - C200	C4 - C200		LM1 - LM16	LM1 - LM16				1M - 10M
Papilio machaon						C12 - C200			Q1 - Q18			1M - 10M
Para-Aminosalicylsäure	*	D12 - D60	D12 - D60									
Parabuteo unicinctus						C12 - C200			Q1 - Q1			
Parabuthus transvaalicus						C12 - C200						1M - 10M
Paracanthurus hepatus						C12 - C200	LM1 - LM6	LM1 - LM6				1M - 10M
Paracentrotus Lividus						C12 - C200			Q1 - Q1		FC1M - FC10M	1M - 10M
Paracetamolum	*	D4 - D30	D2 - D30	C2 - C200	C3 - C200							1M - 10M
Paracostus englerianus				C12 - C30			LM1 - LM1					
Paradisea liliastrum				C12 - C12								
Paraffinum						C12 - C200	LM1 - LM6	LM1 - LM6				1M - 1M
Parahebe catarractae				C12 - C30			LM1 - LM1					
Paralithodes camtschaticus						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 100M
Paraponera clavata						C12 - C200	LM1 - LM15		Q1 - Q1			1M - 10M
Paratyphoidinum A Nos.	*			C31 - C200	C32 - C200							1M - 10M
Paratyphoidinum B Nos.	*			C15 - C200	C15 - C200							1M - 50M
Parias mcgregori	††			C6 - C200			LM1 - LM1					1M - 10M
Parietaria officinalis				C2 - C200		C12 - C200			Q1 - Q12	Q1 - Q12		1M - 10M
Paris quadrifolia	*	D6 - D200	D3 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q16	Q1 - Q16		1M - 10M
Parmelia sulcata						C12 - C200			Q1 - Q1			1M - 1M
Parmentiera cereifera				C12 - C30								
Parnassia palustris				C12 - C200			LM1 - LM1					
Parodia scopula				C12 - C12								
Parodontose Nos.	† *	D15 - D200	D9 - D200	C5 - C200	C6 - C200		LM2 - LM18	LM2 - LM18				1M - 10M
Paronichia illecebrum				C7 - C200	C8 - C200							1M - 1M
Paronychia canariensis				C12 - C30								
Parotidinum	*	D15 - D200	D9 - D200	C4 - C200	C5 - C200		LM2 - LM60	LM2 - LM30			FC1M - FC10M	1M - 10M
Paroxetin	*		D4 - D30	C3 - C200			LM1 - LM1					1M - 50M
Parrotia persica				C12 - C30			LM1 - LM1					
Parrotiopsis jacquemontiana				C12 - C12								
Parthenium hysterophorus				C4 - C200	C5 - C200		LM1 - LM30	LM1 - LM30				1M - 10M
Passer domesticus				C5 - C200	C6 - C200							1M - 50M
Passiflora biflora				C12 - C30								
Passiflora foetida						C12 - C200						
Passiflora incarnata		D6 - D200	D4 - D200	C2 - C200	C3 - C200		LM1 - LM100	LM1 - LM30			FC1M - FC100M	1M - 100M
Passiflora vitifolia				C12 - C200								1M - 1M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Pasteurella haemolytica Nos.	*			C31 - C200	C32 - C200							1M - 10M
Pasteurellose Nos.	*	D12 - D200	D9 - D200	C5 - C200	C6 - C200							1M - 1M
Pastinaca sativa				C4 - C200	C5 - C200							1M - 10M
Patella vulgata						C12 - C200	LM1 - LM8		Q1 - Q1			1M - 10M
Patrinia gibbosa					C12 - C200							1M - 1M
Paulownia tomentosa	++			C12 - C200								
Pavetta revoluta				C12 - C200								1M - 1M
Pavo cristatus				C7 - C200	C9 - C200							1M - 100M
Pavonia coccinea					C12 - C30							
Pavonia multiflora					C12 - C30							
Pearl, (Mytilus edulis)				C13 - C200	C15 - C200							1M - 50M
Pecten jacobaeus		D9 - D200	D9 - D200			C12 - C200	LM1 - LM23	LM1 - LM23	Q1 - Q18	Q1 - Q18	FC1M - FC100M	1M - 50M
Pedicularis canadensis				C10 - C200	C12 - C200							1M - 50M
Pediculus humanus capitis				C31 - C200	C32 - C200							1M - 100M
Pedilanthes tithymaloides						C12 - C200			Q1 - Q1			
Peganum harmala		D6 - D30	D4 - D30	C2 - C200	C3 - C200	C12 - C200	LM1 - LM50	LM1 - LM30	Q1 - Q5	Q1 - Q5	FC1M - FC100M	1M - 10M
Pel Caviae porcelli						C12 - C200	LM1 - LM5		Q1 - Q1			1M - 10M
Pel camelii						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 1M
Pel canis				C10 - C200	C10 - C200							1M - 100M
Pel cavae cobaiae						C12 - C200	LM1 - LM5		Q1 - Q3			1M - 50M
Pel felinum						C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1		1M - 50M
Pel muris						C12 - C200	LM1 - LM7		Q1 - Q1		FC1M - FC10M	1M - 100M
Pel myotis						C12 - C200					FC1M - FC10M	1M - 50M
Pel rubicaprae						C12 - C200	LM1 - LM2		Q1 - Q1			1M - 10M
Pelargonium acraeum					C12 - C30		LM1 - LM1					
Pelargonium capitatum					C12 - C30		LM1 - LM1					
Pelargonium carnosum					C12 - C30							
Pelargonium cordifolium					C12 - C30							
Pelargonium crispum					C12 - C30							
Pelargonium crithmifolium					C12 - C30							
Pelargonium cucullatum					C12 - C30		LM1 - LM1					
Pelargonium denticulatum					C12 - C30		LM1 - LM1					
Pelargonium echinatum					C12 - C30		LM1 - LM1					
Pelargonium endlicherianum					C12 - C200		LM1 - LM1					1M - 1M
Pelargonium exstipulatum					C12 - C200		LM1 - LM1					1M - 1M
Pelargonium fulgidum					C12 - C200		LM1 - LM1					1M - 1M
Pelargonium glutinosum					C12 - C30		LM1 - LM1					
Pelargonium grandiflorum					C12 - C12							
Pelargonium graveolens					C12 - C200		LM1 - LM1					1M - 1M
Pelargonium inodorum					C12 - C12							
Pelargonium inquinans					C12 - C30		LM1 - LM1					

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Pelargonium ionidiflorum				C12 - C30								
Pelargonium lanceolatum				C12 - C30								
Pelargonium magenteum				C12 - C30			LM1 - LM1					
Pelargonium multibracteatum				C12 - C30								
Pelargonium myrrhifolium				C12 - C200								1M - 1M
Pelargonium radens				C12 - C12								
Pelargonium ranunculophyllum				C12 - C30			LM1 - LM1					
Pelargonium reniforme				C12 - C200			LM1 - LM1					
Pelargonium tetragonum				C12 - C12								
Pelargonium tomentosum				C12 - C200			LM1 - LM1					1M - 1M
Pelargonium zonale				C12 - C30			LM1 - LM1					
Pelecanus occidentalis						C12 - C200			Q1 - Q6	Q1 - Q6		1M - 100M
Pele's Hair						C12 - C200	LM1 - LM12		Q1 - Q3			1M - 50M
Peliosanthes teta				C12 - C30								
Pellaea rotundifolia				C12 - C30								
Pellia endiviifolia				C12 - C200								
Pelliciera rhizophorae				C12 - C200								
Pellonia repens				C12 - C30								
Peltaria turkmena				C12 - C30								
Penicillinium	*	D8 - D200	D6 - D200	C3 - C200	C4 - C200		LM2 - LM18	LM2 - LM18				1M - 10M
Penicillium Roquefortii	*		D12 - D200	C6 - C200								1M - 1M
Penicillium chrysogenum	*	D12 - D200	D12 - D200	C6 - C200	C9 - C200							1M - 10M
Pennantia corymbosa				C12 - C200								1M - 1M
Pennisetum orientale				C12 - C200								1M - 10M
Penstemon ovatus				C12 - C200			LM1 - LM1					1M - 1M
Pentaglottis sempervirens				C12 - C200			LM1 - LM2					1M - 1M
Pentapetes phoenicea				C12 - C30								
Pentas lanceolata				C12 - C200			LM1 - LM1					1M - 1M
Pentaschistis airodes				C12 - C12								
Penthorum sedoides				C6 - C200	C7 - C200							1M - 1M
Peperomia argyreia				C12 - C200								1M - 1M
Peperomia camptotricha				C12 - C200								1M - 1M
Peperomia claytonioides				C12 - C200			LM1 - LM1					
Peperomia clusiifolia				C12 - C200								1M - 1M
Peperomia cuspidilimba				C12 - C200			LM1 - LM1					1M - 1M
Peperomia glabella				C12 - C30			LM1 - LM1					
Peperomia hernandiiifolia				C12 - C30								
Peperomia hoffmannii				C12 - C200								1M - 1M
Peperomia incana				C12 - C30								
Peperomia macrostachya				C12 - C30								
Peperomia magnoliifolia				C12 - C30								

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Peperomia prostrata				C12 - C200								
Peperomia puberulispica				C12 - C12								
Peperomia trifolia				C12 - C200								
Peperomia urocarpa				C12 - C200								1M - 1M
Peperomia velloziana				C12 - C200								1M - 1M
Pepsinum		D7 - D30	D5 - D30	C3 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Peptonum		D9 - D30	D7 - D30									
Peptostreptococcus anaer. Nos.	*	D12 - D200	D12 - D200									
Pereskia grandifolia				C12 - C200			LM1 - LM3					1M - 1M
Perezia multiflora				C12 - C30			LM1 - LM1					
Perfluorononansäure PFNA	†			C3 - C200	C3 - C200		LM1 - LM1	LM1 - LM1				
Perfluorooctansäure PFOA	†			C3 - C200	C3 - C200		LM1 - LM1	LM1 - LM1				
Pergolid-mesylat	*			C3 - C200								1M - 10M
Perhexilinum	*			C13 - C200	C15 - C200							1M - 1M
Pericallis lanata				C12 - C30								
Pericardium Gl		D12 - D12	D10 - D12									
Perilla frutescens		D7 - D30	D5 - D30	C2 - C200	C3 - C200		LM1 - LM5	LM1 - LM5			FC1M - FC100M	1M - 100M
Periodontitis Nos.	*	D9 - D30	D7 - D30	C5 - C200	C6 - C200							1M - 1M
Periploca graeca				C12 - C200								1M - 10M
Periploca laevigata				C12 - C30								
Periploca sepium				C12 - C200								
Permethrin	*			C4 - C200			LM1 - LM1					
Perna canaliculus				C7 - C200	C9 - C200							1M - 10M
Perovskia atriplicifolia				C12 - C30								
Persicaria amplexicaulis				C12 - C200								1M - 1M
Persicaria bistorta				C12 - C200			LM1 - LM30					1M - 1M
Persicaria campanulata				C12 - C30								
Persicaria capitata				C12 - C200								1M - 50M
Persicaria orientalis				C12 - C200								1M - 1M
Persicaria virginiana				C12 - C200								1M - 50M
Persicaria vivipara				C12 - C30								
Persoonia lanceolata				C12 - C30								
Pertussinum	*	D12 - D200	D9 - D200	C6 - C200	C7 - C200		LM2 - LM120	LM2 - LM30			FC1M - FC10M	1M - 50M
Petalidium coccineum				C12 - C200			LM1 - LM30					1M - 1M
Petasites hybridus		D9 - D200	D7 - D200			C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1		1M - 10M
Petiveria		D8 - D30	D6 - D30	C5 - C200	C6 - C200		LM1 - LM14	LM1 - LM14				1M - 10M
Petrea subserrata				C12 - C200								
Petrified Wood						C12 - C200	LM1 - LM12	LM1 - LM12				
Petroleum (aus Rohöl)	*					C12 - C200	LM1 - LM24		Q1 - Q30		FC1M - FC100M	1M - 50M
Petroleum rectificatum	*	D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q19	Q1 - Q19	FC1M - FC100M	1M - 100M
Petrophytum cinerascens				C12 - C30			LM1 - LM1					

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Petrorhagia dubia				C12 - C30								
Petrorhagia illyrica				C12 - C30			LM1 - LM1					
Petrorhagia saxifraga				C12 - C30								
Petroselinum crispum convar. Crispum		D4 - D200	D1 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q16	Q1 - Q16	FC1M - FC10M	1M - 100M
Petunia integrifolia				C12 - C200			LM1 - LM3					1M - 1M
Peumus boldus		D4 - D30	D2 - D30	C1 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Pferdehaare (Allergen)				C6 - C200	C6 - C200							
Pflanzenfett I		D12 - D30	D10 - D30									
Phacelia bolanderi				C12 - C30			LM1 - LM1					
Phacelia minor				C12 - C200			LM1 - LM1					1M - 1M
Phacelia tanacetifolia				C12 - C200			LM1 - LM1					1M - 1M
Phaenosperma globosum				C12 - C30								
Phalaenopsis gigantea			D2 - D3	C2 - C200			LM1 - LM3					1M - 1M
Phalangium opilio						C12 - C200	LM1 - LM15	LM1 - LM15	Q1 - Q1	Q1 - Q1		1M - 10M
Phalaris arundinacea				C12 - C30			LM1 - LM1					
Phaleria octandra				C12 - C200								
Phallus impudicus	*					C12 - C200	LM1 - LM8	LM1 - LM8				1M - 1M
Phaseolus lunatus						C12 - C200						1M - 10M
Phaseolus multiflorus						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 100M
Phaseolus nanus		D5 - D30	D3 - D30	C2 - C200	C3 - C200		LM1 - LM18	LM1 - LM18				1M - 1M
Phaseolus vulgaris e planta tota		D4 - D15	D2 - D15	C2 - C200	C3 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Phasianus colchicus						C12 - C200	LM2 - LM7	LM2 - LM7				1M - 10M
Phaulopsis imbricata				C12 - C30								
Phedimus aizoon				C12 - C12								
Phenacetinum	*			C4 - C200	C5 - C200							1M - 1M
Phenobarbitalum	*	D7 - D200	D6 - D200	C4 - C200	C4 - C200		LM1 - LM12	LM1 - LM12				1M - 100M
Phenylalaninum (L)				C5 - C200	C6 - C200							
Phenylendiaminum		D15 - D200	D12 - D200									
Phentyoin	† *			C4 - C200	C5 - C200							1M - 1M
Philadelphus coronarius		D4 - D30	D3 - D30	C2 - C200	C3 - C200							1M - 1M
Philaenus spumarius						C12 - C200			Q1 - Q1	Q1 - Q1		1M - 1M
Phillyrea angustifolia				C12 - C30								
Philodendron scitulum				C12 - C12								
Philodendron squamiferum				C12 - C12								
Philonotis marchica				C12 - C30								
Phleum pratense		D9 - D30	D7 - D30	C4 - C200	C5 - C200		LM1 - LM18	LM1 - LM18				1M - 1M
Phlomis fruticosa				C12 - C200			LM1 - LM1					1M - 1M
Phloridzinum				C9 - C200	C10 - C200							1M - 1M
Phlox drummondii				C12 - C200			LM1 - LM6					1M - 1M
Phoenicopterus ruber				C4 - C200	C5 - C200							1M - 10M
Phoenicurus phoenicurus						C12 - C200			Q1 - Q1	Q1 - Q1		1M - 10M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
<i>Phoenix dactylifera e fructibus</i>				C4 - C200			LM1 - LM6					1M - 1M
<i>Pholcus phalangoides</i>						C12 - C200			Q2 - Q12		FC1M - FC10M	1M - 10M
<i>Phormium tenax</i>				C12 - C200								
<i>Phosphorus</i>	†† *	D6 - D200	D4 - D200	C5 - C200	C4 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q32	Q1 - Q30	FC1M - FC100M	0M - 100M
<i>Phosphorus amorphus</i>	† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200							1M - 10M
<i>Phosphorus chloratus</i>	† *			C6 - C200	C7 - C200		LM1 - LM30	LM1 - LM30				1M - 10M
<i>Phosphorus hydrogenatus</i>	† *			C11 - C200	C12 - C200		LM1 - LM18	LM1 - LM18			FC1M - FC50M	1M - 10M
<i>Phosphorus sulfuratus</i>	† *					C12 - C200	LM1 - LM24	LM1 - LM24	Q1 - Q4			1M - 100M
<i>Phosphorus triiodatus</i>						C12 - C200	LM1 - LM30		Q1 - Q6		FC1M - FC10M	1M - 10M
<i>Photinia villosa</i>				C12 - C30								
<i>Phragmites vulgaris</i>			D2 - D12	C2 - C200			LM1 - LM6					1M - 10M
<i>Phuopsis stylosa</i>				C12 - C200								1M - 1M
<i>Phygelius aequalis</i>				C12 - C200			LM1 - LM1					1M - 1M
<i>Phyla nodiflora</i>				C12 - C200								1M - 1M
<i>Phylica pubescens</i>				C12 - C200			LM1 - LM1					1M - 1M
<i>Phyllanthus angustifolius</i>				C12 - C200								
<i>Phyllanthus urinaria</i>				C12 - C200								1M - 10M
<i>Phyllitis scolopendrium</i>		D4 - D200	D2 - D200	C2 - C200	C3 - C200							
<i>Phyllochinonum</i>				C5 - C200								
<i>Phymosia umbellata</i>				C12 - C30								
<i>Physalia physalis</i>				C9 - C200	C10 - C200							1M - 10M
<i>Physalis alkekengi</i>	†					C12 - C200	LM1 - LM12	LM1 - LM12	Q1 - Q6	Q1 - Q6		1M - 50M
<i>Physalis peruviana</i>	†					C12 - C200			Q1 - Q1			1M - 10M
<i>Physochlaina orientalis</i>				C12 - C12								
<i>Physostegia virginiana</i>				C12 - C30								
<i>Physostigminum saliclyicum</i>	†† *			C6 - C200	C7 - C200							
<i>Phytolacca americana</i>	† *	D3 - D200	D1 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 50M
<i>Pica pica</i>						C12 - C200	LM1 - LM17	LM1 - LM17	Q1 - Q1	Q1 - Q1		1M - 100M
<i>Pichi Pichi</i>	†	D5 - D30	D3 - D30	C1 - C200	C2 - C200	C12 - C30	LM1 - LM18	LM1 - LM18	Q1 - Q6	Q1 - Q6		1M - 10M
<i>Picrasma quassiodoides</i>				C12 - C200								1M - 1M
<i>Picrorhiza</i>		D9 - D30	D6 - D30	C4 - C200	C5 - C200		LM1 - LM6	LM1 - LM6				1M - 100M
<i>Pieris brassicae</i>						C12 - C200	LM2 - LM30		Q2 - Q2		FC1M - FC10M	1M - 50M
<i>Pieris floribunda</i>				C12 - C30								
<i>Pilea grandis</i>				C12 - C200								1M - 1M
<i>Pileostegia viburnoides</i>				C12 - C30								
<i>Pilocarpinum</i>	*			C4 - C200	C5 - C200		LM2 - LM6	LM2 - LM6				
<i>Pilocarpinum hydrochloricum</i>	† *	D6 - D200	D4 - D200	C2 - C30	C3 - C30		LM1 - LM18	LM1 - LM18				1M - 1M
<i>Pilocarpus</i>	† *	D3 - D200	D1 - D200	C1 - C200	C2 - C200	C12 - C30	LM1 - LM30	LM1 - LM30	Q1 - Q18	Q1 - Q18	FC1M - FC1M	1M - 100M
<i>Pilus equinus</i>		D11 - D12	D10 - D12									
<i>Pimelea prostrata</i>				C12 - C30								
<i>Pimpinella anisum</i>		D30 - D200	D30 - D200	C6 - C200	C7 - C200							1M - 10M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Pimpinella saxifraga		D4 - D30	D2 - D30	C2 - C200	C3 - C200		LM1 - LM6	LM1 - LM6				1M - 1M
Pinanga kuhlii				C12 - C30								
Pine (Bach flower)				C2 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Pinellia tripartita				C12 - C30								
Pinguicula alpina				C12 - C200			LM1 - LM1					1M - 1M
Pinus abies		D1 - D30	D1 - D30	C1 - C200	C1 - C200		LM1 - LM12	LM1 - LM12				1M - 10M
Pinus cembra				C3 - C200	C3 - C200							1M - 1M
Pinus pumillionis		D5 - D30	D3 - D30	C4 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Pinus silvestris		D4 - D30	D3 - D30	C2 - C200	C3 - C200	C12 - C200	LM1 - LM24	LM1 - LM24	Q1 - Q6	Q1 - Q6		1M - 50M
Piper aduncum				C12 - C200								1M - 1M
Piper amalago				C12 - C200			LM1 - LM4					1M - 1M
Piper arboreum				C12 - C30			LM1 - LM1					
Piper auritum						C12 - C200			Q1 - Q3			1M - 1M
Piper betel				C12 - C200								1M - 10M
Piper capense				C12 - C12								
Piper carpunya				C12 - C200								1M - 1M
Piper cernuum				C12 - C12								
Piper friedrichsthali						C12 - C200			Q1 - Q1			1M - 1M
Piper hispidum				C12 - C200			LM1 - LM2					1M - 1M
Piper imperiale				C12 - C30								
Piper macrophyllum				C12 - C30								
Piper magnificum				C12 - C30								
Piper methysticum		D9 - D200	D6 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM36	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC1M	1M - 10M
Piper nigrum		D6 - D200	D6 - D200	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30				1M - 50M
Piper obliquum				C12 - C200								1M - 10M
Piper peltatum				C12 - C200			LM1 - LM1					1M - 50M
Piper retrofractum				C12 - C12								
Piper sarmentosum				C12 - C12								
Piper unguiculatum				C12 - C200								1M - 1M
Piperazinum	+ *	D4 - D12	D2 - D12	C2 - C200	C2 - C200							
Piscidia erythrina		D10 - D200	D10 - D200									
Pisonia brunoniana				C12 - C200								1M - 1M
Pistacia lentiscus						C12 - C200						1M - 50M
Pisum sativum						C12 - C200	LM1 - LM28	LM1 - LM28	Q1 - Q3	Q1 - Q3		1M - 1M
Pitcairnia angustifolia				C12 - C30			LM1 - LM1					
Pitcairnia corallina				C12 - C30								
Pittosporum eugenoides				C12 - C30			LM1 - LM1					
Pittosporum tenuifolium				C12 - C30			LM1 - LM1					
Pittosporum tobira				C12 - C200			LM1 - LM1					1M - 10M
Pituitarium anteriorium	*	D30 - D200	D30 - D200	C6 - C200	C7 - C200		LM2 - LM45	LM2 - LM30			FC1M - FC10M	1M - 100M
Pituitarium glandula	+ *	D7 - D200	D6 - D200	C9 - C200	C10 - C200		LM2 - LM30	LM2 - LM30			FC1M - FC10M	1M - 10M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Pituitarium posterior	*	D11 - D200	D9 - D200	C5 - C200	C6 - C200							1M - 1M
Pix betula	*	D7 - D12	D5 - D12	C3 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Pix liquida		D5 - D12	D3 - D12	C4 - C200	C5 - C200		LM1 - LM7	LM1 - LM7			FC1M - FC10M	1M - 10M
Pix lithantracis	*	D11 - D200	D10 - D200			C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q18	Q1 - Q18	FC1M - FC10M	1M - 10M
Plagiochila asplenoides				C12 - C30								
Plagiomnium affine				C12 - C30								
Plagiomnium undulatum				C12 - C30								
Plantago		D0 - D200	D2 - D200	C2 - C200	C0 - C200		LM1 - LM120	LM1 - LM30			FC1M - FC100M	1M - 10M
Plantago afra						C12 - C200						1M - 100M
Plantago lanceolata		D4 - D60	D2 - D60	C2 - C200	C2 - C200		LM1 - LM18	LM1 - LM18				1M - 100M
Plasmopara viticola	*					C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q2	Q1 - Q2		1M - 10M
Platane (Allergen)				C6 - C30	C6 - C30							
Platanus occidentalis		D4 - D30	D3 - D30	C2 - C200	C3 - C200		LM1 - LM1	LM1 - LM1				1M - 50M
Platinum chloratum	† *			C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q16	Q1 - Q16		1M - 100M
Platinum chloratum natronatum						C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q12	Q1 - Q12		1M - 10M
Platinum jodatum	† *	D12 - D30	D12 - D30	C10 - C200	C10 - C200		LM2 - LM18	LM2 - LM18			FC1M - FC50M	1M - 10M
Platinum metallicum	*	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Platinum oxydatum						C12 - C200	LM1 - LM12	LM1 - LM12				1M - 100M
Platinum sulfuratum						C12 - C200	LM1 - LM12					1M - 100M
Platycerium bifurcatum						C12 - C200			Q1 - Q3		FC1M - FC10M	1M - 1M
Platycodon grandiflorum				C12 - C200			LM1 - LM6					1M - 1M
Plectranthus fruticosus				C4 - C200	C5 - C200							1M - 50M
Pleiocarpa mutica				C12 - C30								
Pleione bulbocodioides				C12 - C200			LM1 - LM1	LM1 - LM1				1M - 1M
Pleiospilos compactus				C12 - C30								
Pleiotostachya pruinosa				C12 - C200								
Pleura bovis GI		D8 - D30	D6 - D30									
Pleuronectes platessa						C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q8	Q1 - Q8	FC1M - FC10M	1M - 100M
Pleuropetalum darwinii				C12 - C12								
Pleurothallis lanceana				C12 - C200								1M - 1M
Plexus coeliacus GI		D8 - D12	D6 - D12									
Plexus gastricus GI		D11 - D12	D9 - D12									
Plexus lumbalis GI		D12 - D12	D9 - D12									
Plexus oesophageus		D10 - D12	D8 - D12									
Plocama calabrica				C12 - C12								
Plocama pendula				C12 - C30								
Ploiarium alternifolium				C12 - C200								
Plumbago indica						C12 - C200	LM1 - LM6	LM1 - LM6				1M - 1M
Plumbum aceticum	† *	D6 - D100	D4 - D100	C3 - C200	C3 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q2	Q1 - Q2	FC1M - FC10M	1M - 100M
Plumbum arsenicosum	*			C10 - C200	C10 - C200		LM2 - LM12	LM2 - LM12			FC1M - FC50M	1M - 50M
Plumbum bromatum	*					C12 - C200			Q1 - Q3	Q1 - Q3		1M - 1M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Plumbum carbonicum	*					C12 - C200	LM1 - LM12				FC1M - FC10M	1M - 100M
Plumbum chloratum	† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q18	Q1 - Q18	FC1M - FC10M	1M - 100M
Plumbum chromicum	† *					C12 - C200	LM1 - LM2	LM1 - LM2	Q1 - Q12	Q1 - Q12		1M - 100M
Plumbum fluoratum	†† *					C12 - C200	LM1 - LM30	LM1 - LM30				1M - 1M
Plumbum jodatum	† *	D30 - D60	D15 - D60	C10 - C200	C10 - C200		LM1 - LM24	LM1 - LM24	Q1 - Q9	Q1 - Q9	FC1M - FC10M	1M - 10M
Plumbum metallicum	† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM83	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Plumbum nitricum	† *			C3 - C200	C4 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC50M	1M - 50M
Plumbum oxalicum	† *					C12 - C200						1M - 1M
Plumbum oxydatum flavum	† *			C10 - C200	C10 - C200		LM1 - LM1	LM1 - LM1	Q1 - Q4	Q1 - Q4	FC1M - FC10M	1M - 100M
Plumbum phosphoricum	† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q24	Q1 - Q24	FC1M - FC10M	1M - 10M
Plumbum selenatum	*					C12 - C200						1M - 1M
Plumbum silicum	*	D10 - D30	D10 - D30			C12 - C200	LM1 - LM1	LM1 - LM1				1M - 10M
Plumbum sulfuratum	*			C10 - C200	C10 - C200		LM1 - LM8	LM1 - LM8			FC1M - FC10M	1M - 10M
Plumbum sulfuricum	† *	D10 - D30	D10 - D30	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q17	Q1 - Q17	FC1M - FC1M	1M - 100M
Plumeria obtusa						C12 - C200						1M - 100M
Plumeria rubra						C12 - C200			Q1 - Q1			1M - 50M
Pluvianus aegypticus						C12 - C200			Q1 - Q2	Q2 - Q2		1M - 10M
Pneumococcen Vac. IV	*	D12 - D30	D12 - D30	C6 - C200	C9 - C200							1M - 10M
Pneumococcen Vac.I	*			C7 - C200	C9 - C200							1M - 50M
Pneumococcen Vac.II	*			C7 - C200	C9 - C200							1M - 10M
Pneumococcen Vac.III	*	D12 - D60	D12 - D60	C6 - C200	C8 - C200							1M - 50M
Pneumococcinum Nos.	*	D15 - D200	D10 - D200	C4 - C200	C5 - C200						FC1M - FC100M	1M - 50M
Poa palustris				C12 - C30								
Podocarpus elongatus				C12 - C200								1M - 1M
Podophyllum	† *	D6 - D30	D4 - D30	C3 - C200	C5 - C200		LM1 - LM8	LM1 - LM8				1M - 1M
Podophyllum peltatum	† *	D4 - D200	D2 - D200	C2 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Podranea ricasoliana				C12 - C200			LM1 - LM1					1M - 1M
Pogona vitticeps						C12 - C200						1M - 10M
Poikilospermum suaveolens				C12 - C30								
Polanisia dodecadandra				C12 - C30								
Polio Sabin	*			C6 - C200	C9 - C200							1M - 50M
Polio Vaccine	*			C6 - C200	C9 - C200							1M - 10M
Poliomintha longiflora				C12 - C12								
Poliomyelitis Nos.	*	D12 - D200	D9 - D200	C5 - C200	C6 - C200		LM2 - LM120	LM2 - LM30				1M - 100M
Poliothyrsis sinensis				C12 - C30								
Pollen		D10 - D200	D8 - D200	C5 - C200	C7 - C200		LM2 - LM36	LM2 - LM30				1M - 10M
Pollens		D15 - D200	D12 - D200	C6 - C200	C7 - C200							1M - 10M
Pollia crispata				C12 - C30								
Poly Antibiotics	*			C32 - C200	C33 - C200							1M - 10M
Polyarthritis Nos.	*	D15 - D200	D12 - D200	C5 - C200	C6 - C200						FC1M - FC10M	1M - 100M
Polyethylenteraphthalat				C10 - C200	C10 - C200		LM1 - LM24	LM1 - LM24				1M - 10M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Polygala amara				C2 - C200	C3 - C200							
Polygala myrtifolia				C12 - C30								
Polygala paniculata				C12 - C30								
Polygala senega		D5 - D200	D3 - D200	C2 - C200	C2 - C200		LM1 - LM30	LM1 - LM30				1M - 100M
Polygonatum officinale		D6 - D100	D6 - D100	C2 - C200	C3 - C200		LM1 - LM12	LM1 - LM12				1M - 1M
Polygonum affine				C12 - C12								
Polygonum argyrocoleon				C12 - C200								1M - 1M
Polygonum aviculare		D5 - D30	D3 - D30	C2 - C200	C3 - C200		LM1 - LM5	LM1 - LM5				1M - 1M
Polygonum campanulatum				C12 - C30								
Polygonum hydropiperoides				C12 - C200			LM1 - LM1					1M - 1M
Polygonum japonicum				C12 - C30		C6 - C200	LM1 - LM1		Q1 - Q1			
Polygonum microcephalum				C12 - C12								
Polygonum paleaceum				C12 - C30			LM1 - LM1					
Polygonum paniculatum				C12 - C200			LM1 - LM1					
Polygonum scoparium				C12 - C200								1M - 1M
Polygonum sinomontanum				C12 - C200								
Polygonum weyrichii				C12 - C200								1M - 1M
Polyommatus icarus					C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q2	Q1 - Q2			1M - 10M
Polyporus pinicola	*			C6 - C200	C9 - C200		LM1 - LM3	LM1 - LM3				1M - 10M
Polyposis recti Nos.	*	D9 - D200	D7 - D200	C5 - C200	C6 - C200							1M - 10M
Polyscias filicifolia				C12 - C30								
Polystichum braunii				C12 - C30								
Polystichum munitum				C12 - C30								
Polystyren					C12 - C200	LM1 - LM6		Q1 - Q3				1M - 50M
Polytrichastrum formosum				C12 - C200			LM1 - LM6					1M - 1M
Polytrichum commune				C12 - C200								
Pomaderris aspera				C12 - C30								
Pontederia cordata					C12 - C200	LM1 - LM30						1M - 1M
Pontederia rotundifolia				C12 - C30								
Populus alba					C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q18	Q1 - Q18	FC1M - FC10M		1M - 50M
Populus candicans		D6 - D200	D6 - D200	C2 - C200	C3 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Populus tremula		D30 - D200	D15 - D200				LM2 - LM13	LM2 - LM13				
Populus tremuloides		D1 - D200	D1 - D200	C1 - C200	C1 - C200		LM1 - LM16	LM1 - LM16				1M - 100M
Porcellanum misniense					C12 - C200			Q1 - Q12	Q1 - Q12			1M - 1M
Porcellio scaber					C12 - C200							1M - 50M
Porella platyphylla				C12 - C200								1M - 1M
Portea petropolitana				C12 - C30								
Portulaca grandiflora					C12 - C200	LM1 - LM8	LM1 - LM8	Q1 - Q1	Q1 - Q1			1M - 10M
Portulacaria afra					C12 - C200	LM1 - LM1		Q1 - Q1				1M - 1M
Posidonia oceanica					C12 - C200			Q1 - Q1				
Posoqueria latifolia				C12 - C30								

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Potentilla anserina		D3 - D60	D1 - D60	C1 - C200	C2 - C200		LM1 - LM6	LM1 - LM6				1M - 10M
Potentilla erecta		D0 - D200	D1 - D200	C1 - C200	C0 - C200		LM1 - LM30	LM1 - LM30				1M - 10M
Potentilla reptans		D3 - D6	D1 - D6	C1 - C30	C2 - C30		LM1 - LM30	LM1 - LM30				
Pothos scandens				C12 - C30								
Poumon histamin				C31 - C200	C32 - C200							
Praseodymium aceticum			D4 - D6	C3 - C30		C12 - C200	LM1 - LM1					1M - 1M
Praseodymium arsenicosum	†† *					C12 - C200	LM1 - LM6					1M - 50M
Praseodymium bromatum	*					C12 - C200	LM1 - LM9					1M - 50M
Praseodymium carbonicum						C12 - C200	LM1 - LM30		Q1 - Q16			1M - 50M
Praseodymium chloratum						C12 - C200	LM1 - LM30		Q1 - Q12			1M - 50M
Praseodymium citricum						C12 - C200						1M - 1M
Praseodymium fluoratum	*					C12 - C200	LM1 - LM30		Q1 - Q1			1M - 50M
Praseodymium glutamicum						C12 - C200						1M - 1M
Praseodymium hydroxydatum	† *			C10 - C200			LM1 - LM6		Q1 - Q1			1M - 10M
Praseodymium iodatum	*					C12 - C200	LM1 - LM6					1M - 50M
Praseodymium lacticum						C12 - C200						1M - 10M
Praseodymium metallicum						C12 - C200	LM1 - LM30		Q1 - Q30		FC1M - FC100M	1M - 50M
Praseodymium nitricum						C12 - C200	LM1 - LM18		Q1 - Q1			1M - 50M
Praseodymium oxalicum						C12 - C200	LM1 - LM7		Q1 - Q1			1M - 10M
Praseodymium oxydatum	† *	D12 - D30	C10 - C200				LM1 - LM30		Q1 - Q5			1M - 1M
Praseodymium phosphoricum	† *		C10 - C200				LM1 - LM75		Q1 - Q30		FC1M - FC10M	1M - 100M
Praseodymium silicicum						C12 - C200	LM1 - LM18		Q1 - Q6			1M - 50M
Praseodymium sulfuricum						C12 - C200	LM1 - LM30		Q1 - Q9			1M - 50M
Pratia angulata				C12 - C30								
Prednisolonum	†† *	D9 - D30	D6 - D30	C4 - C200	C5 - C200		LM2 - LM12	LM2 - LM12				1M - 10M
Prednisonum	†† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM2 - LM18	LM2 - LM18				1M - 10M
Pregnenolonom	†† *			C6 - C200	C9 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Prenanthes purpurea				C12 - C12								
Primula allionii				C12 - C30								
Primula beesiana				C12 - C12								
Primula denticulata				C12 - C30								
Primula elliptica				C12 - C12								
Primula florindae				C12 - C12								
Primula japonica				C12 - C30								
Primula obconica	†	D12 - D12	D10 - D12	C12 - C200	C12 - C200							1M - 10M
Primula polyneura				C12 - C12								
Primula reticulata				C12 - C12								
Primula rosea				C12 - C30			LM1 - LM1					
Primula sikkimensis				C12 - C30								
Primula veris		D6 - D30	D4 - D30	C4 - C200	C5 - C200	C12 - C30	LM1 - LM30	LM1 - LM30	Q1 - Q3	Q1 - Q3		1M - 100M
Primula vialii				C12 - C12								

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Primula vulgaris						C12 - C200			Q1 - Q7	Q1 - Q7		1M - 10M
Primula wilsonii				C12 - C30			LM1 - LM1					
Prinsepia uniflora				C12 - C30								
Proboscidea louisianica				C12 - C200								1M - 1M
Procyon lotor				C7 - C200	C8 - C200							1M - 10M
Progesteronum	++ *	D12 - D200	D12 - D200	C6 - C200	C9 - C200	C12 - C200	LM1 - LM30	LM1 - LM30				1M - 100M
Proguanilum hydrochloricum	† *			C4 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				
Proiphys amboinensis				C12 - C200								1M - 1M
Prolactin	*			C10 - C200	C12 - C200							1M - 50M
Pronephrium simplex				C12 - C30								
Propafenonum	*	D4 - D5	D3 - D5	C2 - C30	C2 - C30		LM1 - LM1	LM1 - LM1				
Propolis		D0 - D200	D1 - D200	C1 - C200	C0 - C200	C12 - C200	LM1 - LM90	LM1 - LM30	Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 100M
Propranolol				C1 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Propylaminum				C5 - C200	C6 - C200							1M - 1M
Prosartes smithii				C12 - C30								
Prostaglandin E2	*			C9 - C200	C9 - C200							1M - 1M
Prostaglandin F2 Alpha	*			C12 - C200	C12 - C200							1M - 10M
Prostata Adenom Nos.	*	D9 - D200	D7 - D200	C5 - C200	C6 - C200							1M - 1M
Prostata Plattenepithel		D9 - D200	D7 - D200									
Prostata bovis GI		D9 - D60	D7 - D60									
Prostata u. Nodul. Hyperplasie Nos.	*			C4 - C200	C5 - C200							1M - 100M
Protea cynaroides				C12 - C200								1M - 1M
Protobothrops jerdonii bourreti	++			C6 - C200			LM1 - LM1					1M - 10M
Protobothrops mucrosquamatus	++			C6 - C200			LM1 - LM1					1M - 10M
Prunella vulgaris		D4 - D30	D2 - D30	C2 - C200	C2 - C200							1M - 1M
Prunus armeniaca						C12 - C200						1M - 10M
Prunus cerasifera (Bach)				C6 - C200	C7 - C200		LM1 - LM12	LM1 - LM12				1M - 50M
Prunus dulcis var. Amara	† *	D12 - D200	D10 - D200	C3 - C200	C4 - C200		LM1 - LM30	LM1 - LM30				1M - 10M
Prunus laurocerasus	† *	D5 - D200	D2 - D200	C2 - C200	C2 - C200	C12 - C200	LM1 - LM60	LM1 - LM30	Q1 - Q15	Q1 - Q15	FC1M - FC10M	1M - 50M
Prunus persica				C4 - C200	C5 - C200							1M - 10M
Prunus spinosa		D30 - D30	D12 - D30	C2 - C200	C3 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q8	Q1 - Q8	FC1M - FC10M	1M - 50M
Prunus virginiana		D15 - D200	D15 - D200									
Pseuderanthemum alatum				C12 - C12								
Pseuderanthemum carruthersii				C12 - C30								
Pseudoboaa coronata	++					C12 - C200	LM1 - LM1		Q1 - Q1			1M - 10M
Pseudofumaria lutea				C12 - C200			LM1 - LM1					1M - 1M
Pseudogynoxus chenopodioides				C12 - C30			LM1 - LM1					
Pseudoscleropodium purum				C12 - C200			LM1 - LM3					1M - 1M
Pseudotsuga menziesii		D4 - D30	D2 - D30	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC50M	1M - 50M
Psidium cattleianum				C12 - C30			LM1 - LM1					
Psiliostachys suwarowii				C12 - C200			LM1 - LM1					1M - 1M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Psilocybe mexicana	*			C10 - C200	C11 - C200						FC1M - FC50M	1M - 10M
Psilotum nudum				C12 - C30			LM1 - LM1					
Psittacus erithacus						C12 - C200	LM1 - LM20	LM1 - LM20	Q1 - Q1	Q1 - Q1		1M - 100M
Psoriasis Nos.	*	D9 - D200	D7 - D200	C5 - C200	C6 - C200							1M - 10M
Psorinum Nos.	*	D15 - D200	D12 - D200	C7 - C200	C8 - C200		LM2 - LM120	LM2 - LM30			FC1M - FC100M	1M - 100M
Psychopsis (oncidium) Kalii						C12 - C200			Q1 - Q1			1M - 1M
Psychotria elata			D1 - D6	C1 - C200			LM1 - LM1					
Psychotria ipecacuanha	† *	D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM90	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Psychotria marginata				C12 - C30								
Psychotria nervosa				C12 - C200			LM1 - LM1					
Psychotria pilosa				C1 - C200			LM1 - LM1		Q1 - Q1			
Psychotria poeppigiana						C12 - C30			Q1 - Q1			
Ptelea trifoliata		D5 - D200	D5 - D200	C5 - C200	C6 - C200	C12 - C30	LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 50M
Pteridium aquilinum				C4 - C200	C5 - C200		LM2 - LM6	LM2 - LM6				1M - 50M
Pterocarya fraxinifolia				C12 - C30			LM1 - LM1					
Pterocarya rehderiana				C12 - C30								
Pterocarya stenoptera				C12 - C200								1M - 50M
Pterocephalus perennis				C12 - C30			LM1 - LM1					
Pterocephalus virens				C12 - C30								
Pterophyllum scalare						C12 - C200						1M - 1M
Pteropyrum olivieri				C12 - C200								1M - 1M
Pterostyrax hispida				C12 - C200			LM1 - LM1					1M - 1M
Ptilotus obovatus				C12 - C200								
Ptychopetalum		D60 - D200	D60 - D200	C6 - C200	C7 - C200		LM1 - LM4	LM1 - LM4				1M - 1M
Pulex irritans				C30 - C200	C30 - C200		LM2 - LM18	LM2 - LM18				1M - 50M
Pulicaria dysenterica				C12 - C200			LM1 - LM1					
Pulmo bovis GI		D10 - D200	D9 - D200									
Pulmonaria officinalis		D3 - D30	D2 - D30	C2 - C200	C2 - C200	C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q1	Q1 - Q1		1M - 10M
Pulpa dentis		D10 - D200	D8 - D200	C6 - C200	C7 - C200							
Pulsatilla grandis	*					C12 - C200	LM1 - LM9		Q1 - Q9			1M - 1M
Pulsatilla nuttalliana	†			C5 - C200	C6 - C200							1M - 10M
Pulsatilla pratensis	† *	D3 - D200	D1 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q31	Q1 - Q30	FC1M - FC100M	0M - 100M
Pulsatilla vulgaris	† *					C12 - C200	LM1 - LM3	LM1 - LM3	Q1 - Q1	Q1 - Q1		1M - 1M
Pumex						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 1M
Punica granatum		D5 - D30	D3 - D30	C4 - C200	C5 - C200	C12 - C30	LM2 - LM18	LM2 - LM18	Q3 - Q3	Q3 - Q3	FC1M - FC100M	1M - 10M
Puya longisepala				C12 - C30			LM1 - LM1					
Pycnanthemum californicum				C12 - C30			LM1 - LM1					
Pycnanthemum muticum				C12 - C30								
Pycnosorus globosus				C12 - C30								
Pyelonephritis Nosode	*	D9 - D200	D7 - D200	C5 - C200	C6 - C200							1M - 1M
Pygocentrus nattereri						C12 - C200	LM1 - LM8		Q1 - Q1			1M - 1M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Pyracantha coccinea						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 1M
Pyrrara						C12 - C200	LM1 - LM18		Q1 - Q3			1M - 50M
Pyrazinamid	*	D12 - D30	D10 - D30	C5 - C200	C6 - C200		LM1 - LM1	LM1 - LM1				
Pyrenacantha malvifolia				C12 - C200			LM1 - LM1					
Pyrenaria microcarpa				C12 - C200								1M - 1M
Pyrethrum		D9 - D200	D6 - D200	C2 - C200	C3 - C200	C12 - C30	LM1 - LM7	LM1 - LM7	Q1 - Q1	Q1 - Q1		1M - 1M
Pyrethrum parthenium		D0 - D30	D1 - D30	C1 - C200	C0 - C200		LM1 - LM18	LM1 - LM18				1M - 10M
Pyridoxinum hydrochloricum		D9 - D200	D3 - D200	C2 - C200	C3 - C200		LM1 - LM18	LM1 - LM18				1M - 1M
Pyrit		D12 - D30	D10 - D30	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q4	Q1 - Q4	FC1M - FC10M	1M - 50M
Pyrogenium	*	D30 - D200	D30 - D200	C7 - C200	C7 - C200	C12 - C200	LM2 - LM60	LM2 - LM30			FC1M - FC10M	1M - 100M
Pyrogenium crustaceae Nos.	*	D11 - D30	D9 - D30									
Pyrogenium suis Nos.	*	D12 - D200	D9 - D200	C5 - C200	C6 - C200							1M - 50M
Pyrola rotundifolia				C12 - C200			LM1 - LM1					1M - 1M
Pyrostegia venusta				C12 - C200			LM1 - LM1					1M - 1M
Pyrrhocactus pilispinus				C12 - C12								
Pyrhocoris apterus						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		
Pyrrhosoma nymphula						C12 - C200	LM1 - LM18		Q1 - Q1			1M - 10M
Pyrrosia nummulariifolia				C12 - C200								
Pyrus americanus				C5 - C200	C6 - C200		LM1 - LM18	LM1 - LM18				1M - 10M
Pyrus communis						C12 - C200					FC1M - FC10M	1M - 10M
Python regius				C10 - C200	C11 - C200		LM2 - LM30	LM2 - LM30				1M - 50M
Q-Fieber Nos.	*			C10 - C200	C11 - C200							1M - 100M
Quarz		D10 - D60	D10 - D60	C10 - C200	C10 - C200		LM1 - LM15	LM1 - LM15	Q1 - Q18	Q1 - Q18	FC1M - FC100M	1M - 100M
Quarz e Kailas						C12 - C200	LM1 - LM30		Q1 - Q1		FC1M - FC100M	1M - 100M
Quassia amara		D3 - D100	D1 - D100	C1 - C200	C1 - C200	C12 - C30	LM1 - LM18	LM1 - LM18	Q1 - Q1	Q1 - Q1		1M - 10M
Quercus		D0 - D200	D1 - D200	C1 - C200	C0 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q12	Q1 - Q12		1M - 100M
Quercus e glandibus		D12 - D60	D12 - D60	C2 - C200	C3 - C200		LM1 - LM120	LM1 - LM30			FC1M - FC10M	1M - 100M
Quercus glandium spiritus				C5 - C200	C5 - C200		LM2 - LM30	LM2 - LM30				1M - 10M
Quercus suber e cortice						C12 - C200	LM1 - LM18		Q1 - Q1			1M - 100M
Quesnelia liboniana				C12 - C30								
Quillaya saponaria		D6 - D30	D4 - D30	C2 - C200	C3 - C200	C12 - C200	LM1 - LM18	LM1 - LM18			FC1M - FC100M	1M - 10M
Rabiea albipuncta					C12 - C30		LM1 - LM1					
Radula complanata					C12 - C30							
Rajania subsamarata					C13 - C200	C15 - C200						1M - 10M
Ramipril	*	D6 - D30	D4 - D30	C2 - C200	C3 - C200							
Ramonda nathaliae					C12 - C200							1M - 10M
Ramosmania Rodriguesi					C12 - C30							
Ranunculus acris	†			C4 - C200	C5 - C200		LM1 - LM5	LM1 - LM5				1M - 10M
Ranunculus bulbosus	† *	D3 - D200	D1 - D200	C1 - C200	C2 - C200		LM1 - LM36	LM1 - LM30			FC1M - FC100M	1M - 100M
Ranunculus ficaria	†	D5 - D6	D3 - D6	C2 - C200	C3 - C200							1M - 1M
Ranunculus flammula	†					C12 - C200						1M - 1M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Ranunculus fluitans				C12 - C12								
Ranunculus glacialis	†			C15 - C200	C15 - C200							1M - 1M
Ranunculus lanuginosus				C12 - C12								
Ranunculus repens	†			C2 - C200	C3 - C200		LM1 - LM20	LM1 - LM20				1M - 10M
Ranunculus sceleratus	†	D4 - D30	D2 - D30	C2 - C200	C3 - C200		LM1 - LM96	LM1 - LM30			FC1M - FC1M	1M - 10M
Raoulia hookeri				C12 - C30								
Rapalurus junceus					C12 - C200							1M - 1M
Raphanus sativus var. niger		D3 - D200	D2 - D200	C1 - C200	C2 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 50M
Rapistrum perenne				C12 - C12								
Ratanhia		D5 - D200	D3 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30			FC1M - FC100M	1M - 10M
Ratibida pinnata				C12 - C200			LM1 - LM1					1M - 1M
Rattus norvegicus				C10 - C200	C11 - C200		LM3 - LM12	LM3 - LM12				1M - 100M
Rauwolfia serpentina	† *	D9 - D200	D6 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6	FC1M - FC100M	1M - 100M
Ravenala madagascariensis						C12 - C200			Q1 - Q1			
Reboxetin	*			C3 - C200	C4 - C200							1M - 10M
Rebutia patericalyx				C12 - C12								
Rehmannia elata				C12 - C200								1M - 1M
Reinhardtia simplex				C12 - C30			LM1 - LM1					
Reinwardtia indica				C12 - C200								1M - 1M
Renealmia cernua					C12 - C30				Q1 - Q1			
Renes bovis Gl		D7 - D200	D5 - D200									
Renum				C9 - C200	C9 - C200							1M - 100M
Rescue (Bach)		D5 - D15	D2 - D15	C2 - C200	C3 - C200		LM1 - LM5	LM1 - LM5				1M - 1M
Reseda lutea				C12 - C200			LM1 - LM1					1M - 10M
Reserpine	*			C10 - C200	C10 - C200		LM1 - LM6	LM1 - LM6	Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 1M
Resina piceae		D7 - D200	D5 - D200	C9 - C200	C10 - C200		LM1 - LM45	LM1 - LM30				1M - 100M
Resorcinum		D4 - D200	D3 - D200									
Restio festuciformis				C12 - C200								1M - 1M
Restrepia antennifera				C12 - C30								
Retama raetam				C12 - C30								
Rhabdothamnus solandri				C12 - C200								
Rhagadiolus stellatus				C12 - C200								
Rhamnus californica				C4 - C200	C5 - C200						FC1M - FC10M	1M - 1M
Rhamnus pumila				C12 - C30			LM1 - LM1					
Rhaphidophora hookeri				C12 - C12								
Rhaphiolepis indica				C12 - C30			LM1 - LM1					
Rhenium chloratum						C12 - C200	LM1 - LM5					1M - 50M
Rhenium metallicum				C9 - C200	C10 - C200							1M - 100M
Rhenium nitricum						C12 - C200	LM3 - LM3	LM3 - LM3	Q1 - Q1	Q1 - Q1		1M - 1M
Rheum		D3 - D200	D1 - D200	C1 - C200	C2 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC1M	1M - 100M
Rhinacanthus gracilis				C12 - C12								

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Rhinanthus serotinus				C12 - C30								
Rhinephyllum fritchii				C12 - C12								
Rhino Nasal discharge				C15 - C200	C15 - C200							1M - 10M
Rhipsalis baccifera				C12 - C200								1M - 1M
Rhizophora mangle				C12 - C200								
Rhizophora mucronata						C12 - C200						1M - 1M
Rhodiola dumulosa				C12 - C200			LM1 - LM1					
Rhodiola heterodonta				C12 - C30								
Rhodium bromatum	*					C12 - C200					FC1M - FC10M	1M - 10M
Rhodium carbonicum						C12 - C200	LM1 - LM30	LM1 - LM30				1M - 50M
Rhodium chloratum		D5 - D200	D4 - D200	C3 - C200	C4 - C200							1M - 1M
Rhodium metallicum		D15 - D200	D15 - D200	C10 - C200	C12 - C200		LM2 - LM30	LM2 - LM30			FC1M - FC10M	1M - 50M
Rhodium phosphoricum						C12 - C200	LM1 - LM6					1M - 50M
Rhodium silicicum						C12 - C200	LM1 - LM24	LM1 - LM24	Q1 - Q5	Q1 - Q5		1M - 1M
Rhodium sulfuricum						C12 - C200	LM1 - LM8					1M - 50M
Rhodium(III) iodid						C12 - C200			Q1 - Q1	Q1 - Q1		
Rhodochiton atrosanguineum				C12 - C30								
Rhodocollybia butyracea				C12 - C12								
Rhododendron	*	D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Rhododendron ferrugineum	*	D5 - D30	D3 - D30	C2 - C200	C3 - C200		LM1 - LM1	LM1 - LM1				
Rhododendron hirsutum				C12 - C30								
Rhodohypoxis baurii				C12 - C200								1M - 1M
Rhodomyrtus tomentosa				C12 - C200								1M - 1M
Rhodonit						C12 - C200						1M - 50M
Rhodophiala bifida				C12 - C30								
Rhombophyllum dolabrisforme				C12 - C200			LM1 - LM1					1M - 1M
Rhus aromatica	†	D3 - D30	D1 - D30	C1 - C200	C2 - C200	C12 - C30	LM1 - LM30	LM1 - LM30	Q1 - Q10	Q1 - Q10		1M - 10M
Rhus diversiloba				C5 - C200	C6 - C200							1M - 1M
Rhus glabra	†			C6 - C200	C7 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 10M
Rhus lentii						C12 - C200			Q1 - Q1	Q1 - Q1		1M - 1M
Rhus ovata						C12 - C200			Q1 - Q1	Q1 - Q1		1M - 1M
Rhus radicans						C12 - C200	LM1 - LM12	LM1 - LM12	Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 50M
Rhus toxicodendron	† *	D4 - D200	D2 - D200	C2 - C200	C2 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Rhus toxicodendron aus Preßsaft						C12 - C30			Q1 - Q1	Q1 - Q1		
Rhus typhina						C12 - C200			Q2 - Q9	Q2 - Q9		1M - 10M
Rhus venenata	†	D9 - D200	D7 - D200	C4 - C200	C5 - C200		LM1 - LM60	LM1 - LM30			FC1M - FC1M	1M - 50M
Rhynchanthera paludicola				C12 - C30								
Rhynchoglossum notonianum				C12 - C30			LM1 - LM1					
Rhynchospora colorata				C12 - C200			LM1 - LM1					
Rhytidadelphus squarrosus				C12 - C200								1M - 1M
Rhytidadelphus triquetrus				C12 - C30								

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Ribes nigrum		D0 - D30	D1 - D30	C1 - C200	C0 - C200		LM1 - LM1	LM1 - LM1				1M - 100M
Ribes speciosum				C12 - C12								
Riboflavinum		D10 - D30	D10 - D30			C12 - C200						1M - 1M
Ribonucleinic acidum				C16 - C200	C17 - C200						FC1M - FC100M	1M - 50M
Richardia lutwychei				C12 - C12								
Richardia scabra				C12 - C30								
Ricinus communis	†	D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM34	LM1 - LM30	Q1 - Q28	Q1 - Q28		1M - 10M
Rifampicin	*	D4 - D30	D3 - D30	C2 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Rinderhaare (Allergen)				C6 - C30	C6 - C30							
Ringwurm Nos.	*			C35 - C200	C36 - C200							1M - 50M
Rinorea apiculata						C12 - C200			Q1 - Q1			
Risperidonum	† *	D5 - D12	D3 - D12	C3 - C200	C4 - C200		LM1 - LM10	LM1 - LM10				1M - 1M
Rivina humilis				C12 - C30								
Robinia pseudoacacia		D3 - D200	D1 - D200	C1 - C200	C1 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q5	Q1 - Q5	FC1M - FC10M	1M - 100M
Rock Water (Bach)				C2 - C200	C3 - C200							1M - 1M
Rodgersia aesculifolia				C12 - C30								
Roggen (Allergen)				C6 - C200	C6 - C200							
Roggemehl (Allergen)				C6 - C30	C6 - C30							
Rohdea wattii				C12 - C30								
Rollinia mucosa				C12 - C30								
Romneya coulteri				C12 - C30			LM1 - LM1					
Rondelettia odorata				C12 - C200			LM1 - LM4					
Rosa alba						C12 - C200			Q1 - Q1		FC1M - FC10M	1M - 10M
Rosa canina		D5 - D200	D4 - D200	C4 - C200	C5 - C200		LM1 - LM24	LM1 - LM24	Q1 - Q5	Q1 - Q5		1M - 100M
Rosa centifolia		D3 - D30	D2 - D30	C2 - C200	C3 - C200		LM1 - LM21	LM1 - LM21				1M - 10M
Rosa damascena		D9 - D200	D9 - D200	C2 - C200	C3 - C200		LM1 - LM65	LM1 - LM30				1M - 100M
Rosa rugosa						C12 - C200			Q1 - Q1			
Rosa var. Heidelberg						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 1M
Roscoea scillifolia				C12 - C200			LM1 - LM6					1M - 1M
Rose mit Ruß und Rost				C3 - C12	C4 - C12	C12 - C12	LM1 - LM10	LM1 - LM10				
Rosenquarz						C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6	FC1M - FC100M	1M - 50M
Rosmarinus officinalis		D4 - D100	D2 - D100	C1 - C200	C2 - C200		LM1 - LM18	LM1 - LM18				1M - 10M
Rostrinucula dependens				C12 - C30								
Rosularia sedoides				C12 - C30								
Rota Corona Vaccine	*	D12 - D200	D12 - D200	C6 - C200	C9 - C200		LM1 - LM15	LM1 - LM15				1M - 10M
Rota Virus Vaccine	*	D12 - D200	D12 - D200	C6 - C200	C9 - C200							1M - 50M
Rotala indica				C12 - C12								
Rotheeca incisa				C12 - C30								
Rotheeca myricoides				C12 - C12								
Rubellit						C12 - C200	LM1 - LM6		Q1 - Q1			1M - 10M
Rubeolae Nos.	*	D30 - D200	D15 - D200	C4 - C200	C5 - C200		LM2 - LM120	LM2 - LM30			FC1M - FC10M	1M - 50M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Rubidium arsenicosum	†† *	D6 - D30	D4 - D30	C2 - C200	C3 - C200							1M - 100M
Rubidium chloratum				C3 - C200	C4 - C200		LM1 - LM30	LM1 - LM30				1M - 100M
Rubidium hydroxydatum				C3 - C200	C4 - C200							1M - 10M
Rubidium iodatum	*					C12 - C200						1M - 100M
Rubidium phosphoricum				C3 - C200			LM1 - LM18					1M - 100M
Rubidium sulfuricum				C2 - C200		C12 - C200	LM1 - LM30		Q1 - Q1			1M - 1M
Rubinum						C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q3	Q1 - Q4		1M - 50M
Rubus fruticosus		D3 - D6	D2 - D6	C1 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 100M
Rubus idaeus						C12 - C200	LM1 - LM12	LM1 - LM12	Q1 - Q2	Q1 - Q2		1M - 1M
Rudbeckia hirta				C12 - C200			LM1 - LM12					1M - 1M
Ruellia geminiflora				C12 - C200			LM1 - LM1					1M - 1M
Ruellia squarrosa				C12 - C30								
Rumex acetosa				C3 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				
Rumex bucephalophorus				C12 - C30								
Rumex crispus		D3 - D200	D2 - D200	C2 - C200	C1 - C200		LM1 - LM30	LM1 - LM30				1M - 100M
Rumex lunaria				C12 - C30								
Ruschia concinna				C12 - C200			LM1 - LM1					1M - 1M
Ruscus aculeatus		D0 - D30	D1 - D30	C1 - C200	C0 - C200		LM1 - LM11	LM1 - LM11				1M - 1M
Ruspolia seticalyx				C12 - C30								
Russelia equisetiformis				C12 - C200		C12 - C200			Q1 - Q1			1M - 1M
Russula ochroleuca				C12 - C200								
Ruta graveolens		D0 - D200	D1 - D200	C1 - C200	C0 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Ruthenium bromatum	*					C12 - C200			Q1 - Q8			1M - 10M
Ruthenium carbonicum						C12 - C200			Q1 - Q6	Q1 - Q6		1M - 50M
Ruthenium chloratum						C12 - C200	LM1 - LM18		Q1 - Q1			1M - 50M
Ruthenium iodatum	*					C12 - C200			Q1 - Q1	Q1 - Q1		1M - 1M
Ruthenium metallicum				C10 - C200	C10 - C200		LM2 - LM30	LM2 - LM30			FC1M - FC100M	1M - 100M
Ruthenium nitrosoInriticum				C4 - C200	C5 - C200							1M - 1M
Ruthenium oxydatum						C12 - C200						1M - 1M
Ruthenium phosphoricum						C12 - C200			Q1 - Q7			1M - 50M
Ruthenium silicicum						C12 - C200	LM1 - LM1		Q1 - Q12			1M - 1M
Ruthenium sulfuratum				C13 - C200	C14 - C200		LM2 - LM18	LM2 - LM18				1M - 10M
Rutilquarz						C12 - C200						1M - 10M
Ruttya fruticosa				C12 - C200			LM1 - LM1					1M - 1M
SPS Nosode	*			C5 - C200	C6 - C200		LM2 - LM30	LM2 - LM30				1M - 10M
Sabicea panamensis				C12 - C200								1M - 1M
Saccharinum		D4 - D30	D4 - D30	C3 - C200	C4 - C200		LM1 - LM6	LM1 - LM6			FC1M - FC10M	1M - 10M
Saccharum album		D3 - D200	D2 - D200	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC50M	1M - 100M
Saccharum lactis		D5 - D200	D4 - D200	C3 - C200	C4 - C200		LM1 - LM3	LM1 - LM3	Q1 - Q6	Q1 - Q6		1M - 50M
Saccharum officinarum		D6 - D200	D6 - D200			C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q12	Q1 - Q12		1M - 50M
Saccharum raffinatum		D3 - D200	D2 - D200	C2 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Sadleria cyatheoides				C12 - C30								
Sagina subulata				C12 - C30			LM1 - LM1					
Sagittaria montevidensis				C12 - C200			LM1 - LM4					1M - 1M
Saintpaulia shumensis				C12 - C200			LM1 - LM1					
Sal Himalaya		D9 - D200	D9 - D200	C4 - C200	C5 - C200		LM1 - LM12	LM1 - LM12			FC1M - FC100M	1M - 10M
Sal Marinum		D9 - D200	D7 - D200	C5 - C200	C6 - C200		LM1 - LM12	LM1 - LM12				1M - 10M
Sal Mojave						C12 - C200			Q1 - Q3			1M - 10M
Salamandra salamandra	†	D30 - D30	D15 - D30	C10 - C200	C10 - C200		LM2 - LM60	LM2 - LM30				1M - 10M
Salix alba		D3 - D200	D2 - D200	C2 - C200	C3 - C200	C12 - C12	LM1 - LM18	LM1 - LM18	Q1 - Q8	Q1 - Q8		1M - 10M
Salix alba tristis						C12 - C200			Q1 - Q13			1M - 100M
Salix fragilis				C7 - C200	C8 - C200		LM2 - LM33	LM2 - LM30				1M - 100M
Salix nigra		D4 - D30	D2 - D30	C2 - C200	C3 - C200		LM1 - LM6	LM1 - LM6				1M - 10M
Salmo trutta fario						C12 - C200	LM1 - LM3					1M - 10M
Salpiglossis sinuata				C12 - C200			LM1 - LM1					
Salvia glutinosa				C12 - C200								1M - 50M
Salvia nubicola				C12 - C30								
Salvia officinalis		D7 - D30	D4 - D30	C2 - C200	C3 - C200	C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
Salvia sclarea		D6 - D12	D4 - D12	C2 - C200	C3 - C200							1M - 1M
Salvinia auriculata						C12 - C200			Q1 - Q1			
Samarium Cobaltum magnetisatum	*					C12 - C200	LM1 - LM6		Q1 - Q1			1M - 10M
Samarium Cobaltum non magnetisatum	*					C12 - C200	LM1 - LM6		Q1 - Q1			1M - 1M
Samarium aceticum						C12 - C200						1M - 10M
Samarium arsenicosum	†† *					C12 - C200	LM1 - LM30		Q1 - Q12			1M - 50M
Samarium bromatum	*					C12 - C200	LM1 - LM23		Q1 - Q4			1M - 50M
Samarium carbonicum						C12 - C200	LM1 - LM30		Q1 - Q15			1M - 50M
Samarium chloratum						C12 - C200	LM1 - LM30		Q1 - Q13		FC1M - FC10M	1M - 100M
Samarium fluoratum	*					C12 - C200	LM1 - LM30		Q1 - Q5			1M - 50M
Samarium hydroxydatum						C12 - C200	LM1 - LM6					1M - 1M
Samarium iodatum	*					C12 - C200	LM1 - LM60		Q1 - Q1		FC1M - FC100M	1M - 100M
Samarium lacticum						C12 - C200	LM1 - LM6					1M - 50M
Samarium metallicum						C12 - C200	LM1 - LM30		Q1 - Q30		FC1M - FC10M	1M - 50M
Samarium nitricum						C12 - C200	LM1 - LM30		Q1 - Q3			1M - 50M
Samarium oxalicum						C12 - C200	LM1 - LM30		Q1 - Q1			1M - 50M
Samarium oxydatum						C12 - C200	LM1 - LM30		Q1 - Q19			1M - 100M
Samarium phosphoricum						C12 - C200	LM1 - LM55		Q1 - Q30			1M - 50M
Samarium silicum						C12 - C200	LM1 - LM30					1M - 50M
Samarium sulfuricum						C12 - C200	LM1 - LM30		Q1 - Q6			1M - 50M
Sambucus nigra		D0 - D200	D1 - D200	C1 - C200	C0 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC5M - FC10M	1M - 100M
Samolus valerandi				C12 - C30								
Sanchezia nobilis				C12 - C200								1M - 1M
Sanguinaria canadensis	*	D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM59	LM1 - LM30	Q1 - Q12	Q1 - Q12	FC1M - FC10M	1M - 100M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Sanguinarinum nitricum	† *	D6 - D30	D5 - D30	C4 - C200	C5 - C200	C12 - C30	LM1 - LM18	LM1 - LM18	Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 100M
Sanguis draconis		D9 - D200	D7 - D200									
Sanguis menstrualis Nos.	*	D10 - D200	D9 - D200									
Sanguis ursa arctos				C7 - C200	C9 - C200							1M - 50M
Sanguisorba officinalis		D5 - D200	D3 - D200	C3 - C200	C4 - C200		LM1 - LM7	LM1 - LM7			FC1M - FC10M	1M - 1M
Sanicula europaea		D3 - D200	D1 - D200	C1 - C200	C2 - C200		LM1 - LM100	LM1 - LM30				1M - 50M
Santalum album				C5 - C200	C5 - C200							1M - 10M
Santalum rubrum		D0 - D12	D1 - D12	C1 - C200	C0 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Santolina chamaecyparissus					C12 - C200							1M - 1M
Santoninum	† *	D9 - D200	D7 - D200	C3 - C200	C4 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6		1M - 10M
Sanvitalia procumbens					C12 - C30							
Saphir					C4 - C200	C5 - C200						1M - 50M
Sapium insigne						C12 - C200			Q1 - Q1	Q1 - Q1		1M - 1M
Sapo domesticus					C5 - C200	C5 - C200						1M - 1M
Saponaria		D5 - D30	D3 - D30	C2 - C200	C3 - C200	C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q1	Q1 - Q1		1M - 50M
Saponaria pumilio					C12 - C30							
Saponinum					C5 - C200	C6 - C200						
Saraca declinata					C12 - C30							
Sarcandra glabra					C12 - C200							1M - 1M
Sarcobatus vermicularis					C12 - C200			LM1 - LM1				
Sarcococca pruniformis					C12 - C30							
Sarcocornia perennis					C12 - C30							
Sarcopoterium spinosum					C12 - C200			LM1 - LM1				
Sarcoscypha coccinea	*				C12 - C30							
Sarpa salpa						C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q6	Q1 - Q6		1M - 1M
Sarracenia purpurea		D4 - D30	D3 - D30	C3 - C200	C4 - C200	C12 - C30	LM1 - LM18	LM1 - LM18	Q1 - Q3	Q1 - Q3		1M - 10M
Saruma henryi					C12 - C200			LM1 - LM1				1M - 1M
Sasa kurilensis					C12 - C30			LM1 - LM1				
Sassafras officinalis		D7 - D200	D5 - D200	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30				1M - 10M
Satureja hortensis		D5 - D60	D3 - D60	C2 - C200	C3 - C200		LM1 - LM10	LM1 - LM10				
Satyria warszewiczii					C12 - C30							
Saurauia montana					C12 - C30							
Saurauia napaulensis					C12 - C30							
Sauromatum giganteum					C12 - C30			LM1 - LM1				
Sauropus androgynus					C12 - C200			LM1 - LM1				
Saururus cernuus					C12 - C200			LM1 - LM1				
Saussurea alpina					C12 - C30							
Saxifraga aizoides					C12 - C12							
Saxifraga bronchialis					C12 - C30			LM1 - LM1				
Saxifraga brunonis					C12 - C30							
Saxifraga canaliculata					C12 - C30							

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Saxifraga diversifolia				C12 - C12								
Saxifraga fortunei				C12 - C30			LM1 - LM1					
Saxifraga fragosoi				C12 - C30			LM1 - LM1					
Saxifraga granulata	†	D4 - D30	D2 - D30	C2 - C200	C2 - C200		LM1 - LM6	LM1 - LM6				1M - 10M
Saxifraga manshuriensis				C12 - C12								
Saxifraga spathularis				C12 - C30								
Scabiosa colchica				C12 - C30			LM1 - LM1					
Scabiosa columbaria				C12 - C200			LM1 - LM1					1M - 10M
Scabiosa pratensis			D10 - D30	C5 - C200								1M - 1M
Scadoxus puniceus				C12 - C200								
Scaevola aemula				C12 - C30								
Scaevola sericea						C12 - C200	LM1 - LM5		Q1 - Q1			1M - 50M
Scandium arsenicosum	†† *					C12 - C200						1M - 10M
Scandium carbonicum				C4 - C200	C5 - C200							1M - 1M
Scandium chloratum				C3 - C200	C4 - C200		LM1 - LM7	LM1 - LM7				1M - 10M
Scandium metallicum				C10 - C200	C12 - C200							1M - 10M
Scandium nitricum				C5 - C200	C6 - C200							1M - 1M
Scandium oxydatum						C12 - C200	LM1 - LM12	LM1 - LM12	Q1 - Q3	Q1 - Q3		1M - 10M
Scandium phosphoricum						C12 - C200	LM1 - LM12	LM1 - LM12	Q1 - Q1	Q1 - Q1		1M - 10M
Scandium silicicum						C12 - C200	LM1 - LM8					1M - 10M
Scandium sulfuricum						C12 - C200	LM1 - LM45	LM1 - LM30	Q1 - Q1	Q1 - Q1		1M - 10M
Scarlatininum Nos.	*	D12 - D200	D9 - D200	C5 - C200	C6 - C200		LM2 - LM120	LM2 - LM30			FC1M - FC10M	1M - 10M
Sceletium tortuosum				C12 - C200								
Schaueria calycotricha				C12 - C30								
Schaueria flavigoma				C12 - C200								1M - 1M
Schefflera arboricola						C12 - C200	LM1 - LM1		Q1 - Q3			1M - 1M
Schefflera rodriquesiana				C12 - C30								
Schellack		D4 - D12	D4 - D12	C4 - C200	C4 - C200		LM1 - LM18	LM1 - LM18				1M - 10M
Schimmelpilz 2-Allergen	*		D12 - D200									
Schinus molle				C7 - C200	C8 - C200							1M - 1M
Schisandra chinensis				C12 - C200			LM1 - LM1					
Schistidium crassipilum				C12 - C30								
Schivereckia doerfleri				C12 - C30			LM1 - LM1					
Schizanthus pinnatus				C12 - C200			LM1 - LM1					1M - 1M
Schlacke				C31 - C200	C32 - C200							
Schoenocaulon officinale	† *	D3 - D200	D2 - D200	C1 - C200	C2 - C200		LM1 - LM59	LM1 - LM30				1M - 100M
Schoenus ferrugineus				C12 - C30								
Schotia brachypetala				C12 - C30								
Schrebera alata				C12 - C200								1M - 1M
Schultesianthus megalandrus				C12 - C200								1M - 1M
Scirpus atrovirens				C12 - C30								

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Scirrhinum Nos.	*	D100 - D200	D60 - D200	C6 - C200	C7 - C200		LM2 - LM120	LM2 - LM30			FC1M - FC10M	1M - 100M
Sciurus vulgaris						C12 - C200	LM1 - LM9		Q1 - Q18		FC1M - FC10M	1M - 50M
Scleranthus annuus (Bach)		D4 - D200	D4 - D200	C2 - C200	C2 - C200		LM1 - LM6	LM1 - LM6				1M - 50M
Sclerochiton harveyanus				C12 - C200								
Scolopender morsitans				C7 - C200	C8 - C200							1M - 1M
Scolymus hispanicus				C12 - C30								
Scolymus maculatus				C12 - C200								
Scomber scombrus			D5 - D30	C3 - C200			LM1 - LM1					1M - 10M
Scorpaena scrofa						C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q1	Q1 - Q1		1M - 1M
Scorpio europaeus	†	D9 - D200	D6 - D200	C2 - C200	C3 - C200		LM1 - LM49	LM1 - LM30			FC1M - FC50M	1M - 50M
Scorzonera hispanica						C12 - C200			Q1 - Q6		FC50M - FC50M	1M - 10M
Scrophularia canina				C12 - C30			LM1 - LM1					
Scrophularia nodosa		D0 - D100	D1 - D100	C1 - C200	C0 - C200	C12 - C200	LM1 - LM24	LM1 - LM24	Q1 - Q9	Q1 - Q9	FC1M - FC5M	1M - 50M
Scutellaria coccinea				C12 - C30			LM1 - LM1					
Scutellaria galericulata				C6 - C200	C7 - C200		LM1 - LM1	LM1 - LM1				
Scutellaria lateriflora		D5 - D30	D3 - D30	C3 - C200	C4 - C200		LM1 - LM24	LM1 - LM24			FC1M - FC10M	1M - 100M
Scybalium fungiforme				C12 - C200			LM1 - LM1					1M - 1M
Sebastes marinus			D5 - D30	C3 - C200		C12 - C200	LM1 - LM6		Q1 - Q1			1M - 1M
Secale cereale			D3 - D30	D1 - D30	C3 - C200	C4 - C200		LM1 - LM12	LM1 - LM12			1M - 10M
Secale cornutum	† *	D12 - D200	D6 - D200	C6 - C200	C9 - C200	C12 - C200	LM1 - LM48	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC50M	1M - 100M
Secretin	*			C7 - C200	C8 - C200							
Securigera varia				C12 - C12								
Sedum acre		D5 - D30	D3 - D30	C2 - C200	C3 - C200		LM1 - LM6	LM1 - LM6				1M - 10M
Sedum album		D6 - D200	D6 - D200									
Sedum kamtschaticum				C12 - C30								
Sedum repens		D12 - D200	D12 - D200				LM2 - LM18	LM2 - LM18				
Sedum sediforme				C12 - C30								
Sedum spurium				C12 - C30			LM1 - LM1					
Sedum telephium				C4 - C200	C5 - C200		LM1 - LM8	LM1 - LM8				
Seemaus				C4 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				
Selaginella kraussiana				C12 - C200			LM1 - LM1	LM1 - LM1				
Selaginella lepidophylla						C12 - C200			Q1 - Q6	Q1 - Q6		1M - 50M
Selenicereus grandiflorus		D0 - D60	D1 - D60	C1 - C200	C0 - C200	C12 - C200	LM1 - LM100	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC50M	1M - 100M
Selenium	† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM60	LM1 - LM30	Q1 - Q22	Q1 - Q22	FC1M - FC10M	1M - 100M
Selenium muriaticum	† *					C12 - C200			Q1 - Q3	Q1 - Q3		1M - 100M
Selenium sulfuratum	*					C12 - C200			Q1 - Q3			1M - 10M
Selinum carvifolia				C12 - C12								
Selliera radicans				C12 - C30								
Semecarpus anacardium	*	D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Semele androgyna				C12 - C30								
Sempervivum tectorum ssp. Tectorum		D0 - D30	D2 - D30	C2 - C200	C0 - C200		LM1 - LM15	LM1 - LM15				1M - 10M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Senecio aureus	††	D6 - D200	D6 - D200	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30				1M - 50M
Senecio speciosus						C12 - C200	LM1 - LM9		Q1 - Q1			
Senecio vulgaris				C4 - C200	C5 - C200							1M - 50M
Senna		D7 - D200	D5 - D200	C2 - C200	C3 - C200		LM1 - LM11	LM1 - LM11				1M - 1M
Senna alata						C12 - C200			Q1 - Q12			
Sepia officinale toto				C2 - C200	C3 - C200		LM1 - LM18	LM1 - LM18				1M - 50M
Sepia officinalis		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM120	LM1 - LM30	Q1 - Q32	Q1 - Q30	FC1M - FC100M	1M - 100M
Sepioteuthis sepioidea				C6 - C200	C6 - C200							1M - 100M
Sequoiadendron giganteum						C12 - C200	LM1 - LM18	LM2 - LM18	Q2 - Q13	Q2 - Q13	FC1M - FC50M	1M - 100M
Serapias lingua				C12 - C30								
Serenoa repens	† *	D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q3	Q1 - Q3		1M - 100M
Serinus canaria						C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 50M
Serinus canaria, Feder						C12 - C200						1M - 1M
Serinus serinus						C12 - C200			Q1 - Q1			1M - 10M
Serissa serissoides				C12 - C200								
Serotoninum Kreatinin	*	D12 - D200	D12 - D200	C6 - C200	C9 - C200		LM3 - LM30	LM3 - LM30				1M - 10M
Serotoninum hydrochloricum	*	D12 - D200	D12 - D200	C6 - C200	C9 - C200							1M - 1M
Serpentaria	† *	D12 - D30	D12 - D30	C3 - C200	C4 - C200							1M - 1M
Serpula lacrimans						C12 - C200						1M - 10M
Serratula coronata				C12 - C30								
Serratula tinctoria				C12 - C200								1M - 1M
Serruria florida				C12 - C200								
Serruria fucifolia				C12 - C200								
Sertella beaniana			D4 - D30	C2 - C200			LM1 - LM1					1M - 1M
Sertralinum	*					C12 - C200	LM1 - LM30	LM1 - LM30				1M - 1M
Serum anguillae	†	D12 - D200	D10 - D200	C6 - C200	C7 - C200		LM2 - LM60	LM2 - LM30			FC1M - FC5M	1M - 100M
Seseli libanotis				C12 - C30			LM1 - LM1					
Sesleria autumnalis				C12 - C200								
Sesleria coerulans				C12 - C30								
Setaria italica	*			C12 - C200								1M - 1M
Shark Cartilage				C5 - C200	C6 - C200							1M - 50M
Shepherdia argentea				C12 - C200			LM1 - LM5					
Sherardia arvensis				C12 - C30								
Sibiraea laevigata				C12 - C200								
Sida rhombifolia						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 1M
Sidalcea neomexicana				C12 - C30			LM1 - LM1					
Siderit				C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6	FC1M - FC100M	1M - 50M
Sideritis syriaca				C12 - C200			LM1 - LM1					1M - 1M
Sideroxylon inerme				C12 - C200								1M - 1M
Sideroxylon lycioides				C12 - C30			LM1 - LM1					
Sideroxylon marginatum				C12 - C200								1M - 1M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Sideroxylon mirmulans				C12 - C200								1M - 1M
Siebbeinpolyphen Nos.	*	D10 - D200	D8 - D200									
Siegesbeckia orientalis		D12 - D30	D10 - D30	C4 - C200	C5 - C200		LM1 - LM18	LM1 - LM18				1M - 10M
Sildenafil	*					C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q10	Q1 - Q10		1M - 10M
Silene andryalifolia				C12 - C30			LM1 - LM1					
Silene armeria				C12 - C12								
Silene baccifera				C12 - C200			LM1 - LM1					
Silene chalcedonica				C12 - C200			LM1 - LM1					1M - 1M
Silene colorata				C12 - C200								
Silene compacta				C12 - C30								
Silene coronaria				C12 - C200								1M - 1M
Silene davidii				C12 - C30								
Silene dioica				C12 - C200			LM1 - LM1					1M - 1M
Silene laciniata				C12 - C30			LM1 - LM1					
Silene latifolia				C12 - C200			LM1 - LM1					1M - 1M
Silene multifida				C12 - C30								
Silene pusilla				C12 - C30								
Silene uniflora				C12 - C30			LM1 - LM1					
Silene viscaria				C12 - C30			LM1 - LM1					
Silene vulgaris				C12 - C200			LM1 - LM8					
Silica marina		D10 - D30	D10 - D30			C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q12	Q1 - Q12		1M - 50M
Silicum chloratum				C2 - C200			LM1 - LM17					1M - 10M
Silicum metallicum		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q12	Q1 - Q12		1M - 50M
Silikon						C12 - C200	LM1 - LM1		Q1 - Q1		FC1M - FC100M	1M - 1M
Silphium lacinatum				C5 - C200	C6 - C200		LM2 - LM30	LM2 - LM30				1M - 10M
Silybum Marianum		D0 - D200	D1 - D200	C1 - C200	C0 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30		1M - 100M
Simarouba cedron	*	D10 - D200	D7 - D200	C4 - C200	C5 - C200		LM1 - LM30	LM1 - LM30				1M - 100M
Simmondsia chinensis				C12 - C200								1M - 10M
Sinacalia tangutica				C12 - C30			LM1 - LM1					
Sinapis alba		D12 - D30	D12 - D30	C6 - C200	C7 - C200		LM1 - LM22	LM1 - LM22			FC1M - FC5M	1M - 10M
Sinapis nigra		D9 - D200	D6 - D200	C4 - C200	C5 - C200	C12 - C200	LM1 - LM20	LM1 - LM20	Q1 - Q3	Q1 - Q3	FC1M - FC10M	1M - 100M
Sinapis nigra ex herba						C12 - C200			Q1 - Q1	Q1 - Q1		1M - 1M
Sinningia brasiliensis				C12 - C200								1M - 1M
Sinocalycanthus chinensis				C12 - C30								
Sinojackia rehderiana				C12 - C30			LM1 - LM1					
Sinomenium acutum				C12 - C30								
Sinusitis Nos.		D12 - D200	D10 - D200	C5 - C200	C6 - C200		LM2 - LM18	LM2 - LM18			FC1M - FC10M	1M - 10M
Sinusitis frontalitis Nos.	*	D30 - D200	D30 - D200									
Sinusitis maxillaris Nos.	*	D12 - D200	D12 - D200	C6 - C200	C7 - C200							1M - 1M
Siparuna thecaphora						C12 - C30			Q1 - Q1			
Sirolimus		D12 - D30	D10 - D30	C5 - C30	C6 - C30		LM1 - LM1	LM1 - LM1				

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Sison amomum				C12 - C12								
Sistrurus catenatus tergeminus	††			C6 - C200			LM1 - LM1					1M - 10M
Sistrurus miliarius	††			C6 - C200			LM1 - LM1					1M - 50M
Sium sisarum				C12 - C30			LM1 - LM1					
Sixalix farinosa				C12 - C30								
Skatolum		D7 - D30	D5 - D30	C5 - C200	C6 - C200							1M - 1M
Skimmia japonica				C12 - C30			LM1 - LM1					
Sloanea obtusifolia				C12 - C30								
Smaragdus						C12 - C200	LM1 - LM30	LM1 - LM30				1M - 50M
Smilax		D0 - D200	D1 - D200	C1 - C200	C0 - C200		LM1 - LM100	LM1 - LM30	Q3 - Q30	Q3 - Q30	FC1M - FC10M	1M - 100M
Smyrnium olusatrum				C12 - C30								
Smyrnium perfoliatum				C12 - C30								
Sobralia macrantha				C12 - C200								1M - 1M
Socratea exorrhiza				C12 - C200			LM1 - LM1					1M - 1M
Sojamehl				C3 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				1M - 50M
Solandra maxima				C12 - C200			LM1 - LM1					1M - 1M
Solanum americanum						C12 - C200	LM1 - LM6		Q1 - Q1			1M - 50M
Solanum betaceum				C12 - C200								
Solanum capsicoides				C12 - C200			LM1 - LM1					
Solanum carolinense	†			C3 - C200	C4 - C200		LM1 - LM5	LM1 - LM5				1M - 10M
Solanum crispum				C12 - C12								
Solanum dulcamara	† *	D3 - D200	D2 - D200	C2 - C200	C2 - C200	C12 - C200	LM1 - LM45	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Solanum lycopersicum	†			C2 - C200	C3 - C200		LM1 - LM45	LM1 - LM30			FC1M - FC100M	1M - 50M
Solanum malacoxylon		D10 - D200	D9 - D200	C4 - C200	C4 - C200		LM1 - LM12	LM1 - LM12				1M - 1M
Solanum mammosum	†			C10 - C200	C11 - C200						FC1M - FC10M	1M - 10M
Solanum melongena						C12 - C200			Q1 - Q6	Q1 - Q6		1M - 10M
Solanum nigrum	†	D5 - D200	D2 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q10	Q1 - Q10	FC1M - FC10M	1M - 100M
Solanum nitidum				C12 - C30								
Solanum paniculatum						C12 - C200			Q1 - Q1			
Solanum pseudocapsicum	†			C12 - C200			LM1 - LM30					
Solanum pyracanthum				C12 - C200								
Solanum quitoense				C12 - C200			LM1 - LM1					1M - 1M
Solanum seaforthianum				C12 - C200			LM1 - LM1					1M - 1M
Solanum tuberosum		D3 - D30	D2 - D30	C2 - C200	C2 - C200		LM1 - LM21	LM1 - LM21			FC1M - FC10M	1M - 10M
Solanum tuberosum aegrotans	†	D9 - D30	D6 - D30	C2 - C200	C3 - C200		LM2 - LM30	LM2 - LM30				1M - 10M
Soldanella alpina				C12 - C200			LM1 - LM1					1M - 1M
Soleirolia soleirolii				C12 - C30								
Solidago virgaurea		D0 - D200	D1 - D200	C1 - C200	C0 - C200	C12 - C200	LM1 - LM45	LM1 - LM30	Q1 - Q10	Q1 - Q10	FC1M - FC10M	1M - 100M
Solitärzyste Nos.	*	D12 - D200	D12 - D200									
Sollya heterophylla				C12 - C200								1M - 1M
Solum uliginosum						C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1		1M - 50M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Somatotropine	*			C7 - C200	C9 - C200							1M - 10M
Sonchus acaulis				C12 - C30			LM1 - LM1					
Sonnenstein				C10 - C200	C10 - C200							1M - 1M
Sonneratia alba						C12 - C200			Q1 - Q1			
Sophora japonica		D9 - D60	D7 - D60			C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		
Sorbaria kirilowii				C12 - C200			LM1 - LM1					
Sorbus aucuparia		D4 - D30	D2 - D30	C2 - C200	C3 - C200							1M - 1M
Sorbus domestica		D3 - D5	D1 - D5	C1 - C200	C2 - C200		LM1 - LM6	LM1 - LM6				1M - 10M
Sorex alpinus						C12 - C200			Q1 - Q1			
Sorghum bicolor				C12 - C200			LM1 - LM30					1M - 10M
Sorindeia madagascariensis						C12 - C200			Q1 - Q1			1M - 1M
Soya Blüte		D7 - D200	D5 - D200									
Sparteignum sulfuricum	† *					C12 - C200						1M - 1M
Spartium scoparium	*	D6 - D30	D5 - D30	C2 - C200	C3 - C200		LM1 - LM24	LM1 - LM24				1M - 100M
Sparus aurata			D5 - D30	C3 - C30			LM1 - LM1					
Spathiphyllum floribundum				C12 - C200								
Spathiphyllum patinii				C12 - C12								
Spathiphyllum wallisii				C12 - C12								
Spathodea campanulata			D24 - D30	C12 - C200			LM1 - LM1					1M - 1M
Sphagnum capillifolium				C12 - C200								
Sphagnum palustre				C12 - C200			LM1 - LM1					1M - 1M
Spheniscus humboldti				C9 - C200	C10 - C200		LM2 - LM17	LM2 - LM17				1M - 100M
Sphiggurus						C12 - C200	LM1 - LM5	LM1 - LM5	Q1 - Q11	Q1 - Q11		1M - 10M
Sphyrospermum buxifolium				C2 - C30								
Spigelia anthelmia	† *	D6 - D200	D4 - D200	C1 - C200	C2 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC50M	1M - 100M
Spilanthes acmella				C9 - C200								
Spilanthes oleracea		D5 - D30	D3 - D30	C2 - C200	C2 - C200							1M - 1M
Spinacia oleracea				C1 - C200	C1 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Spiraea ulmaria		D4 - D30	D2 - D30	C2 - C200	C3 - C200	C12 - C30	LM1 - LM30	LM1 - LM30	Q1 - Q3	Q1 - Q3		1M - 100M
Spiranthes autumnalis				C2 - C200	C3 - C200		LM1 - LM5	LM1 - LM5				1M - 1M
Spirea trifoliata				C12 - C200								
Spitzwegerich (Allergen)				C6 - C30	C6 - C30							
Splen suis		D11 - D200	D9 - D200									
Spodiopogon sibiricus				C12 - C12								
Spondias purpurea						C12 - C200			Q1 - Q1			1M - 1M
Spongilla lacustris		D5 - D30	D3 - D30	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30				1M - 100M
Sporobolus heterolepis				C12 - C30								
Sporothrix schenckii Nos.	*	D12 - D200	D12 - D200	C6 - C200	C9 - C200						FC1M - FC10M	1M - 1M
Sprekelia formosissima				C12 - C12								
Spyridium burragorang				C12 - C30								
Stachytarpheta cayennensis						C12 - C200			Q1 - Q1			1M - 1M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
<i>Stachyurus praecox</i>				C12 - C200								1M - 1M
<i>Stalagtit</i>						C12 - C200			Q1 - Q1	Q1 - Q1		1M - 1M
<i>Stannum carbonicum</i>	*					C12 - C200			Q1 - Q12	Q1 - Q12		1M - 100M
<i>Stannum chloratum</i>	† *	D10 - D30	D10 - D30	C10 - C200	C10 - C200		LM1 - LM24	LM1 - LM24	Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 10M
<i>Stannum fluoratum</i>	*					C12 - C200			Q1 - Q1			1M - 1M
<i>Stannum jodatum</i>	† *	D12 - D60	D10 - D60	C13 - C200	C14 - C200		LM2 - LM28	LM2 - LM28			FC1M - FC10M	1M - 100M
<i>Stannum metallicum</i>	*	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM60	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
<i>Stannum nitricum</i>	*			C4 - C200	C4 - C200	C12 - C200			Q1 - Q6	Q1 - Q6		1M - 10M
<i>Stannum oxydatum</i>	*					C12 - C200	LM1 - LM3	LM1 - LM3				1M - 10M
<i>Stannum phosphoricum</i>	*					C12 - C200	LM1 - LM18		Q1 - Q15			1M - 10M
<i>Stannum silicicum</i>	*			C10 - C200	C10 - C200							1M - 10M
<i>Stannum sulfuricum</i>	*			C10 - C200	C10 - C200		LM1 - LM45	LM1 - LM30	Q1 - Q6	Q1 - Q6		1M - 50M
<i>Stapelia gigantea</i>				C12 - C200			LM1 - LM1					1M - 1M
<i>Staphylea trifolia</i>				C12 - C200								1M - 1M
<i>Staphylo-Streptococcinum Nos.</i>	*	D9 - D200	D7 - D200									
<i>Staphylococcinum Nos.</i>	*	D9 - D200	D7 - D200	C5 - C200	C6 - C200		LM2 - LM30	LM2 - LM30			FC1M - FC10M	1M - 100M
<i>Staphylococcus aureus MRSA Nos.</i>				C4 - C200	C4 - C200							
<i>Staphylococcus aureus Nos.</i>	*	D15 - D200	D12 - D200	C5 - C200	C6 - C200		LM2 - LM60	LM2 - LM30			FC1M - FC10M	1M - 100M
<i>Staphylococcus epidermidis Nos.</i>				C4 - C200	C4 - C200							
<i>Staphylococcus haemolyticus Nos.</i>				C4 - C200	C4 - C200							
<i>Staphylococcus simulans Nos.</i>				C4 - C200	C4 - C200							
<i>Staphylotoxinum</i>	*			C5 - C200	C6 - C200						FC1M - FC10M	1M - 10M
<i>Stauntonia hexaphylla</i>				C12 - C12								
<i>Steinmehl</i>						C12 - C30			Q1 - Q1			
<i>Steinwolle</i>						C12 - C30						
<i>Stellaria holostea</i>				C12 - C30								
<i>Stenandrium guineense</i>				C12 - C30								
<i>Stenocarpus salignus</i>				C12 - C200								
<i>Stenocereus aragonii</i>				C12 - C30								
<i>Stephanostema stenocarpum</i>				C12 - C12								
<i>Stereospermum fimbriatum</i>				C12 - C200								1M - 1M
<i>Steriphoma peruvianum</i>				C12 - C30								
<i>Sternbergia lutea</i>				C12 - C30								
<i>Steudnera discolor</i>				C12 - C12								
<i>Stevia rebaudiana</i>		D4 - D5	D2 - D5	C2 - C200	C3 - C200							1M - 10M
<i>Stewartia monadelpha</i>				C12 - C30								
<i>Stibium arsenicosum</i>	†† *	D15 - D30	D12 - D30	C10 - C200	C10 - C200		LM2 - LM50	LM2 - LM30			FC1M - FC1M	1M - 100M
<i>Stibium metallicum</i>	*	D10 - D30	D10 - D30	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q3	Q1 - Q3	FC1M - FC100M	1M - 100M
<i>Stibium phosphoricum</i>	*					C12 - C200	LM1 - LM12	LM1 - LM12				1M - 10M
<i>Stibium sulfuratum aurantiacum</i>	† *	D10 - D30	D10 - D30	C10 - C200	C10 - C200		LM1 - LM50	LM1 - LM30	Q1 - Q12	Q1 - Q12		1M - 100M
<i>Stibium sulfuratum nigrum</i>	† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM42	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Sticherus bifidus				C12 - C200			LM1 - LM1					
Stigmaphyllo lindenianum				C12 - C30								
Stillingia silvatica		D9 - D30	D5 - D30	C3 - C200	C4 - C200		LM1 - LM100	LM1 - LM30			FC1M - FC100M	1M - 100M
Stipa ichu				C12 - C200								
Stratiotes aloides				C12 - C12								
Strelitzie reginae						C12 - C200	LM1 - LM30		Q1 - Q1			1M - 10M
Streptocarpus saxorum				C12 - C200								
Streptococcinum Nos.	*	D30 - D200	D30 - D200	C5 - C200	C6 - C200		LM2 - LM120	LM2 - LM30				1M - 100M
Streptococcus agalactiae Nos.				C7 - C200	C9 - C200							1M - 100M
Streptococcus haemolyticus Nos.	*	D9 - D200	D9 - D200	C5 - C200	C6 - C200		LM2 - LM30	LM2 - LM30				1M - 100M
Streptococcus pyogenes necrosing fascitis Nos.	*			C9 - C200	C9 - C200							1M - 50M
Streptococcus uberis Nos			D7 - D30	C4 - C200								1M - 10M
Streptococcus viridans Nos.	*	D10 - D200	D7 - D200	C5 - C200	C6 - C200							1M - 10M
Streptomycinum	*	D9 - D30	D7 - D30	C7 - C200	C9 - C200		LM2 - LM30	LM2 - LM30				1M - 10M
Streptosolen jamesonii				C12 - C30								
Strobilanthes atropurpureus				C12 - C200			LM1 - LM1					1M - 1M
Stromanthe thalia				C12 - C30								
Strongylodon macrobotrys				C12 - C30								
Strontium arsenicosum	†† *					C12 - C200	LM1 - LM12	LM1 - LM12				1M - 100M
Strontium bromatum	*			C10 - C200	C12 - C200						FC1M - FC10M	1M - 100M
Strontium carbonicum	† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q12	Q1 - Q12	FC1M - FC10M	1M - 100M
Strontium chloratum	† *	D4 - D200	D2 - D200	C10 - C200	C6 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6		1M - 50M
Strontium fluoratum	† *					C12 - C200	LM1 - LM13	LM1 - LM13				1M - 100M
Strontium jodatum	† *	D4 - D200	D2 - D200	C4 - C200	C5 - C200		LM1 - LM12	LM1 - LM12			FC1M - FC10M	1M - 100M
Strontium metallicum	*			C10 - C200	C12 - C200						FC1M - FC10M	1M - 50M
Strontium nitricum	† *			C4 - C200	C5 - C200		LM1 - LM18	LM1 - LM18				1M - 10M
Strontium oxydatum	*					C12 - C200			Q1 - Q3			1M - 10M
Strontium phosphoricum	*					C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6		1M - 100M
Strontium silicum	*					C12 - C200			Q1 - Q8			1M - 50M
Strontium sulfuricum	*	D10 - D30	D10 - D30	C10 - C200	C11 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q17	Q1 - Q17	FC1M - FC10M	1M - 50M
Strophanthus gratus	† *	D4 - D200	D2 - D200	C3 - C200	C3 - C200		LM1 - LM60	LM1 - LM30			FC1M - FC10M	1M - 100M
Strophanthus hispidus	† *	D10 - D200	D6 - D200	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30				1M - 100M
Strophanthus preussii				C12 - C200			LM1 - LM1					
Stropharia aeruginosa				C12 - C30								
Struthanthus syringifolius		D9 - D200	D7 - D200									
Strychninum arsenicosum	†† *			C6 - C200	C9 - C200							1M - 10M
Strychninum nitricum	†† *	D9 - D30	D6 - D30	C3 - C200	C4 - C200		LM1 - LM18	LM1 - LM18				1M - 10M
Strychninum phosphoricum	†† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM2 - LM21	LM2 - LM21			FC1M - FC100M	1M - 50M
Strychninum purum	†† *	D15 - D200	D12 - D200	C5 - C200	C6 - C200		LM2 - LM30	LM2 - LM30			FC1M - FC100M	1M - 100M
Strychninum valerianicum	† *			C10 - C200	C12 - C200							1M - 10M
Strychnos cocculoides						C12 - C200	LM1 - LM9		Q1 - Q7			1M - 10M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Strychnos gaultheriana	† *	D11 - D200	D9 - D200	C6 - C200	C7 - C200		LM1 - LM21	LM1 - LM21				1M - 50M
Strychnos guainensis	† *					C12 - C30			Q1 - Q1			1M - 1M
Strychnos ignatii	† *	D9 - D200	D4 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q60	Q1 - Q30	FC1M - FC100M	0M - 100M
Strychnos nux-vomica	† *	D5 - D200	D3 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q60	Q1 - Q30	FC1M - FC100M	0M - 100M
Stylidium debile				C12 - C12								
Stylogyne turbacensis				C12 - C200			LM1 - LM1					1M - 1M
Stylophorum diphyllum				C12 - C30								
Suaeda vera				C12 - C30			LM1 - LM1					
Succinum		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM23	LM1 - LM23	Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 100M
Succisella inflexa				C12 - C30								
Succus fructi						C12 - C200						1M - 1M
Succus vegetabilis 1				C2 - C200								
Succus vegetabilis 2				C2 - C200			LM1 - LM1					
Suillus grevillei	*					C12 - C200			Q1 - Q1	Q1 - Q1		1M - 10M
Sulcorebutia arenacea				C12 - C12								
Sulfamerazinum	*					C12 - C200	LM1 - LM4		Q1 - Q1			1M - 10M
Sulfanilamidum	*	D7 - D200	D5 - D200	C4 - C200	C5 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 10M
Sulfapyridinum	*			C10 - C200	C12 - C200							1M - 1M
Sulfonalum				C10 - C200	C11 - C200						FC1M - FC10M	1M - 50M
Sulfur		D6 - D200	D5 - D200	C2 - C200	C3 - C200		LM1 - LM120	LM1 - LM30	Q1 - Q36	Q1 - Q30	FC1M - FC100M	0M - 100M
Sulfur colloidale		D9 - D60	D7 - D60									
Sulfur hydrogenisatum				C2 - C200	C3 - C200		LM1 - LM8	LM1 - LM8			FC1M - FC100M	1M - 100M
Sulfur iodatum	† *	D6 - D200	D4 - D200	C3 - C200	C3 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q10	Q1 - Q10	FC1M - FC100M	1M - 100M
Sulfur praecipitatum		D10 - D60	D10 - D60									
Sulfur terebinthinatum		D6 - D200	D4 - D200	C3 - C200	C4 - C200		LM1 - LM30	LM1 - LM30				1M - 1M
Sumatriptan		D6 - D30	D4 - D30	C3 - C200	C3 - C200							1M - 1M
Suprarenalis suis							LM2 - LM12	LM2 - LM12				
Suricata suricatta						C12 - C200						1M - 1M
Swainsonia formosa						C12 - C200						
Sweet chestnut (Bach)				C2 - C200	C2 - C200							1M - 1M
Swietenia macrophylla				C12 - C200								
Sycopsis sinensis	††			C12 - C30								
Sycotic compound (Paterson)	*			C15 - C200	C15 - C200		LM3 - LM120	LM3 - LM30				1M - 100M
Syphoricarpus racemosus		D7 - D200	D5 - D200	C4 - C200	C4 - C200		LM1 - LM17	LM1 - LM17			FC1M - FC1M	1M - 1M
Symphyotrichum novi-belgii				C12 - C12								
Symphyotrichum patens				C12 - C200			LM1 - LM1					
Sympythium officinale	††	D6 - D200	D4 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
Symplocos paniculata				C12 - C200			LM1 - LM1					
Syncerus caffer						C12 - C200						1M - 10M
Syngonium angustatum				C12 - C30								
Synsepalum dulcificum				C12 - C30			LM1 - LM1					

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Synthyris platycarpa				C12 - C200								
Syntrichia ruralis				C12 - C30								
Syringa vulgaris						C12 - C200	LM1 - LM16	LM1 - LM16	Q1 - Q1	Q1 - Q1		1M - 10M
Syzygium aromaticum		D9 - D200	D7 - D200	C1 - C200	C2 - C200		LM1 - LM8	LM1 - LM8				1M - 50M
Syzygium cumini		D0 - D200	D1 - D200	C1 - C200	C0 - C200		LM1 - LM45	LM1 - LM30				1M - 10M
Syzygium oleosum				C12 - C30			LM1 - LM1					
Süßwasserperle (Biwa)						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1	FC1M - FC100M	1M - 50M
TMS		D9 - D200	D7 - D200									
Tabanus ssp.				C4 - C200	C5 - C200							
Tabebuia ochracea				C12 - C30			LM1 - LM1					
Tabebuja impetiginosa		D5 - D200	D3 - D200	C2 - C200	C3 - C200							1M - 1M
Tabernaemontana donnell-smithii				C12 - C200								1M - 1M
Tacca chantrieri				C12 - C200								
Taenia saginata Nos.				C10 - C200	C12 - C200							1M - 1M
Taenia solium Nos.	*	D9 - D200	D7 - D200	C5 - C200	C6 - C200							1M - 100M
Tagetes				C2 - C200	C3 - C200							1M - 1M
Talcum						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1	FC1M - FC5M	1M - 1M
Talinum paniculatum				C12 - C200			LM1 - LM1					
Talipariti tiliaceum				C12 - C12								
Talpa europaea		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q11	Q1 - Q11	FC1M - FC10M	1M - 100M
Tamarindus indica		D4 - D30	D2 - D30	C2 - C200	C3 - C200	C12 - C200	LM1 - LM8	LM1 - LM8	Q1 - Q4	Q1 - Q4		1M - 10M
Tamarix ramosissima				C12 - C200			LM1 - LM1					1M - 1M
Tamoxifenum	*	D12 - D30	D10 - D30									
Tamus communis	†					C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q1	Q1 - Q1		1M - 50M
Tanacetum vulgare		D4 - D30	D2 - D30	C5 - C200	C6 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 50M
Tanghinia venenifera						C12 - C200			Q1 - Q1	Q1 - Q1		1M - 10M
Tantalum chloratum						C12 - C200	LM1 - LM12		Q1 - Q1			1M - 1M
Tantalum fluoratum	*					C12 - C200						1M - 1M
Tantalum metallicum				C10 - C200	C12 - C200						FC1M - FC50M	1M - 10M
Tantalum phosphoratum						C12 - C200						1M - 1M
Tantalum sulfuratum				C4 - C200	C5 - C200							1M - 50M
Tapeinochilos ananassae				C12 - C200			LM1 - LM1					1M - 1M
Tarantula	†	D7 - D200	D5 - D200	C6 - C200	C7 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Tarantula cubensis	†	D11 - D200	D9 - D200	C4 - C200	C4 - C200		LM2 - LM30	LM2 - LM30				1M - 100M
Taraxacum officinale		D6 - D200	D4 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM60	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 100M
Tarenna gracilis				C12 - C200								
Taurinum		D7 - D30	D5 - D30	C3 - C200	C3 - C200		LM1 - LM9	LM1 - LM9				1M - 10M
Taurotragus oryx						C12 - C200	LM1 - LM6		Q1 - Q1			1M - 50M
Taxiphyllum barbieri				C12 - C30								
Taxodium distichum				C12 - C30			LM1 - LM1					
Taxus baccata	† *	D4 - D200	D2 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q8	Q1 - Q8		1M - 100M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Taxus baccata fol.c.fr.						C12 - C200			Q1 - Q1	Q1 - Q1		1M - 1M
Taxus brevifolia		D15 - D30	D15 - D30	C6 - C200	C7 - C200		LM1 - LM12	LM1 - LM12			FC1M - FC10M	1M - 10M
Tecoma capensis						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 1M
Tecoma stans				C12 - C30								
Tectaria dissecta				C12 - C200								
Tectus denetatus						C12 - C200	LM1 - LM9					1M - 10M
Teedia lucida				C12 - C30								
Tegenaria atrica						C12 - C200	LM1 - LM120		Q1 - Q10		FC1M - FC100M	1M - 100M
Tela aranearum		D15 - D200	D12 - D200			C12 - C200	LM1 - LM45	LM1 - LM30	Q1 - Q8	Q1 - Q8	FC1M - FC10M	1M - 100M
Telekia speciosa				C12 - C200			LM1 - LM1					
Telephium imperati				C12 - C30								
Tellima grandiflora				C12 - C200			LM1 - LM1					1M - 1M
Tellurium bromatum	*					C12 - C200	LM1 - LM6		Q1 - Q6			1M - 10M
Tellurium metallicum	†	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Telmisartan	*	D4 - D30	D2 - D30	C1 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				
Telopea oreades				C12 - C30								
Temozolomid	*					C12 - C200	LM1 - LM6		Q1 - Q1			1M - 10M
Terbium aceticum						C12 - C200	LM1 - LM6		Q1 - Q1			1M - 1M
Terbium arsenicosum	†† *					C12 - C200	LM1 - LM6		Q1 - Q3		FC1M - FC50M	1M - 50M
Terbium bromatum	*					C12 - C200	LM1 - LM9		Q1 - Q1			1M - 50M
Terbium carbonicum						C12 - C200	LM1 - LM40		Q1 - Q6			1M - 50M
Terbium chloratum						C12 - C200	LM1 - LM30		Q1 - Q9			1M - 50M
Terbium citricum						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 1M
Terbium fluoratum	*					C12 - C200	LM1 - LM30		Q1 - Q1			1M - 10M
Terbium hydroxydatum						C12 - C200						1M - 10M
Terbium iodatum	*					C12 - C200	LM1 - LM30		Q1 - Q1			1M - 50M
Terbium lacticum						C12 - C200	LM1 - LM30		Q1 - Q1			1M - 1M
Terbium metallicum						C12 - C200	LM1 - LM30		Q1 - Q30		FC1M - FC50M	1M - 50M
Terbium nitricum						C12 - C200	LM1 - LM18		Q1 - Q2			1M - 100M
Terbium oxalicum						C12 - C200	LM1 - LM24		Q1 - Q1			1M - 10M
Terbium oxydatum						C12 - C200	LM1 - LM45		Q1 - Q12			1M - 50M
Terbium phosphoricum						C12 - C200	LM1 - LM45		Q1 - Q9			1M - 50M
Terbium silicicum						C12 - C200	LM1 - LM30		Q1 - Q1			1M - 50M
Terbium sulfuricum						C12 - C200	LM1 - LM35		Q1 - Q3		FC1M - FC10M	1M - 50M
Terebinthina laricina	*	D12 - D200	D12 - D200	C3 - C200	C4 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 50M
Terminalia catappa						C12 - C200						1M - 10M
Terminalia oblonga						C12 - C30			Q1 - Q1			
Terra indiana				C10 - C200	C10 - C200				Q1 - Q1	Q1 - Q1		
Terra turca rubra						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 10M
Testes		D9 - D200	D8 - D200	C6 - C200	C9 - C200							1M - 100M
Testosteronum	†† *	D12 - D200	D12 - D200	C6 - C200	C9 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC100M	1M - 50M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Testudo Hermanni Calcarea							LM2 - LM15	LM2 - LM15				
Testudo Hermanni sanguis				C10 - C200	C12 - C200		LM2 - LM6	LM2 - LM6				1M - 10M
Tetanus Vaccine 1	*			C15 - C200	C16 - C200							1M - 10M
Tetanus Vaccine 2	*	D12 - D200	D12 - D200	C6 - C200	C9 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Tetanustoxin	*	D9 - D200	D7 - D200	C5 - C200	C6 - C200		LM2 - LM120	LM2 - LM30			FC1M - FC10M	1M - 10M
Tetracera indica				C12 - C200			LM1 - LM1					1M - 1M
Tetracyclin	*	D8 - D30	D6 - D30	C3 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Tetradium daniellii				C12 - C30								
Tetradium ruticarpum				C12 - C30								
Tetradymitum				C12 - C200	C12 - C200							1M - 10M
Tetragonia tetragonoides				C12 - C200			LM1 - LM1					
Tetranema roseum				C12 - C30								
Tetrastigma obovatum				C12 - C200								
Tetrorchidium euryphyllum				C12 - C200								1M - 1M
Tettigonia viridissima						C12 - C200	LM1 - LM8	LM1 - LM8	Q1 - Q1	Q1 - Q1	FC1M - FC10M	1M - 100M
Teucrium marum		D1 - D30	D1 - D30	C1 - C200	C1 - C200	C12 - C200	LM1 - LM60	LM1 - LM30	Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 100M
Teucrium scordium		D6 - D30	D4 - D30	C3 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Teucrium scorodonia		D4 - D200	D2 - D200	C5 - C200	C5 - C200	C12 - C200	LM1 - LM8	LM1 - LM8	Q1 - Q3	Q1 - Q3		1M - 10M
Thalamus Gl		D12 - D200	D6 - D200	C10 - C200	C11 - C200							1M - 1M
Thalia demokratica				C2 - C200			LM1 - LM1				FC1M - FC10M	1M - 1M
Thalia geniculata				C12 - C30								
Thalictrum delavayi				C12 - C30								
Thallium aceticum oxydulatum	†† *	D12 - D200	D12 - D200	C6 - C200	C6 - C200		LM3 - LM30	LM3 - LM30	Q3 - Q3	Q3 - Q3		1M - 100M
Thallium arsenicosum	†† *					C12 - C200	LM3 - LM6	LM3 - LM6	Q3 - Q3	Q3 - Q3		1M - 10M
Thallium carbonicum	†† *					C12 - C200						1M - 10M
Thallium chloratum	†† *			C10 - C200	C10 - C200		LM3 - LM6	LM3 - LM6				1M - 1M
Thallium fluoratum	†† *					C12 - C200	LM3 - LM6	LM3 - LM6				1M - 10M
Thallium iodatum	†† *			C10 - C200	C10 - C200							1M - 10M
Thallium metallicum	†† *	D15 - D200	D12 - D200	C10 - C200	C10 - C200		LM3 - LM30	LM3 - LM30				1M - 100M
Thallium nitricum	†† *			C6 - C200	C6 - C200							1M - 10M
Thallium oxalicum	†† *					C12 - C200	LM3 - LM3	LM3 - LM3				1M - 1M
Thallium oxydatum	†† *					C12 - C200	LM3 - LM6		Q3 - Q3			1M - 1M
Thallium phosphoricum	†† *					C12 - C200	LM3 - LM30	LM3 - LM30	Q1 - Q1	Q1 - Q1		1M - 10M
Thallium silicum	†† *			C10 - C200	C10 - C200							
Thallium sulfuricum	†† *	D12 - D200	D12 - D200	C6 - C200	C6 - C200		LM3 - LM6	LM3 - LM6				1M - 100M
Thamnophis sirtalis sirtalis						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 50M
Thapsia garganica				C12 - C200								1M - 1M
Thaspium aureum		D4 - D200	D2 - D200	C2 - C200	C3 - C200		LM1 - LM12	LM1 - LM12				1M - 10M
Thea Ceylon		D4 - D4	D2 - D3	C1 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Thea chinensis		D7 - D200	D5 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC100M	1M - 100M
Theloccephala odieri				C12 - C12								

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
<i>Thelychiton speciosum</i>				C2 - C200			LM1 - LM12					1M - 10M
<i>Thelypteris patens</i>				C12 - C200								
<i>Theophyllum</i>	† *			C2 - C200	C3 - C200							1M - 1M
<i>Theraphosa apophysis</i>						C12 - C200			Q1 - Q1			1M - 1M
<i>Theraphosa leblondisimum</i>	†					C12 - C200	LM1 - LM12		Q1 - Q8			1M - 10M
<i>Theridion</i>		D30 - D200	D30 - D200	C5 - C200	C6 - C200		LM2 - LM45	LM2 - LM30			FC1M - FC100M	1M - 100M
<i>Thermopsis macrophylla</i>				C12 - C30								
<i>Thespesia populnea</i>				C12 - C30								
<i>Thevetia nerifolia</i>	†					C12 - C200						1M - 1M
<i>Thiamethoxam</i>		D6 - D30	D4 - D30	C3 - C30	C3 - C30							
<i>Thiaminum hydrochloricum</i>		D12 - D200	D9 - D200	C6 - C200	C7 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
<i>Thioether</i>		D30 - D200	D15 - D200									
<i>Thiocarbamidum</i>		D6 - D200	D4 - D200	C4 - C200	C4 - C200							
<i>Thiomersalum</i>	†† *	D12 - D30	D12 - D30	C4 - C200	C5 - C200		LM1 - LM9	LM1 - LM9				1M - 50M
<i>Thiosinaminum</i>	† *	D4 - D200	D2 - D200	C2 - C200	C3 - C200		LM1 - LM120	LM1 - LM30			FC1M - FC50M	1M - 50M
<i>Thladiantha dubia</i>				C12 - C200								
<i>Thlaspi macrophyllum</i>				C12 - C12								
<i>Thomasia petalocalyx</i>				C12 - C200								
<i>Thottea siliquosa</i>				C12 - C200								1M - 1M
<i>Thryallis glauca</i>		D7 - D200	D5 - D200	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 100M
<i>Thryptomene denticulata</i>				C12 - C30								
<i>Thryptomene micrantha</i>				C12 - C200								
<i>Thuidium assimile</i>				C12 - C30								
<i>Thuja lobbi</i>				C4 - C200	C5 - C200							1M - 50M
<i>Thuja occidentalis</i>		D0 - D200	D1 - D200	C1 - C200	C0 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	0M - 100M
<i>Thuja plicata</i>			D2 - D30	C2 - C200			LM1 - LM17					1M - 10M
<i>Thulium arsenicosum</i>	†† *					C12 - C200	LM1 - LM6		Q1 - Q9			1M - 100M
<i>Thulium bromatum</i>	*					C12 - C200	LM1 - LM6		Q1 - Q2			1M - 100M
<i>Thulium carbonicum</i>						C12 - C200	LM1 - LM30		Q1 - Q3			1M - 100M
<i>Thulium chloratum</i>						C12 - C200	LM1 - LM30		Q1 - Q5			1M - 100M
<i>Thulium fluoratum</i>	*					C12 - C200	LM1 - LM30		Q1 - Q4			1M - 100M
<i>Thulium iodatum</i>	*					C12 - C200	LM1 - LM30					1M - 100M
<i>Thulium lacticum</i>						C12 - C200	LM1 - LM6					1M - 1M
<i>Thulium metallicum</i>						C12 - C200	LM1 - LM30		Q1 - Q30			1M - 100M
<i>Thulium nitricum</i>						C12 - C200	LM1 - LM18					1M - 50M
<i>Thulium oxalicum</i>						C12 - C200	LM1 - LM18					1M - 1M
<i>Thulium oxydatum</i>						C12 - C200	LM1 - LM30		Q1 - Q9			1M - 100M
<i>Thulium phosphoricum</i>						C12 - C200	LM1 - LM30		Q1 - Q7			1M - 100M
<i>Thulium silicicum</i>						C12 - C200	LM1 - LM18					1M - 50M
<i>Thulium sulfuricum</i>						C12 - C200	LM1 - LM30		Q1 - Q4			1M - 100M
<i>Thunbergia alata</i>				C12 - C200								

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
<i>Thunbergia battiscombei</i>				C12 - C12								
<i>Thunbergia erecta</i>				C12 - C30								
<i>Thunbergia grandiflora</i>						C12 - C200			Q1 - Q1			1M - 1M
<i>Thunbergia mysorensis</i>				C12 - C30			LM1 - LM1					
<i>Thunnus albacares</i>			D5 - D30	C3 - C30			LM1 - LM1					
<i>Thymolum</i>				C3 - C200	C3 - C200		LM1 - LM12	LM1 - LM12				1M - 1M
<i>Thymuline</i>	*			C11 - C200	C12 - C200							1M - 10M
<i>Thymus serpyllum</i>		D7 - D30	D5 - D30	C2 - C200	C3 - C200	C12 - C200	LM1 - LM2	LM1 - LM2	Q1 - Q1	Q1 - Q1		1M - 1M
<i>Thymus vulgaris</i>		D6 - D200	D4 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM17	LM1 - LM17	Q1 - Q1	Q1 - Q1		1M - 100M
<i>Thyreoidea</i>	† *	D7 - D200	D6 - D200	C4 - C200	C4 - C200		LM2 - LM60	LM1 - LM30			FC1M - FC10M	1M - 100M
<i>Thyroiodinum</i>	*			C31 - C200	C32 - C200							1M - 50M
<i>Tibouchina urvilleana</i>				C12 - C200			LM1 - LM1					1M - 1M
<i>Tigridia pavonia</i>				C12 - C12								
<i>Tilia cordata</i>						C12 - C200	LM1 - LM30	LM1 - LM30				1M - 100M
<i>Tilia europaea</i>		D9 - D200	D4 - D200	C3 - C200	C4 - C200		LM1 - LM30	LM1 - LM30				1M - 100M
<i>Tillandsia bulbosa</i>				C12 - C30								
<i>Tillandsia geminiflora</i>						C12 - C200			Q1 - Q1			
<i>Tillandsia guatemalensis</i>				C12 - C30								
<i>Tillandsia usneoides</i>				C12 - C200			LM1 - LM1					
<i>Tillum terrae</i>						C12 - C200			Q1 - Q1	Q1 - Q1		
<i>Tinantia pringlei</i>				C12 - C12								
<i>Tinantia violacea</i>				C12 - C200			LM1 - LM30					1M - 1M
<i>Tinidazolum</i>		D4 - D6	D3 - D6									
<i>Titanium chloratum</i>				C4 - C200	C5 - C200							1M - 10M
<i>Titanium iodatum</i>	*			C3 - C200								1M - 10M
<i>Titanium metallicum</i>						C12 - C200	LM1 - LM30		Q1 - Q30			1M - 50M
<i>Titanium nach Clarke</i>		D14 - D200	D12 - D200	C10 - C200	C10 - C200					FC1M - FC10M		1M - 50M
<i>Titanium oxydatum</i>						C12 - C200	LM1 - LM8	LM1 - LM8				1M - 100M
<i>Titanium phosphoratum</i>				C14 - C200	C15 - C200							1M - 50M
<i>Titanium sulfuricum</i>						C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1		1M - 50M
<i>Tityus stigmurus</i>						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q1	Q1 - Q1		1M - 10M
<i>Tocopherolum aceticum</i>		D3 - D12	D1 - D12	C4 - C200	C4 - C200						FC1M - FC10M	1M - 1M
<i>Tofieldia calyculata</i>				C12 - C12								
<i>Tollwutimpfstoff</i>	*			C6 - C200	C9 - C200							1M - 100M
<i>Tolmiea menziesii</i>				C12 - C12								
<i>Tonca</i>		D8 - D30	D6 - D30	C2 - C200	C3 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
<i>Tonsilla pharyngea</i>		D12 - D200	D9 - D200									
<i>Tonsillae palatinae Gl</i>		D10 - D30	D7 - D30									
<i>Tonsillitis-Polyarthritis Nos.</i>	*	D15 - D30	D10 - D30									
<i>Topas Imperial</i>						C12 - C200			Q1 - Q3	Q1 - Q3		1M - 10M
<i>Topas, blauer</i>						C12 - C200	LM1 - LM12	LM1 - LM12				1M - 50M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Topiramat	*	D4 - D30	D3 - D30	C2 - C30	C3 - C30		LM1 - LM30	LM1 - LM30				
Topobea maurofernandeziana				C12 - C200								1M - 1M
Torreya grandis				C12 - C30								
Tortella tortuosa				C12 - C30								
Tortula muralis				C12 - C30								
Torula cervisiae	*	D12 - D200	D12 - D200			C12 - C200	LM1 - LM12	LM1 - LM12	Q1 - Q1	Q1 - Q1		1M - 50M
Tournefortia glabra				C12 - C12								
Toxoplasmose Nos.	*	D12 - D200	D10 - D200	C4 - C200	C5 - C200		LM2 - LM120	LM2 - LM30				1M - 10M
Toxopneustes pileolus						C12 - C200	LM1 - LM12		Q1 - Q12			1M - 50M
Trachea GI		D12 - D30	D9 - D30									
Trachelospermum jasminoides						C12 - C200			Q1 - Q1			
Tracheobronchitis, infektiöse, Vacc.	*			C6 - C200	C9 - C200							1M - 1M
Trachystemon orientalis				C12 - C30								
Tradescantia pallida				C12 - C12								
Tradescantia spathacea						C12 - C200			Q1 - Q1			1M - 1M
Tradescantia virginiana				C12 - C200			LM1 - LM1					1M - 1M
Trametes versicolor	*			C12 - C12								
Trapa natans				C12 - C200								1M - 1M
Traubenkraut (Allergen)				C6 - C200	C6 - C200							
Trautvetteria carolinensis				C12 - C30			LM1 - LM1					
Trazodonum hydrochloricum	† *	D4 - D12	D2 - D12									
Trema micrantha				C12 - C30			LM1 - LM1					
Tretinoinum	† *	D6 - D200	D9 - D200	C4 - C200	C5 - C200							1M - 100M
Triamacinolon acetonid	*			C2 - C200	C3 - C200		LM1 - LM3	LM1 - LM3				1M - 10M
Tribulus terrestris		D12 - D30	D10 - D30	C6 - C200	C7 - C200		LM2 - LM12	LM2 - LM12				1M - 10M
Tricalysia cryptocalyx				C12 - C30								
Trichilia tuberculata				C12 - C200								
Trichloroäthylenum		D30 - D200	D15 - D200	C10 - C200	C11 - C200							1M - 1M
Trichocereus pachanoi						C12 - C200			Q1 - Q6	Q1 - Q6	FC1M - FC100M	1M - 10M
Trichoceros antennifer						C12 - C200			Q1 - Q1			1M - 10M
Trichodesma boissieri				C12 - C200								
Trichodiadema densum				C12 - C200								1M - 1M
Trichomonadenfluor Nos.	*			C12 - C200	C15 - C200							1M - 10M
Trichophytie Nos.	*	D12 - D200	D12 - D200	C6 - C200	C9 - C200						FC1M - FC50M	1M - 1M
Trichophyton rubrum	*			C7 - C200	C8 - C200							1M - 50M
Trichosanthes kirilowii				C12 - C30			LM1 - LM1					
Trichospermum galeottii				C12 - C30								
Trichostigma peruvianum				C12 - C200			LM1 - LM1					
Tricyrtis hirta				C12 - C200			LM1 - LM1					1M - 1M
Triebwerksölmischung (Flugzeug)		D4 - D4	D4 - D4	C2 - C30	C2 - C30							
Trifolium arvense				C2 - C200	C3 - C200							1M - 1M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Trifolium pratense		D0 - D30	D1 - D30	C1 - C200	C0 - C200		LM1 - LM12	LM1 - LM12				1M - 100M
Trifolium repens				C2 - C200	C3 - C200		LM1 - LM3	LM1 - LM3				1M - 10M
Trigonella foenum-graecum		D4 - D30	D2 - D30	C1 - C200	C2 - C200		LM1 - LM3	LM1 - LM3				1M - 10M
Trillium pendulum		D5 - D30	D4 - D30	C3 - C200	C4 - C200		LM1 - LM30	LM1 - LM30				1M - 10M
Trimeresurus albolarvatus	++			C6 - C200			LM1 - LM1					1M - 10M
Trimeresurus gumprechtii	++			C6 - C200			LM1 - LM1					1M - 10M
Trimeresurus insularis	++			C6 - C200			LM1 - LM3					1M - 10M
Trimeresurus macrops	++			C6 - C200			LM1 - LM1					1M - 1M
Trimeresurus purpureomaculatus	++			C6 - C200		C12 - C200			Q1 - Q1			1M - 10M
Trimipramin	*	D12 - D200	D10 - D200									
Trinitrotoluenum	*					C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q8	Q1 - Q8	FC1M - FC10M	1M - 1M
Triosteum perfoliatum				C7 - C200	C8 - C200							1M - 100M
Triplaris peruviana				C12 - C200			LM1 - LM1					1M - 1M
Tripleurospermum inodorum				C12 - C200								1M - 10M
Tripura divaricata				C12 - C30			LM1 - LM1					
Tripterygium wilfordii				C12 - C12								
Trisetum flavescens						C12 - C200			Q1 - Q1	Q1 - Q1		1M - 1M
Tristellateia australasiae				C12 - C12								
Trithrinax acanthocoma				C12 - C200								
Triticum e seminibus						C12 - C200	LM1 - LM30		Q1 - Q30		FC1M - FC10M	1M - 100M
Triticum spelta						C12 - C200	LM1 - LM12	LM1 - LM12	Q1 - Q1	Q1 - Q1		1M - 50M
Tritoniopsis caffra				C12 - C200			LM1 - LM1					1M - 1M
Triumfetta bogotensis						C12 - C200			Q1 - Q1			1M - 1M
Trochodendron aralioides				C12 - C30			LM1 - LM1					
Troglodytes troglodytes						C12 - C200			Q1 - Q1	Q1 - Q1		1M - 10M
Trollius chinensis				C12 - C30								
Trollius europaeus						C12 - C200			Q1 - Q1			1M - 10M
Trombidium				C31 - C200	C32 - C200							1M - 100M
Tropaeolum majus		D4 - D30	D2 - D30	C1 - C200	C2 - C200		LM1 - LM18	LM1 - LM18				1M - 10M
Trophis racemosa				C12 - C30								
Tropidolaemus wagleri	++			C6 - C200								1M - 50M
Tryptophanum		D9 - D200	D6 - D200	C3 - C200	C4 - C200	C12 - C200	LM1 - LM1	LM1 - LM1				1M - 10M
Tuba Uterina		D10 - D30	D9 - D30									
Tuber melanosporum	*					C12 - C200			Q1 - Q1	Q1 - Q1		1M - 10M
Tuberaria guttata				C12 - C30								
Tuberaria lignosa				C12 - C30								
Tuberculinum Burnett Nos.	*	D12 - D200	D9 - D200	C9 - C200	C9 - C200						FC1M - FC100M	1M - 100M
Tuberculinum Denys Nos.	*			C7 - C200	C9 - C200							1M - 50M
Tuberculinum Klebs. Nos.	† *	D15 - D200	D12 - D200				LM2 - LM90	LM2 - LM30				
Tuberculinum Koch Nos.	*	D12 - D200	D9 - D200	C6 - C200	C7 - C200		LM2 - LM120	LM2 - LM30			FC1M - FC10M	1M - 1MM

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Tuberculinum Marmorek Nos.	*	D30 - D200	D30 - D200	C9 - C200	C9 - C200		LM2 - LM80	LM2 - LM30				1M - 50M
Tuberculinum Spengler Nos.	*	D20 - D200	D20 - D200	C10 - C200	C12 - C200							1M - 10M
Tuberculinum aviaire Nos.	*			C6 - C200	C7 - C200		LM2 - LM60	LM3 - LM30			FC1M - FC10M	1M - 100M
Tuberculinum bovinum Nos.	† *	D12 - D200	D9 - D200	C5 - C200	C5 - C200		LM2 - LM120	LM3 - LM30	Q2 - Q38	Q2 - Q30	FC1M - FC50M	1M - 100M
Tuberculinum residuum Koch Nos.	*			C7 - C200	C8 - C200		LM2 - LM120	LM2 - LM30			FC1M - FC10M	1M - 100M
Tuberculinum rose Nos.	*			C5 - C200	C6 - C200						FC1M - FC1M	1M - 10M
Tularämie Nos.	*	D9 - D200	D7 - D200	C4 - C200	C5 - C200							1M - 1M
Tulbaghia violacea				C5 - C200	C6 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Tulipan pulchra		D30 - D30	D30 - D30	C10 - C200	C12 - C200	C12 - C200	LM1 - LM17	LM1 - LM17	Q1 - Q1	Q1 - Q1		1M - 50M
Tungstenium metallicum				C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q12	Q1 - Q12	FC1M - FC100M	1M - 50M
Tungstenium muriaticum				C10 - C200			LM1 - LM12		Q1 - Q1		FC1M - FC10M	1M - 50M
Tungstenium oxydatum						C12 - C200						1M - 1M
Tungstenium sulfuratum						C12 - C200	LM1 - LM18	LM1 - LM18				1M - 50M
Turdus merula				C3 - C200	C4 - C200		LM1 - LM7	LM1 - LM7				1M - 50M
Turdus philomelos						C12 - C200			Q1 - Q1	Q1 - Q1		1M - 50M
Turmalin schwarz						C12 - C200			Q1 - Q1	Q1 - Q1		1M - 1M
Turmalin, Wassermelonen-				C7 - C200	C8 - C200							1M - 1M
Turnera diffusa	† *	D4 - D200	D2 - D200	C1 - C200	C2 - C200		LM1 - LM30	LM1 - LM30				1M - 50M
Turnera subulata				C12 - C30								
Turnera ulmifolia				C12 - C30			LM1 - LM1					
Turpethum				C4 - C200	C5 - C200							1M - 10M
Turraea heterophylla				C12 - C200								1M - 1M
Typha latifolia				C4 - C200	C5 - C200							1M - 50M
Typha laxmannii				C12 - C12								
Typhus Impfstoff oral	*			C6 - C200	C9 - C200							1M - 10M
Typhus Vi Polysaccharid-Impfstoff	*			C6 - C200	C9 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Typhus abdominalis Nos.	*	D12 - D200	D6 - D200	C7 - C200	C7 - C200		LM2 - LM46	LM2 - LM30				1M - 100M
Typhus exanthematicus Nos.	*	D12 - D200	D9 - D200	C6 - C200	C7 - C200							1M - 100M
Tyrannosaurus rex						C12 - C200			Q2 - Q30	Q2 - Q30	FC1M - FC10M	1M - 50M
Tyto alba				C5 - C200	C6 - C200		LM1 - LM12	LM1 - LM12			FC1M - FC10M	1M - 50M
Türkis						C12 - C200	LM1 - LM18	LM1 - LM18				1M - 100M
Ubichinon		D15 - D200	D15 - D200	C6 - C200	C6 - C200							1M - 10M
Ulcus ventriculi Nos.	*	D9 - D200	D7 - D200									
Ulmus (Bach)				C2 - C200	C2 - C200		LM1 - LM6	LM1 - LM6				1M - 50M
Ulmus campestris						C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q15	Q1 - Q15	FC1M - FC100M	1M - 50M
Ulmus rubra				C7 - C200	C8 - C200							1M - 10M
Uluru						C12 - C200					FC1M - FC10M	1M - 10M
Umckaloabo		D6 - D60	D4 - D60	C1 - C200	C2 - C200		LM1 - LM14	LM1 - LM14				1M - 10M
Uncaria peltata				C12 - C200								
Uncaria tomentosa		D0 - D200	D1 - D200	C1 - C200	C0 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6		1M - 100M
Uncarina stellulifera					C12 - C200							

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Unkrautpollen		D9 - D200	D9 - D200	C5 - C200	C6 - C200							1M - 1M
Upas antiar						C12 - C200						1M - 10M
Upas tieuté		D15 - D30	D12 - D30	C5 - C200	C6 - C200		LM2 - LM21	LM2 - LM21				1M - 50M
Uraemie Nos.	*	D9 - D200	D7 - D200									
Urea pura		D4 - D200	D2 - D200	C2 - C200	C3 - C200		LM1 - LM120	LM1 - LM30	Q1 - Q6	Q1 - Q6		1M - 50M
Ureaplasma urealytica Nos.	*	D12 - D200	D10 - D200	C5 - C200	C6 - C200							1M - 10M
Urena lobata				C12 - C12								
Urera laciniata						C12 - C30			Q1 - Q1			
Urera rzedowskii			D1 - D6	C1 - C200			LM1 - LM1					1M - 1M
Ureter GI		D9 - D200	D6 - D200									
Urethra feminina GI		D8 - D200	D6 - D200									
Urginea maritima	† *	D6 - D200	D4 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 50M
Urobatis halleri				C37 - C200	C38 - C200							1M - 1M
Urotropinum		D4 - D200	D2 - D200	C3 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Ursinia anthemoides				C12 - C30			LM1 - LM1					
Ursus maritimus						C12 - C200						1M - 100M
Urtica dioica		D3 - D200	D2 - D200	C2 - C200	C2 - C200	C12 - C30	LM1 - LM10	LM1 - LM10	Q1 - Q1	Q1 - Q1		1M - 10M
Urtica urens		D0 - D200	D2 - D200	C2 - C200	C0 - C200	C12 - C200	LM1 - LM36	LM1 - LM30	Q1 - Q30	Q1 - Q30		1M - 100M
Usnea barbata		D5 - D100	D3 - D100	C2 - C200	C3 - C200	C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q1	Q1 - Q1		1M - 50M
Ustilago maydis	† *	D12 - D200	D12 - D200	C6 - C200	C9 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q9	Q1 - Q9	FC1M - FC10M	1M - 100M
Uterus		D15 - D200	D10 - D200	C7 - C200	C9 - C200							1M - 50M
Utricularia australis				C12 - C200								
Utricularia foliosa				C12 - C200			LM1 - LM1					1M - 10M
Utricularia longifolia				C12 - C200								
Utricularia reniforme				C12 - C200								
Uvularia grandiflora				C12 - C200			LM1 - LM1					
V2 Grippe Nos.	*	D9 - D200	D7 - D200									
V76 Grippe Nos.	*	D15 - D200	D12 - D200									
Vaccaria hispanica				C12 - C200			LM1 - LM1					
Vaccinium Vaccine	*	D30 - D200	D30 - D200	C6 - C200	C9 - C200		LM2 - LM120	LM2 - LM30				1M - 10M
Vaccinium myrtillus		D5 - D200	D2 - D200	C1 - C200	C2 - C200		LM1 - LM60	LM1 - LM30				1M - 10M
Vaccinium uliginosum						C12 - C200	LM1 - LM5		Q1 - Q1			1M - 10M
Valaciclovir	*	D6 - D10	D4 - D10	C3 - C30	C4 - C30							
Valeriana officinalis		D2 - D200	D1 - D200	C1 - C200	C1 - C200	C12 - C200	LM1 - LM50	LM1 - LM30	Q1 - Q12	Q1 - Q12	FC1M - FC10M	1M - 100M
Valerianella coronata				C12 - C12								
Valerianella locusta						C12 - C200			Q1 - Q1	Q1 - Q1		1M - 1M
Vallea stipularis					C12 - C30							
Valvula aortae bovis GI		D9 - D12	D7 - D12									
Valvula mitralis GI		D12 - D30	D9 - D30									
Vanadium bromatum	*					C12 - C200			Q1 - Q3			1M - 1M
Vanadium fluoratum (III)	†† *					C12 - C200			Q1 - Q1	Q1 - Q1		1M - 100M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Vanadium hydrochloricum						C12 - C200	LM1 - LM7		Q1 - Q8			1M - 50M
Vanadium iodatum	*					C12 - C200	LM1 - LM30					1M - 10M
Vanadium metallicum		D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Vanadium oxydatum						C12 - C200	LM1 - LM60		Q1 - Q1			1M - 1M
Vanadium phosphoricum						C12 - C200	LM1 - LM18		Q1 - Q1			1M - 50M
Vanadium sulfuratum						C12 - C200	LM1 - LM11	LM1 - LM12				1M - 50M
Vanadium sulfuricum oxydatum				C3 - C200	C3 - C200		LM1 - LM10	LM1 - LM10				1M - 10M
Vancomycin	*			C3 - C200			LM1 - LM6					
Vanda Miss Joaquim						C12 - C30			Q1 - Q1			
Vanilla madagascariensis						C12 - C200	LM1 - LM1		Q1 - Q6			1M - 1M
Vanilla planifolia		D6 - D200	D4 - D200	C6 - C200	C7 - C200	C12 - C200	LM1 - LM36	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC10M	1M - 50M
Varicellen Nos.	*	D10 - D200	D8 - D200	C7 - C200	C8 - C200		LM2 - LM60	LM2 - LM30			FC1M - FC100M	1M - 50M
Varizellen Lebendimpfstoff	*			C6 - C200	C9 - C200							1M - 10M
Varizellen Lebendimpfstoff 2	*	D12 - D30	D12 - D30	C6 - C200	C9 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Vasconcellea cauliflora						C12 - C200			Q1 - Q1			
Vasconcellea pubescens					C12 - C200							
Vasconcellea quercifolia					C12 - C30							
Vasopressin	+ *	D12 - D30	D12 - D30	C6 - C200	C9 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Veitchia merrillii						C12 - C200			Q1 - Q1			1M - 1M
Veltheimia bracteata					C12 - C200							1M - 1M
Vena femoralis GI		D9 - D200	D7 - D200									
Venlafaxinum hydrochloricum	*	D6 - D9	D5 - D5	C3 - C200	C4 - C200							1M - 1M
Venofer		D4 - D6	D5 - D6	C3 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				
Ventriculus GI		D9 - D200	D7 - D200									
Venus mercenaria						C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q15	Q1 - Q15	FC1M - FC10M	1M - 100M
Venus mercenaria shell						C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q8	Q1 - Q8	FC1M - FC10M	1M - 1M
Venusmuschelfleisch						C12 - C200			Q1 - Q3	Q1 - Q3		
Vepris madagascarica					C12 - C200							
Veratrinum	†† *			C4 - C200	C5 - C200							1M - 1M
Veratrum album	† *	D6 - D200	D4 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
Veratrum oxysepalum					C12 - C200							
Veratrum viride	† *	D9 - D200	D6 - D200	C2 - C200	C3 - C200		LM1 - LM53	LM1 - LM30			FC1M - FC100M	1M - 100M
Verbascum densiflorum		D2 - D200	D2 - D200	C2 - C200	C1 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q5	Q1 - Q5		1M - 100M
Verbena bonariensis					C12 - C200							1M - 1M
Verbena officinalis		D3 - D60	D2 - D60	C2 - C200	C2 - C200	C12 - C200		LM1 - LM9	Q1 - Q1	Q1 - Q1		1M - 10M
Verbesina helianthoides					C12 - C30							
Verdelit + Rubellit						C12 - C200	LM2 - LM6					1M - 10M
Verdelith						C12 - C200	LM1 - LM10		Q1 - Q1			1M - 50M
Vermiculit		D12 - D200	D12 - D200	C5 - C200	C5 - C200							1M - 10M
Vernix caseata					C5 - C200	C6 - C200						1M - 100M
Veronica beccabunga		D6 - D60	D4 - D60	C2 - C200	C3 - C200							1M - 1M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
<i>Veronica officinalis</i>		D3 - D30	D2 - D30	C2 - C200	C2 - C200		LM1 - LM80	LM1 - LM30			FC1M - FC100M	1M - 100M
<i>Veronica perfoliata</i>				C12 - C30			LM1 - LM1					
<i>Veronica speciosa</i>				C12 - C200								1M - 1M
<i>Veronica wyomingensis</i>				C12 - C30			LM1 - LM1					
<i>Veronicastrum sibiricum</i>				C12 - C30								
<i>Veronicastrum virg.</i>		D6 - D30	D3 - D30	C2 - C200	C3 - C200		LM1 - LM120	LM1 - LM30			FC1M - FC1M	1M - 100M
<i>Verruca vulgaris Nos.</i>	*	D12 - D200	D12 - D200	C6 - C200	C6 - C200							1M - 10M
<i>Vervain (Bach flower)</i>				C2 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 50M
<i>Vesica fellea</i>		D9 - D15	D6 - D15									
<i>Vesica urinaria</i>		D9 - D15	D7 - D15									
<i>Vespa crabro</i>	† *	D6 - D200	D4 - D200	C5 - C200	C6 - C200	C12 - C200	LM1 - LM45	LM1 - LM30	Q1 - Q18	Q1 - Q18	FC1M - FC10M	1M - 50M
<i>Vespa vulgaris</i>	†	D9 - D200	D6 - D200	C2 - C200	C3 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6		1M - 50M
<i>Viburnum opulus</i>		D2 - D200	D1 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q8	Q1 - Q8	FC1M - FC10M	1M - 10M
<i>Viburnum prunifolium</i>		D12 - D200	D10 - D200									
<i>Vicia faba</i>		D9 - D200	D4 - D200	C4 - C200	C5 - C200		LM1 - LM5	LM1 - LM5				1M - 1M
<i>Vicia unijuga</i>					C12 - C30							
<i>Victoria cruziana</i>					C12 - C200		LM1 - LM1					
<i>Vicugna pacos</i>						C12 - C200			Q1 - Q1	Q1 - Q1		
<i>Vinca minor</i>	† *	D4 - D200	D2 - D200	C2 - C200	C2 - C200	C12 - C30	LM1 - LM30	LM1 - LM30	Q1 - Q6	Q1 - Q6	FC1M - FC10M	1M - 100M
<i>Vincetoxicum hirundinaria</i>	† *	D4 - D60	D2 - D60	C2 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q1	Q1 - Q1	FC1M - FC100M	1M - 100M
<i>Vine Bach</i>		D2 - D200	D2 - D200	C2 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 50M
<i>Vinum var. Blaufränkisch</i>			D5 - D5	C4 - C200			LM1 - LM12					1M - 1M
<i>Viola odorata</i>		D3 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM60	LM1 - LM30	Q1 - Q9	Q1 - Q9	FC1M - FC10M	1M - 100M
<i>Viola tricolor</i>		D3 - D200	D2 - D200	C2 - C200	C2 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC50M	1M - 100M
<i>Vipera ammodytes gregorwallneri</i>	††			C6 - C200			LM1 - LM1					1M - 50M
<i>Vipera ammodytes meridionalis</i>	††			C12 - C200					Q1 - Q9		FC1M - FC10M	1M - 10M
<i>Vipera ammodytes transcaucasiana</i>	††					C12 - C200	LM1 - LM18		Q1 - Q6			1M - 10M
<i>Vipera aspis</i>	††					C12 - C200	LM1 - LM30		Q1 - Q16			1M - 100M
<i>Vipera berus</i>	††	D12 - D200	D12 - D200	C10 - C200	C10 - C200		LM1 - LM60	LM1 - LM30	Q1 - Q30	Q1 - Q30	FC1M - FC100M	1M - 100M
<i>Vipera lebetina lebetina</i>	††					C12 - C200	LM1 - LM9		Q1 - Q1			1M - 10M
<i>Vipera xanthina</i>	††					C12 - C200			Q1 - Q1			1M - 50M
<i>Virola sebifera</i>		D4 - D200	D5 - D200	C3 - C200	C2 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC10M	1M - 100M
<i>Viscum album</i>		D0 - D200	D2 - D200	C2 - C200	C0 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q30	Q1 - Q30		1M - 100M
<i>Viscum album gew. auf Abies alba</i>		D12 - D30	D12 - D30									
<i>Viscum album gew. auf Acer pseudoplatanus</i>		D9 - D30	D9 - D30									
<i>Viscum album gew. auf Betula</i>		D30 - D30	D30 - D30	C6 - C200	C7 - C200							1M - 1M
<i>Viscum album gew. auf Mali</i>		D6 - D30	D6 - D30	C2 - C200	C3 - C200		LM1 - LM5	LM1 - LM5				1M - 1M
<i>Viscum album gew. auf Pinus</i>		D9 - D200	D4 - D200									
<i>Viscum album gew. auf Populus nigra</i>		D12 - D200	D12 - D200									
<i>Viscum album gew. auf Populus tremula</i>		D5 - D30	D3 - D30									
<i>Viscum album gew. auf Quercus</i>		D9 - D200	D7 - D200									

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Viscum album gew. auf Tilia europea		D5 - D12	D3 - D12	C2 - C200	C3 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Vismia macrophylla				C12 - C30								
Vitaliana primuliflora				C12 - C200								1M - 1M
Vitex agnus-castus		D3 - D200	D1 - D200	C1 - C200	C1 - C200	C12 - C200	LM1 - LM120	LM1 - LM30	Q1 - Q5	Q1 - Q5	FC1M - FC10M	1M - 100M
Vitis vinifera						C12 - C200			Q1 - Q18	Q1 - Q18	FC1M - FC10M	1M - 10M
Vitis vinifera cum fructum Weiland						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q11	Q1 - Q11		1M - 10M
Vochsia ferruginea				C12 - C30								
Volvariella surrecta				C12 - C12								
Vriesea hieroglyphica				C12 - C200								
Vriesea imperialis				C12 - C30			LM1 - LM1					
Vultur gryphus				C8 - C200	C9 - C200							1M - 50M
Wachendorfia thyrsiflora				C12 - C200								
Wahlenbergia hederacea				C12 - C200								1M - 1M
Waldsteinia geoides				C12 - C12								
Walnut (Bach)				C2 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Water violet (Bach flower)				C2 - C200	C2 - C200		LM1 - LM5	LM1 - LM5				1M - 1M
Watsonia pillansii						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 1M
Weberocereus biolleyi				C12 - C30								
Weigelia florida				C12 - C200								
Weingartia neocumingii				C12 - C12								
Weinmannia rutenbergii				C12 - C200								
Weizenmehl (Allergen)				C6 - C30	C6 - C30							
Wellensittichfedern (Allergen)				C6 - C30	C6 - C30							
Werauhia singuliflora				C12 - C200								1M - 10M
Wercklea coeleana				C12 - C30								
Westringia amabilis				C12 - C200								
White chestnut (Bach flower)		D5 - D100	D2 - D100	C2 - C200	C2 - C200							
Whitfieldia elongata				C12 - C200								
Wiesen-Lieschgras (Allergen)				C6 - C30	C6 - C30							
Wigandia urens				C12 - C200								1M - 1M
Wikstroemia canescens				C12 - C12								
Wild Oat (Bach)				C2 - C200	C2 - C200							1M - 10M
Wild rose (Bach flower)				C2 - C2	C2 - C2			LM1 - LM1				1M - 1M
Willow (Bach flower)				C2 - C200	C2 - C200		LM1 - LM1	LM1 - LM1				1M - 10M
Wisteria sinensis						C12 - C200			Q1 - Q3	Q1 - Q3		1M - 1M
Woodfordia fruticosa				C12 - C200								
Woodwardia unigemmata				C12 - C200								
Wrightia religiosa				C12 - C200								
Wulfenia carinthiaca				C12 - C200								1M - 1M
Wyethia helenoides		D4 - D200	D3 - D200	C6 - C200	C7 - C200		LM1 - LM36	LM1 - LM30				1M - 100M
X-Rays		D60 - D200	D60 - D200	C7 - C200	C9 - C200		LM2 - LM40	LM2 - LM30			FC1M - FC10M	1M - 100M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Xantheria polycarpa						C12 - C200			Q1 - Q1			
Xanthium spinosum		D3 - D60	D2 - D60	C1 - C200	C1 - C200		LM1 - LM30	LM1 - LM30				1M - 50M
Xanthoceras sorbifolium				C12 - C30								
Xanthoxylon fraxineum		D12 - D30	D5 - D30	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30			FC1M - FC100M	1M - 100M
Xenon				C10 - C200	C12 - C200							1M - 100M
Xenopus gilli						C12 - C200	LM1 - LM7		Q1 - Q1			1M - 10M
Xeranthemum inapertum				C12 - C12								
Xerocomus badinus	*					C12 - C200			Q1 - Q1			1M - 1M
Xerocomus chrysenteron				C12 - C12								
Xeronema callistemon				C12 - C200								
Xerophyllum tenax				C9 - C200	C10 - C200							1M - 10M
Xerophyta elegans				C12 - C200			LM1 - LM3					
Xiphidium caeruleum				C12 - C200			LM1 - LM6					
Xiphophorus maculatus						C12 - C200	LM1 - LM6		Q1 - Q1			1M - 1M
Xylaria hypoxylon				C12 - C12								
Xylocarpus granatum						C12 - C200			Q1 - Q1			1M - 1M
Xylolum		D9 - D200	D7 - D200									
Xylometazolinum	*	D12 - D200	D9 - D200	C4 - C200	C5 - C200							1M - 10M
Xylophragma seemannianum				C12 - C30								
Xylosma intermedia				C12 - C200			LM1 - LM6					
Xyris jupicai				C12 - C200								
Xysmalobium undulatum				C4 - C200	C5 - C200		LM1 - LM6	LM1 - LM6				1M - 50M
Yersinia enterocolitica Nos.	*	D12 - D200	D9 - D200	C5 - C200	C6 - C200							1M - 100M
Yohimbinum	*			C6 - C200	C7 - C200		LM1 - LM14	LM1 - LM14				1M - 50M
Yohimbinum hydrochloricum	† *	D6 - D60	D4 - D60	C2 - C200	C3 - C200		LM1 - LM12	LM1 - LM12	Q1 - Q1	Q1 - Q1		1M - 10M
Ytterbium aceticum						C12 - C200	LM1 - LM18		Q1 - Q1			1M - 1M
Ytterbium boricum						C12 - C200						1M - 1M
Ytterbium bromatum	*					C12 - C200	LM1 - LM1		Q1 - Q3			1M - 1M
Ytterbium carbonicum						C12 - C200	LM1 - LM30		Q1 - Q1			1M - 10M
Ytterbium chloratum						C12 - C200	LM1 - LM30		Q1 - Q3			1M - 10M
Ytterbium fluoratum	*					C12 - C200	LM1 - LM22		Q1 - Q1			1M - 10M
Ytterbium hydroxydatum				C10 - C200			LM1 - LM1		Q1 - Q1			1M - 1M
Ytterbium iodatum	*					C12 - C200	LM1 - LM6		Q1 - Q1			1M - 100M
Ytterbium lacticum						C12 - C200	LM1 - LM1					1M - 1M
Ytterbium metallicum						C12 - C200	LM1 - LM30		Q1 - Q30		FC1M - FC100M	1M - 100M
Ytterbium nitricum						C12 - C200	LM1 - LM30		Q1 - Q1			1M - 100M
Ytterbium oxalicum						C12 - C200	LM1 - LM6		Q1 - Q1			1M - 10M
Ytterbium oxydatum						C12 - C200	LM1 - LM18		Q1 - Q2			1M - 1M
Ytterbium phosphoricum						C12 - C200	LM1 - LM30		Q1 - Q6			1M - 100M
Ytterbium silicum						C12 - C200	LM1 - LM18					1M - 10M
Ytterbium sulfuricum						C12 - C200	LM1 - LM49		Q1 - Q4			1M - 100M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Yttrium bromatum	*					C12 - C200	LM1 - LM1		Q1 - Q1			1M - 10M
Yttrium carbonicum						C12 - C200	LM1 - LM3		Q1 - Q7			1M - 10M
Yttrium chloratum						C12 - C200	LM1 - LM10		Q1 - Q3			1M - 10M
Yttrium metallicum						C12 - C200	LM1 - LM60					1M - 100M
Yttrium nitricum						C12 - C200			Q1 - Q3			1M - 1M
Yttrium oxydatum						C12 - C200	LM1 - LM6		Q1 - Q10			1M - 10M
Yttrium phosphoricum						C12 - C200	LM1 - LM6		Q1 - Q1			1M - 10M
Yttrium silicum						C12 - C200	LM1 - LM1					1M - 1M
Yttrium sulfuratum						C12 - C200	LM1 - LM3		Q1 - Q8			1M - 10M
Yucca filamentosa		D7 - D30	D5 - D30	C2 - C200	C3 - C200		LM1 - LM15	LM1 - LM15			FC1M - FC10M	1M - 50M
Zahn, wurzelbehandelter Nos.	*	D9 - D200	D7 - D200	C5 - C200	C6 - C200							1M - 1M
Zahnfistel Nos.	*			C5 - C200	C6 - C200							1M - 1M
Zahnfleischtasche Nos.	*	D10 - D200	D9 - D200	C8 - C200	C8 - C200							1M - 10M
Zahnsteinkonkremente Nos.	*			C5 - C200	C6 - C200							1M - 1M
Zahnwurzelgranulom Nos.	*	D9 - D200	D7 - D200	C4 - C200	C5 - C200							1M - 10M
Zaluzianskya capensis				C12 - C30			LM1 - LM1					
Zantedeschia aethiopica	†			C4 - C200	C4 - C200		LM1 - LM8	LM1 - LM8				1M - 100M
Zapoteca portoricensis				C12 - C12								
Zapoteca tetragona				C12 - C30			LM1 - LM1					
Zauschneria californica				C12 - C200			LM1 - LM1					1M - 1M
Zea mays		D7 - D30	D4 - D30	C3 - C200	C4 - C200	C12 - C200	LM1 - LM30	LM1 - LM30	Q1 - Q7	Q1 - Q7	FC1M - FC10M	1M - 50M
Zephyranthes rosea						C12 - C30			Q1 - Q30			
Zincum aceticum	† *	D4 - D30	D4 - D30	C10 - C200	C10 - C200		LM1 - LM18	LM1 - LM18			FC1M - FC10M	1M - 100M
Zincum amalgamatum	†† *					C12 - C200						
Zincum arsenicosum	†† *	D10 - D200	D10 - D200			C12 - C200	LM1 - LM18	LM1 - LM18	Q1 - Q6	Q1 - Q6		1M - 50M
Zincum bromatum	† *					C12 - C200	LM1 - LM24	LM1 - LM24	Q1 - Q14	Q1 - Q14		1M - 1M
Zincum carbonicum	† *			C10 - C200	C12 - C200						FC1M - FC10M	1M - 100M
Zincum chloratum	† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q14	Q1 - Q14	FC1M - FC10M	1M - 100M
Zincum chromatum	† *			C10 - C200	C12 - C200							1M - 10M
Zincum cyanatum	†† *	D10 - D30	D10 - D30	C10 - C200	C10 - C200		LM2 - LM30	LM2 - LM30			FC1M - FC10M	1M - 50M
Zincum fluoratum	†† *			C10 - C200	C10 - C200		LM1 - LM25	LM1 - LM25				1M - 1M
Zincum isovalerianicum	† *	D9 - D200	D6 - D200	C3 - C200	C4 - C200		LM1 - LM60	LM1 - LM30	Q1 - Q11	Q1 - Q11	FC1M - FC10M	1M - 100M
Zincum jodatum	† *	D15 - D200	D12 - D200	C10 - C200	C11 - C200	C12 - C30	LM1 - LM30	LM1 - LM30	Q1 - Q5	Q1 - Q5	FC1M - FC100M	1M - 50M
Zincum lacticum	† *					C12 - C200						1M - 10M
Zincum metallicum	*	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM100	LM1 - LM30	Q1 - Q100	Q1 - Q30	FC1M - FC100M	1M - 100M
Zincum nitricum	† *			C13 - C200	C15 - C200		LM2 - LM30	LM2 - LM30			FC1M - FC100M	1M - 100M
Zincum oxalicum	*					C12 - C200			Q1 - Q9			1M - 1M
Zincum oxydatum	† *			C10 - C200	C10 - C200		LM1 - LM40	LM1 - LM30	Q1 - Q10	Q1 - Q10	FC5M - FC10M	1M - 100M
Zincum phosphoricum	† *	D10 - D200	D10 - D200	C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q18	Q1 - Q18	FC1M - FC100M	1M - 100M
Zincum picrinicum	† *	D5 - D30	D3 - D30	C4 - C200	C5 - C200		LM1 - LM18	LM1 - LM18				1M - 100M
Zincum salicylicum	† *	D6 - D200	D5 - D200	C5 - C200	C6 - C200							

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Zincum selenicosum	*					C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q6	Q1 - Q6		1M - 1M
Zincum silicum	*					C12 - C200	LM1 - LM12		Q1 - Q11		FC1M - FC10M	1M - 10M
Zincum sulfuricum	† *	D6 - D200	D4 - D200	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q18	Q1 - Q18	FC1M - FC100M	1M - 50M
Zingiber officinale		D4 - D200	D2 - D200	C1 - C200	C2 - C200	C12 - C200	LM1 - LM29	LM1 - LM29	Q1 - Q4	Q1 - Q4		1M - 100M
Zingiber spectabile				C12 - C200								
Zinnia elegans				C12 - C200			LM1 - LM6					1M - 1M
Zinnia peruviana				C12 - C12								
Zirconium carbonicum						C12 - C200	LM1 - LM12	LM1 - LM12				1M - 10M
Zirconium chloratum		D5 - D30	D3 - D30	C2 - C200	C3 - C200		LM1 - LM30	LM1 - LM30				1M - 10M
Zirconium fluoratum	*			C2 - C200	C3 - C200		LM1 - LM6	LM1 - LM6				1M - 1M
Zirconium iodatum	*			C3 - C200	C4 - C200							1M - 10M
Zirconium metallicum				C10 - C200	C10 - C200		LM1 - LM30	LM1 - LM30	Q1 - Q4	Q1 - Q4		1M - 100M
Zirconium phosphoricum						C12 - C200	LM1 - LM6	LM1 - LM6	Q1 - Q9	Q1 - Q9		1M - 50M
Zirconium sulfuricum						C12 - C200	LM1 - LM3	LM1 - LM3				1M - 50M
Zirkonium silicum						C12 - C200			Q1 - Q6	Q1 - Q6		1M - 1M
Zizania palustris				C7 - C200	C9 - C200							1M - 10M
Ziziphus jujuba				C12 - C200			LM1 - LM6					
Zolpidem tartaricum	*	D6 - D12	D4 - D12	C3 - C200	C4 - C200		LM1 - LM1	LM1 - LM1				1M - 1M
Zopiclon	*	D4 - D12	D3 - D12	C2 - C30	C2 - C30		LM1 - LM1	LM1 - LM1				
Zucchini						C12 - C200	LM1 - LM1		Q1 - Q6			1M - 1M
Zygopetalum maculatum				C12 - C200								
Zygophyllum fabago				C12 - C200								
Ätna Lava, schwarz						C12 - C200	LM1 - LM12	LM1 - LM12				1M - 10M
Ölschiefer						C12 - C200	LM1 - LM1	LM1 - LM1	Q1 - Q3	Q1 - Q3		1M - 1M

**DUNHAM** Alle angeführten Arzneien sind in C200 erhältlich.

Name	Name	Name	Name
Acidum arsenicosum (Dunham)	China pubescens (Dunham)	Juniperus sabina (Dunham)	Rheum (Dunham)
Acidum hydrochloricum (Dunham)	Cicuta virosa (Dunham)	Kalium carbonicum (Dunham)	Rhododendron (Dunham)
Acidum hydrofluoricum (Dunham)	Cimex lectularis (Dunham)	Kalium stibyltartaricum (Dunham)	Rhus radicans (Dunham)
Acidum nitricum (Dunham)	Clematis recta (Dunham)	Kreosotum (Dunham)	Rhus toxicodendron (Dunham)
Acidum phosphoricum (Dunham)	Coccus (Dunham)	Lachesis mutus (Dunham)	Ruta graveolens (Dunham)
Acidum silicum (Dunham)	Coffea arabica (Dunham)	Lactuca virosa (Dunham)	Sambucus nigra (Dunham)
Acidum sulfuricum (Dunham)	Colchicum (Dunham)	Ledum palustre (Dunham)	Sanguinaria canadensis (Dunham)
Aconitum (Dunham)	Colocynthis (Dunham)	Lobelia inflata (Dunham)	Schoenocaulon officinale (Dunham)
Aethusa (Dunham)	Conium maculatum (Dunham)	Lycopodium clavatum (Dunham)	Secale cornutum (Dunham)
Agaricus (Dunham)	Corallium rubrum (Dunham)	Lytta vesicatoria (Dunham)	Selenium metallicum (Dunham)
Alumina (Dunham)	Crocus sativus (Dunham)	Magnesium carbonicum (Dunham)	Semecarpus anacardium (Dunham)
Ammoniacum (Dunham)	Croton eluteria (Dunham)	Magnesium chloratum (Dunham)	Sepia (Dunham)
Ammonium carbonicum (Dunham)	Croton tiglium (Dunham)	Manganum (Dunham)	Smilax (Dunham)
Anthrakokali (Dunham)	Cuprum metallicum (Dunham)	Mercurius solubilis Hahnemannii (Dunham)	Solanum dulcamara (Dunham)
Argentum metallicum (Dunham)	Cyclamen europaeum (Dunham)	Mercurius vivus (Dunham)	Spigelia anthelmia (Dunham)
Artemisia cina (Dunham)	Delphinium staphisagria (Dunham)	Mezereum (Dunham)	Stannum metallicum (Dunham)
Asa foetida (Dunham)	Digitalis purpurea (Dunham)	Millefolium (Dunham)	Stibium sulfuratum nigrum (Dunham)
Asarum europaeum (Dunham)	Drosera (Dunham)	Moschus (Dunham)	Stramonium (Dunham)
Atropa bella-donna (Dunham)	Eupatorium perfoliatum (Dunham)	Myristica fragrans (Dunham)	Strontium carbonicum (Dunham)
Aurum metallicum (Dunham)	Euphorbium (Dunham)	Natrium carbonicum (Dunham)	Strychnos ignatii (Dunham)
Barium carbonicum (Dunham)	Euphrasia (Dunham)	Natrium chloratum (Dunham)	Strychnos nux-vomica (Dunham)
Bismutum metallicum (Dunham)	Euspongia off. (Dunham)	Natrium tetraboracicum (Dunham)	Sulfur (Dunham)
Bovista (Dunham)	Ferrum metallicum (Dunham)	Nerium oleander (Dunham)	Taraxacum officinale (Dunham)
Bryonia alba (Dunham)	Galipea officinalis (Dunham)	Nicotiana tabacum (Dunham)	Thuja occidentalis (Dunham)
Calcium carbonicum Hahnemannii (Dunham)	Graphites (Dunham)	Petroleum (Dunham)	Urginea maritima (Dunham)
Cannabis sativa (Dunham)	Gratiola officinalis (Dunham)	Phosphorus (Dunham)	Valeriana officinalis (Dunham)
Capsicum annum (Dunham)	Guaiacum (Dunham)	Platinum metallicum (Dunham)	Veratrum album (Dunham)
Carbo animalis (Dunham)	Helleborus (Dunham)	Polygala senega (Dunham)	Verbascum densiflorum (Dunham)
Carbo vegetabilis (Dunham)	Hepar sulfuris (Dunham)	Prunus laurocerasus (Dunham)	Viola odorata (Dunham)
Castoreum (Dunham)	Hydrargyrum bichloratum (Dunham)	Psorinum Nos. (Dunham)	Viola tricolor (Dunham)
Causticum Hahnemannii (Dunham)	Hydrargyrum sulfuratum rubrum (Dunham)	Pulsatilla pratensis (Dunham)	Zincum metallicum (Dunham)
Cephaelis ipecacuanha (Dunham)	Hyoscyamus niger (Dunham)	Ranunculus bulbosus (Dunham)	
Chamomilla recutica (Dunham)	Iodium (Dunham)	Ranunculus sceleratus (Dunham)	

## FINCKE

Name	Potenzen
Abies canadensis (Fincke)	200, 600
Absinthum (Fincke)	200, 1M, CM
Acalypha indica (Fincke)	1M, 10M, 45M, 50M, CM
Acidum aceticum (Fincke)	1M, 10M, 45M, 50M, CM
Acidum arsenicosum (Fincke)	1M, 9M, 10M, 20M, 29M, 40M, 50M, 51M, 70M, 82M, CM, 103M, 3CM, DM, DM, 7CM, 9CM, MM, DMM
Acidum benzoicum e resina (Fincke)	1M, 9M, 10M, 45M, 50M, CM
Acidum carbolicum (Fincke)	1M, 9M, 10M, 45M, 50M, CM
Acidum chromicum (Fincke)	50M, CM
Acidum citricum (Fincke)	10M
Acidum hydrobromicum (Fincke)	1200
Acidum hydrochloricum (Fincke)	1M, 9M, 10M, 40M, 50M, CM
Acidum hydrocyanicum (Fincke)	1M, 10M, 50M, CM
Acidum hydrofluoricum (Fincke)	1M, 9M, 10M, 50M, CM, MM
Acidum lacticum (Fincke)	1M, 10M, 50M, CM, DMM
Acidum nitricum (Fincke)	1M, 9M, 10M, 20M, 40M, 50M, 80M, CM, 2CM, DM, 9CM, MM
Acidum oxalicum (Fincke)	1M, 9M, 10M, 40M, 50M, 60M, 70M, CM
Acidum phosphoricum (Fincke)	1M, 9M, 10M, 40M, 50M, CM, 2CM, 4CM, DM, MM
Acidum picrinicum (Fincke)	1M, 10M, 40M, 45M, 50M, CM
Acidum salicylicum (Fincke)	30, 200, 50M, CM
Acidum silicicum (Fincke)	1M, 10M, 20M, 40M, 50M, 72M, CM, DM, 6CM
Acidum sulfuricum (Fincke)	1M, 10M, 45M, 50M, CM
Aconitum (Fincke)	1M, 9M, 15M, 40M, 50M, CM, DM, MM
Acorus calamus (Fincke)	9M
Actaea spicata (Fincke)	10M
Aesculus (Fincke)	1M, 9M, 10M, 20M, 45M, 50M, CM, MM
Aethusa (Fincke)	900, 1M, 10M, 40M, 45M, 50M, CM
Agaricus (Fincke)	200, 1M, 9M, 10M, 45M, 50M, CM, 3CM, DM, MM
Agaricus emeticus (Fincke)	200
Agkistrodon contortrix (Fincke)	30, 200, 1M, 9M, 10M, 17M, 50M, CM, 8CM, 5MM
Ailanthus altissima (Fincke)	1M, 10M, 45M, 50M, CM, CM
Alcoholus (Fincke)	CM
Aletris farinosa (Fincke)	9M, 10M, 20M, 45M
Alfa alfa (Fincke)	200, 1M

Allium cepa (Fincke)	900, 1M, 4M, 10M, 25M, 40M, CM
Allium sativum (Fincke)	1M
Aloe (Fincke)	900, 5M, 9M, 10M, 40M, 50M, 53M, CM, DM, DM, MM
Alstonia constricta (Fincke)	20M
Alumina (Fincke)	1M, 10M, 45M, 50M, CM, 3CM, DM, MM
Alumina silicata (Fincke)	30, 200, 1M, 10M, 50M, CM
Aluminium metallicum (Fincke)	1M, 10M, 12M, 43M, 49M, 60M, CM, DM, MM
Aluminium phosphoricum (Fincke)	10M, 50M, CM
Aluminium silicum (Fincke)	900, 45M
Aluminium-kalium-sulfuricum (Fincke)	900, 10M, 45M, CM, DM, 540M, MM
Ambra (Fincke)	1M, 9M, 10M, 40M, 50M, CM, DM, MM
Ambrosia artemisiaefolia (Fincke)	900, 45M
Ammoniacum (Fincke)	200, 1M, 50M, CM
Ammonium bromatum (Fincke)	9M, 50M, CM
Ammonium carbonicum (Fincke)	1M, 9M, 10M, 40M, 50M, CM, 3CM, DM, MM
Ammonium chloratum (Fincke)	1M, 9M, 10M, 50M, CM, DM, MM
Ammonium jodatum (Fincke)	10M, 50M, CM
Ammonium phosphoricum (Fincke)	20M
Ammonium sulfuricum (Fincke)	1M, 10M, 50M, CM
Amylum (Fincke)	30, 200, 500, 1M
Amylum nitricum (Fincke)	1M, 50M
Anagallis arvensis (Fincke)	4M, 45M, 95M
Anthemis nobilis (Fincke)	CM
Anthracinum (Fincke)	500, 1M, 9M, 10M, 40M, 50M, CM, DM, MM
Anthrakokali (Fincke)	9M
Antimonium arsenicosum (Fincke)	10M
Aphis chenopodii glauci (Fincke)	300, CM
Apis (Fincke)	10M, 15M, 20M, 50M, CM, DM, MM
Apium graveolens (Fincke)	45M, 50M
Apocynum androsaemifolium (Fincke)	45M, 45M
Apocynum cannabinum (Fincke)	10M, 50M, CM
Aqua Carlsbad (Fincke)	2M, 5M
Aqua Gettysburg (Fincke)	900, 1M, 45M, 50M, CM
Aqua Skookum Chuck (Fincke)	50M
Aqua sanicula (Fincke)	1M, CM

## FINCKE

Aralia racemosa (Fincke)	45M
Aranea avicularia (Fincke)	200, 1M, 10M, 50M
Aranea diademata (Fincke)	1M, 9M, 10M, 45M, 50M, CM
Arctium lappa (Fincke)	1M
Argentum metallicum (Fincke)	1M, 10M, 45M, 50M, CM
Argentum muriaticum (Fincke)	20M, 40M
Argentum nitricum (Fincke)	1M, 10M, 40M, 50M, CM, 4CM
Arnica (Fincke)	1M, 10M, 40M, 50M, CM, DM, MM
Arsenicum hydrogenisatum (Fincke)	CM
Arsenurum bromatum (Fincke)	1M, 10M, 50M
Arsenurum jodatum (Fincke)	200, 1M, 10M, 20M, 50M, CM, DM, MM
Arsenurum sulfuratum flavum (Fincke)	10M, 50M, CM
Arsenurum sulfuratum rubrum (Fincke)	200
Artemisia abrotanum (Fincke)	1M, 10M, 40M, 45M, 50M, CM, DM, MM
Artemisia cina (Fincke)	1M, 9M, 10M, 50M, CM
Artemisia vulgaris (Fincke)	10M, 20M, 50M, CM
Arum triphyllum (Fincke)	1M, 10M, 12M, 45M, 50M, CM, DM
Arundo mauritanica (Fincke)	10M, 50M, CM
Asa foetida (Fincke)	1M, 9M, 10M, 50M, CM
Asarum europaeum (Fincke)	1M, 10M, 50M, CM
Asterias rubens (Fincke)	200, 1M, 5M, 10M, 45M, 50M, CM
Atropa bella-donna (Fincke)	900, 1M, 2M, 9M, 10M, 20M, 50M, 60M, CM, 2CM, 3CM, DM, MM
Atropinum (Fincke)	CM
Aurum arsenicosum (Fincke)	200, 10M, 50M, CM
Aurum chloratum (Fincke)	1M, 10M, 11M, 45M, 50M, 75M, CM, DM
Aurum jodatum (Fincke)	200, 1M, 10M, 50M, CM
Aurum metallicum (Fincke)	50, 1M, 9M, 10M, 40M, 50M, CM, DM, MM
Aurum sulfuratum (Fincke)	10M, 50M, CM
Bacillinum (Fincke)	50M
Baptisia (Fincke)	1M, 9M, 10M, 45M, 50M, CM
Barium carbonicum (Fincke)	1M, 10M, 41M, 45M, 50M, CM, DM, MM
Barium chloratum (Fincke)	10M, 50M, CM
Barium jodatum (Fincke)	10M, 50M, CM, 7CM
Barium sulfuricum (Fincke)	10M, 50M, CM, MM
Bellis perennis (Fincke)	200, 1M, 10M, CM

Benzinum nitricum (Fincke)	900
Berberis (Fincke)	900, 1M, 9M, 10M, 20M, 40M, 50M, 70M, CM, 4CM
Bismuthum metallicum (Fincke)	1M, 5M, 10M, 45M, 50M, CM
Bismutum subnitricum (Fincke)	50M
Blatta orientalis (Fincke)	1M, 10M, 50M
Bothrops jararaca (Fincke)	10M, 50M, CM
Bovista (Fincke)	1M, 9M, 10M, 50M, CM
Brachylottis repanda (Fincke)	900, 45M, 50M
Bromium (Fincke)	1M, 9M, 10M, 40M, 50M, 71M, CM
Bryonia alba (Fincke)	900, 9M, 30M, 50M, 71M, CM, 103M, 2CM, DM, MM
Bufo (Fincke)	45M
Bufo sahytiensis (Fincke)	50, 1M, 10M, 50M, CM, DM, MM
Cadmium metallicum (Fincke)	50M
Cadmium sulfuricum (Fincke)	10M, CM
Cahinca (Fincke)	CM
Cainca (Fincke)	50M
Calabar (Fincke)	1M, 40M, 50M, CM
Caladium seguinum (Fincke)	1M, 10M, 40M, 50M, CM
Calcium aceticum (Fincke)	CM
Calcium arsenicosum (Fincke)	1M, 10M, 22M, 45M, 50M, CM
Calcium carbonicum Hahnemanni (Fincke)	1M, 10M, 50M, CM, DM, MM, 2MM
Calcium citricum (Fincke)	10M
Calcium fluoratum (Fincke)	1M, 9M, 10M, 45M, 50M, 95M, CM, DM, MM
Calcium iodatum (Fincke)	3M, 10M, 40M, 50M, CM
Calcium phosphoricum (Fincke)	1M, 10M, 50M, CM, DM, MM
Calcium silicum (Fincke)	200, 1M, 10M, 50M, CM
Calcium sulfuricum (Fincke)	10M, 50M, CM, DM, MM
Calendula (Fincke)	10M, 45M, 50M, CM
Camphora (Fincke)	900, 1M, 3M, 6M, 10M, 22M, 45M, 50M, CM, 2CM, 3CM, DM
Cannabis indica (Fincke)	1M, 10M, 20M, 45M, 50M, CM
Cannabis sativa (Fincke)	1M, 9M, 10M, 40M, 45M, 50M, 90M, CM
Capsella bursa-pastoris (Fincke)	1M, 9M, 45M, CM
Capsicum annum (Fincke)	1M, 4M, 10M, 40M, CM
Carbo animalis (Fincke)	1M, 9M, 10M, 50M, 70M, CM, DM, 8CM, 980M, MM
Carbo vegetabilis (Fincke)	10M, 50M, 76M, CM, DM, MM

## FINCKE

Carboneum hydrogenisatum (Fincke)	10M, 50M, CM
Carboneum sulfuratum (Fincke)	200, 1M, 10M, 45M, 50M, CM
Carcinosinum (Fincke)	200, 1M, 10M, 45M, 50M, CM
Carcinosinum squamous pulmonaria (Fincke)	CM, DM
Carduus benedictus (Fincke)	9M, 45M
Castor equi (Fincke)	1M
Castoreum (Fincke)	1M, 10M
Caulophyllum thalictroides (Fincke)	900, 1M, 9M, 10M, 45M, 50M, CM
Causticum Hahnemanni (Fincke)	900, 1M, 10M, 17M, 30M, 40M, 50M, CM, DM, DM, MM
Ceanothus americanus (Fincke)	1M, 10M, 50M, CM
Centella asiatica (Fincke)	20M, 45M
Cephaelis ipecacuanha (Fincke)	1M, 10M, 45M, 50M, CM, MM
Chamomilla recutica (Fincke)	400, 1M, 10M, 40M, 50M, 94M, CM, 3CM, DM, MM
Chelidonium majus (Fincke)	10M, 40M, 50M, 79M, CM, DM, MM
Cheloe glabra (Fincke)	16M
Chenopodium ambrosoides (Fincke)	10M, 50M, CM
Chenopodium vulvaria (Fincke)	CM
Chimaphila umbellata (Fincke)	1M, 10M, 15M, 45M, 50M, CM
China pubescens (Fincke)	1M, 10M, 40M, 50M, 74M, 87M, CM, 3CM, DM, DM, MM
Chininum arsenicosum (Fincke)	10M, 50M, CM
Chininum nitricum (Fincke)	CM
Chininum sulfuricum (Fincke)	1M, 10M, 45M, 50M, CM
Chionanthus virginicus (Fincke)	45MF, 10M
Chloralum hydratum (Fincke)	9M, 25M, 50M
Chloroformium (Fincke)	10M, CM
Chlorum (Fincke)	50M
Chocolate (Fincke)	1M
Cholesterolum (Fincke)	10M, 50M, CM
Cicuta virosa (Fincke)	1M, 10M, 40M, 45M, 50M, CM
Cimex lectularis (Fincke)	50M, CM
Cimicifuga racemosa (Fincke)	1M, 9M, 10M, 40M, 50M, CM, DM
Cinnamomum verum (Fincke)	1M
Cistus canadensis (Fincke)	1M, 9M, 10M, 40M, 45M, 50M, CM
Clematis recta (Fincke)	900, 1M, 9M, 10M, 20M, 45M, 50M, CM, CM, DM, MM
Cobaltum metallicum (Fincke)	1M, 9M, 10M, 40M, 50M, CM

Cocculus (Fincke)	1M, 9M, 10M, 30M, 45M, 50M, CM
Coffea arabica (Fincke)	1M, 10M, 50M, 75M, CM
Colchicum (Fincke)	1M, 9M, 10M, 21M, 40M, 50M, CM
Collinsonia canadensis (Fincke)	10M, 45M, 50M, CM
Colocynthis (Fincke)	900, 1M, 9M, 10M, 31M, 50M, CM, DM, MM
Comocladia dentata (Fincke)	1M, CM
Condurango (Fincke)	1M, 10M, CM
Conium maculatum (Fincke)	1M, 10M, 45M, 50M, 70M, CM, DM, MM
Convallaria majalis (Fincke)	1M
Copaiva (Fincke)	1M, 45M, CM
Corallium rubrum (Fincke)	1M, 10M, 50M, CM
Coriaria myrtifolia (Fincke)	1M
Cornus florida (Fincke)	45M
Cornus rugosa (Fincke)	40M
Crocus sativus (Fincke)	10M, 45M, CM, 2CM, 4CM, 9CM, MM
Crotalus (Fincke)	1M, 10M, 40M, 50M, CM, MM
Crotalus cascavella (Fincke)	9M, 10M, 45M, 50M, CM
Croton tiglium (Fincke)	900, 1M, 9M, 10M, 45M, 50M, CM
Cubeba (Fincke)	1M, 45M, CM
Cucurbita pepo (Fincke)	900, 10M
Culex musca (Fincke)	1M, 50M, CM
Cuprum aceticum (Fincke)	50M
Cuprum arsenicosum (Fincke)	1M, 50M
Cuprum metallicum (Fincke)	900, 1M, 9M, 10M, 45M, 50M, CM, DM, DM, MM
Curare (Fincke)	900, 1M, 50M
Cyclamen europaeum (Fincke)	1M, 10M, 50M, CM
Cypripedium calceolus var. Pubescens (Finck	1M
Dactylopius coccus (Fincke)	10M, 45M, 50M, CM
Daphne cannabina (Fincke)	45M, CM
Delphinium staphisagria (Fincke)	1M, 10M, 45M, 50M, CM, 3CM, DM, 9CM
Digitalis purpurea (Fincke)	1M, 10M, 50M, CM, DM, DM, MM
Dioscorea villosa (Fincke)	1M, 9M, 10M, 45M, 50M, CM
Diphteratum (Fincke)	12, 10M, 50M, CM
Dirca palustris (Fincke)	200, 5M
Drosera (Fincke)	1M, 10M, 50M, CM

## FINCKE

Echinacea (Fincke)	10M, 50M, CM
Elaps corallinus (Fincke)	200, 1M, 9M, 45M, CM
Elaterium (Fincke)	1M, 40M, 50M, CM
Equisetum hiemale (Fincke)	10M, 50M
Erigeron canadensis (Fincke)	45M
Eucalyptus globulus (Fincke)	1M, 45M
Eugenia jambosa (Fincke)	10M
Euonymus atropurpurea (Fincke)	45M, CM
Eupatorium perfoliatum (Fincke)	900, 1M, 10M, 15M, 45M, 50M, CM, CM
Eupatorium purpureum (Fincke)	1M, 9M, 50M
Euphorbia heterodoxa (Fincke)	200, 1M, 10M, 50M, CM
Euphorbium (Fincke)	1M, 10M, 50M, CM, DM, MM
Euphrasia (Fincke)	900, 1M, 9M, 10M, 45M, 50M, 66M, CM, DM, DM, MM
Eupionum (Fincke)	200, 1M, 10M, 20M, 50M, CM
Euspongia officinalis (Fincke)	1M, 10M, 50M, CM, DM, MM
Fagopyrum esculentum (Fincke)	1M, CM
Ferrum arsenicosum (Fincke)	200, 1M, 10M, 10M, 50M, CM
Ferrum chloratum (Fincke)	1M, CM
Ferrum iodatum (Fincke)	1M, 10M, 20M, 50M
Ferrum magneticum (Fincke)	200, 1M, CM
Ferrum metallicum (Fincke)	1M, 10M, 45M, 50M, CM, MM
Ferrum phosphoricum (Fincke)	1M, 10M, 45M, 50M, CM
Ferrum picrinicum (Fincke)	10M, 50M, CM
Formica rufa (Fincke)	900, 50M
Fragaria vesca (Fincke)	1M, 10M, 10M, 50M
Fucus vesiculosus (Fincke)	1M
Galipea officinalis (Fincke)	1M, 9M, 40M, 50M
Garcinia (Fincke)	1M, 10M, 45M, 50M, 60M, CM
Gelsemium sempervirens (Fincke)	10M, 50M, CM, MM
Glycerolum (Fincke)	200, 1M, 10M, 50M, CM
Gnaphalium polycephalum (Fincke)	50M
Graphites (Fincke)	900, 1M, 10M, 50M, CM, DM, DM, 680M, MM, 1680M, 2MM
Gratiola officinalis (Fincke)	1M, 10M, 45M, 50M, CM
Grindelia robusta (Fincke)	5M, 10M, 40M, 50M, CM
Guaiacum (Fincke)	1M, 10M, 34M, 45M, 50M, CM, DM, MM

Gymnocladus dioicus (Fincke)	45M
Hamamelis virginiana (Fincke)	900, 1M, 10M, 45M, 50M, 67M, CM
Hekla lava (Fincke)	1M, 40M, 50M, CM
Heliotropium peruvianum (Fincke)	50M
Helleborus (Fincke)	1M, 9M, 10M, 45M, 50M, CM
Heloderma horridum (Fincke)	50M, CM
Helonias (Fincke)	1M, 10M, 45M, 50M, CM
Hepar sulfuris (Fincke)	1M, 9M, 10M, 20M, 45M, 50M, CM, DM, DM, MM
Hippocaenicum (Fincke)	10M, 10M, 50M, 50M, CM
Homarus (Fincke)	1M, 12M
Hura brasiliensis (Fincke)	40M, CM
Hydrangea arborescens (Fincke)	1M
Hydrargyrum bichloratum (Fincke)	1M, 9M, 10M, 50M, CM, DM, MM
Hydrargyrum sulfuratum rubrum (Fincke)	200, 1M, 10M, 40M, 50M, CM
Hydrastis canadensis (Fincke)	1M, 9M, 10M, 17M, 45M, 50M, CM, DM, MM
Hydropiper (Fincke)	900, CM, MM
Hyoscyamus niger (Fincke)	900, 1M, 10M, 40M, 45M, 50M, CM, DM, MM
Hypericum perforatum (Fincke)	1M, 10M, 50M, CM
Indigo (Fincke)	1M, 50M, CM
Indium metallicum (Fincke)	50M
Inula helenium (Fincke)	200
Iodoformium (Fincke)	900
Iodium (Fincke)	1M, 10M, 40M, 50M, 58M, CM, DM, MM
Iris versicolor (Fincke)	1M, 10M, 45M, 50M, CM
Jalapa (Fincke)	1M, 10M, CM
Jatropha curcas (Fincke)	1M, 10M, 50M, CM
Juglans cinerea (Fincke)	45M
Juglans regia (Fincke)	45M
Juniperus sabina (Fincke)	1M, 10M, CM, 2CM, 3CM, DM, MM
Justitia adhatoda (Fincke)	200, 1M
Kalium arsenicosum (Fincke)	1M, 10M, 45M, 50M, CM
Kalium bichromicum (Fincke)	1M, 10M, 50M, CM
Kalium bromatum (Fincke)	1M, 10M, 45M, 50M, CM
Kalium carbonicum (Fincke)	1M, 10M, 24M, 40M, 50M, CM, MM
Kalium chloratum (Fincke)	10M, 50M, CM, DMM

## FINCKE

Kalium chloricum (Fincke)	1M, 10M, 45M, 50M
Kalium iodatum (Fincke)	1M, 10M, 50M, CM
Kalium nitricum (Fincke)	1M, 5M, 10M, 50M, CM, DMM
Kalium permanganicum (Fincke)	10M, 50M, CM
Kalium phosphoricum (Fincke)	1M, 10M, 45M, 50M, CM, DM, MM
Kalium silicum (Fincke)	10M, 50M, CM
Kalium stibyltartaricum (Fincke)	1M, 10M, 40M, 50M, 84M, CM
Kalium sulfuricum (Fincke)	1M, 10M, 40M, 50M, CM, CM
Kalmia latifolia (Fincke)	1M, 10M, 45M, 46M, 50M, CM
Kaolin (Fincke)	CM
Kino (Fincke)	CM
Kreosotum (Fincke)	1M, 1200, 9M, 10M, 50M, CM, DM
Lac caninum (Fincke)	900, 1M, 10M, 50M, CM, DM, DM, MM
Lac defloratum (Fincke)	1M, 10M, 41M, 50M, CM
Lachesis mutus (Fincke)	1M, 9M, 10M, 12M, 13M, 41M, 50M, CM, MM, 5MM, 10MM, 12MM, 13MM
Lachnanthes tinctoria (Fincke)	1M, 50M
Lactuca virosa (Fincke)	41M, 50M, CM
Lapis albus (Fincke)	10M, 50M, CM
Latroductus mactans (Fincke)	10M, CM
Lecithinum (Fincke)	200, 1M, 10M, 50M, CM
Ledum palustre (Fincke)	1M, 10M, 15M, 45M, 50M, 70M, CM, MM
Lilium lancifolium (Fincke)	1M, 9M, 10M, 40M, 45M, 50M, CM, 460M
Lithium carbonicum (Fincke)	1M, 9M, 10M, 45M, 50M, CM
Lobaria pulmonaria (Fincke)	1M, 9M, 14M, 45M, CM
Lobelia inflata (Fincke)	1M, 10M, 45M, CM
Luesinum (Fincke)	1M, 2M, 10M, 50M, CM, 2CM, 3CM, 8CM, MM
Lycopodium clavatum (Fincke)	1M, 10M, 40M, 43M, 50M, CM, DM, DM, MM, 2MM, 5MM, DMM
Lycopus virginicus (Fincke)	1M, 10M, 20M, 50M, 71M, CM
Lyssinum (Fincke)	200, 1M, 1M, 10M, 40M, 50M, CM
Lytta vesicatoria (Fincke)	900, 1M, 10M, 12M, 39M, 50M, CM
Madar (Fincke)	1M
Magnesium carbonicum (Fincke)	1M, 9M, 10M, 40M, 50M, CM, DM, MM
Magnesium chloratum (Fincke)	1M, 1M, 10M, 10M, 50M, CM, DM, MM
Magnesium phosphoricum (Fincke)	900, 1M, 10M, 45M, 50M, 75M, CM, 3CM, DM, MM
Magnesium sulfuricum (Fincke)	200, 10M, 45M

Magnetis polus arcticus (Fincke)	200, 1M, 20M, 45M
Magnetis polus australis (Fincke)	1M, 10M, 50M, CM
Malandrinum (Fincke)	30, 200, 1M, 10M, 50M, CM
Mancinella (Fincke)	1M, 50M
Manganum aceticum (Fincke)	10M, 45M, CM, CM
Manganum carbonicum (Fincke)	1M, 10M, 50M
Manganum phosphoricum (Fincke)	10M, 50M, CM
Manganum sulfuricum (Fincke)	10M, CM
Medorrhinum (Fincke)	1M, 10M, 50M, CM, DM, MM
Melilotus albus (Fincke)	1M, 10M, 50M, CM
Menyanthes (Fincke)	1M, 10M, 45M, 50M, CM
Mephitis putorius (Fincke)	1M, 10M, 50M, CM
Mercudius kalium iodatus (Fincke)	CM
Mercurialis (Fincke)	1M
Mercurius cyanatus (Fincke)	200, 900, 1M, 10M, 45M, CM
Mercurius dulcis (Fincke)	900, 45M, CM
Mercurius jodatus flavus (Fincke)	900, 1M, 10M, 45M, 50M, CM
Mercurius jodatus ruber (Fincke)	1M, 10M, 40M, 50M, CM
Mercurius solubilis Hahnemanni (Fincke)	1M, 9M, 10M, 45M, 50M, CM, 2CM, 3CM, MM, DMM
Mercurius sulfuricus (Fincke)	900, 30M, CM
Mercurius vivus (Fincke)	10M, 50M, CM, 4CM, 440M
Mezereum (Fincke)	900, 1M, 9M, 10M, 40M, 45M, 50M, CM, CM
Millefolium (Fincke)	900, 1M, 9M, 10M, 50M, CM
Morbillinum (Fincke)	200, 1M, 10M, 50M, CM, MM
Morphinum sulfuricum (Fincke)	1M, CM
Moschus (Fincke)	1M, 10M, 45M, 50M, CM
Mucuna pruriens (Fincke)	900, 3M, 45M, 50M, CM
Murex (Fincke)	1M, 10M, 50M, CM
Myrica cerifera (Fincke)	200, 1M, 40M
Myristica fragrans (Fincke)	1M, 9M, 10M, 22M, 40M, 45M, 50M, CM, 3CM, DM, MM
Myrtus communis (Fincke)	50M
Naja naja (Fincke)	1M, 10M, 45M, 50M, CM
Naphthalinum (Fincke)	200, 1M, 10M
Natrium arsenicosum (Fincke)	200, 1M, 50M, CM
Natrium bicarbonicum (Fincke)	CM

## FINCKE

Natrium carbonicum (Fincke)	1M, 9M, 10M, 50M, CM, DM
Natrium chloratum (Fincke)	1M, 9M, 10M, 20M, 50M, CM, 275M, DM, DM, MM, 2MM
Natrium nitricum (Fincke)	200, 20M, CM
Natrium phosphoricum (Fincke)	1M, 10M, 40M, 50M, CM
Natrium silicum (Fincke)	200, 1M, 10M, 50M, CM
Natrium sulfuricum (Fincke)	900, 1M, 9M, 10M, 40M, 45M, 50M, CM, DM, MM
Natrium tetraboracicum (Fincke)	10M, 50M, CM, DM, MM
Natrium tetrachloroauratum (Fincke)	1M, 10M, 50M, CM
Nerium oleander (Fincke)	1M, 2M, 9M, 10M, 45M, 50M, CM, 380M, DM, MM
Niccolum (Fincke)	1600, 45M, CM
Nicotiana tabacum (Fincke)	900, 1M, 10M, 45M, 70M, CM
Nicotinum (Fincke)	CM
Nitroglycerinum (Fincke)	900, 1M, 10M, 45M, 50M, CM, DM, MM
Nuphar lutea (Fincke)	CM
Oenanthe aquatica (Fincke)	1M, 40M, 50M, CM, CM
Oenanthe crocata (Fincke)	1M, 45M
Oleum animale aethereum Dippelii (Fincke)	10M, 50M, CM
Oleum jecoris aselli (Fincke)	10M, 50M, CM
Onosmodium (Fincke)	1M, 10M, 40M, 50M, CM
Opium (Fincke)	1M, 9M, 10M, 23M, 30M, 50M, CM, DM, 7CM, 8CM
Origanum vulgare (Fincke)	1M, CM
Osmium metallicum (Fincke)	1M, 9M, 10M, 45M, 50M
Ovi gallinae pellicula (Fincke)	200, 1M, 9M, 40M, CM
Ovininum (Fincke)	1M, 10M, 50M, CM
Oxytropis lambertii (Fincke)	900
Palladium metallicum (Fincke)	1M, 10M, 45M, 50M, CM
Panax ginseng (Fincke)	1M, CM
Pareira brava (Fincke)	1M, 10M, 40M, 45M, 45M, 50M
Paris quadrifolia (Fincke)	1M, 9M, 10M, CM
Passiflora incarnata (Fincke)	5M
Petroleum (Fincke)	1M, 9M, 10M, CM, MM
Petroselinum crispum (Fincke)	1M, 9M, 10M, 40M, CM, DM
Phaseolus nanus (Fincke)	1M, 10M, 50M, CM
Phosphorus (Fincke)	1M, 9M, 10M, 20M, 21M, 50M, 70M, 80M, CM, 3CM, DM, 520M, 7CM, MM, 2MM
Phytolacca americana (Fincke)	900, 1M, 9M, 10M, 47M, 50M, CM

<i>Pinus palustres</i> (Fincke)	200, 1M, 10M
<i>Piper methysticum</i> (Fincke)	10M, 50M, CM
<i>Piper nigrum</i> (Fincke)	10M, 50M, CM
<i>Pix liquida</i> (Fincke)	CM
<i>Plantago</i> (Fincke)	45M, 50M, CM
<i>Plantago minor</i> (Fincke)	1M
<i>Platanus</i> (Fincke)	900, 45M
<i>Platinum</i> (Fincke)	1M, 9M, 10M, 33M, 40M, 45M, 50M, CM, 146M, DM, MM
<i>Plumbago littoralis</i> (Fincke)	9M
<i>Plumbum aceticum</i> (Fincke)	45M
<i>Plumbum metallicum</i> (Fincke)	900, 1M, 3M, 9M, 10M, 40M, 45M, 50M, CM, DM, MM
<i>Podophyllum peltatum</i> (Fincke)	1M, 10M, 13M, 36M, 45M, 50M, 91M, CM, DM
<i>Polygala senega</i> (Fincke)	1M, 10M, CM
<i>Populus tremuloides</i> (Fincke)	45M, CM
<i>Prunus laurocerasus</i> (Fincke)	1M, 9M, 10M, 50M, CM
<i>Prunus spinosa</i> (Fincke)	1M, 10M, 50M, CM
<i>Psorinum Nos.</i> (Fincke)	1M, 9M, 10M, 42M, 45M, 50M, CM, 3CM, DM, DM, MM, 2MM, DMM
<i>Ptelea trifoliata</i> (Fincke)	10M, 30M, 50M, CM
<i>Pulmo vulpis</i> (Fincke)	900
<i>Pulsatilla pratensis</i> (Fincke)	1M, 10M, 16M, 40M, 50M, 52M, CM, 3CM, DM, MM, 2MM
<i>Pyrogenium</i> (Fincke)	200, 1M, 10M, 50M, CM, MM
<i>Ranunculus bulbosus</i> (Fincke)	1M, 2M, 10M, 40M, 45M, 50M, 65M, CM
<i>Ranunculus sceleratus</i> (Fincke)	2M, 10M, 40M, 50M, CM
<i>Raphanus sativus</i> var. <i>niger</i> (Fincke)	1M, 50M
<i>Ratanhia</i> (Fincke)	10M, 50M, CM
<i>Resina picae</i> (Fincke)	1M, 15M, 40M, CM
<i>Rheum</i> (Fincke)	1M, 10M, 45M, 50M, CM
<i>Rhododendron</i> (Fincke)	62M, 1M, 9M, 10M, 13M, 40M, 45M, 50M, 52M, 80M, 95M, CM, 3CM, 6CM, 680M
<i>Rhus aromatica</i> (Fincke)	200, 1M, 10M, 50M, CM
<i>Rhus radicans</i> (Fincke)	900, 10M, 45M, 50M, CM, MM
<i>Rhus toxicodendron</i> (Fincke)	1M, 10M, 12M, 45M, 50M, CM, 3CM, DM, MM, 3MM
<i>Rhus venenata</i> (Fincke)	10M, 20M, 50M, CM
<i>Robinia pseudoacacia</i> (Fincke)	200, 1M, 10M
<i>Rumex crispus</i> (Fincke)	1M, 9M, 10M, 45M, 50M, CM
<i>Ruta graveolens</i> (Fincke)	1M, 10M, 50M, CM

## FINCKE

Sabal serrulata (Fincke)	200
Saccharum album (Fincke)	5M, 45M, 50M
Saccharum lactis (Fincke)	50M, CM
Sambucus nigra (Fincke)	900, 1M, 10M
Sanguinaria canadensis (Fincke)	9M, 24M, 50M, CM, DM
Sarracenia purpurea (Fincke)	2M
Scarlatininum (Fincke)	30, 1M, 10M, 20M, 45M, CM
Schoenocaulon officinale (Fincke)	1M, 9M, 10M, 45M, 50M, CM, DM
Scutellaria lateriflora (Fincke)	1M
Secale cornutum (Fincke)	1M, 10M, 50M, CM, MM
Selenicereus grandiflorus (Fincke)	50, 10M, 45M, 50M, CM
Selenium metallicum (Fincke)	45M, 50M, CM
Semecarpus anacardium (Fincke)	1M, 9M, 10M, 40M, 50M, 60M, 80M, 90M, CM, 2CM, DM, MM
Senecio aureus (Fincke)	1M, 10M, DM
Senna (Fincke)	1M, CM
Sepia (Fincke)	200, 1M, 10M, 40M, 50M, CM, 3CM, 7CM, MM
Silybum marianum (Fincke)	1M, 10M, 50M, CM
Simarouba cedron (Fincke)	10M, 45M, 50M, CM
Sinapis nigra (Fincke)	1M, 10M, 45M, CM
Smilax (Fincke)	900, 1M, 9M, 45M, CM
Solanum dulcamara (Fincke)	1M, 10M, 45M, 50M, CM, CM, DM, MM, 15CM
Solanum nigrum (Fincke)	45M
Solanum tuberosum aegrotans (Fincke)	1M, 40M
Spigelia anthelmia (Fincke)	1M, 10M, 50M, CM
Spongilla lacustris (Fincke)	200, 900, 1M, 10M, 45M, 50M, CM
Stannum metallicum (Fincke)	1M, 10M, 16M, CM, DM, MM
Stibium sulfuratum nigrum (Fincke)	900, 1M, 9M, 10M, 13M, 36M, 45M, 50M, 60M, 71M, CM, DM, MM
Stillingia silvatica (Fincke)	45M, 50M
Stramonium (Fincke)	900, 1M, 9M, 10M, 45M, 50M, CM
Strontium carbonicum (Fincke)	1M, 10M, 40M, 50M, CM, 3CM, DM, MM
Strychninum sulfuricum (Fincke)	42M
Strychnos ignatii (Fincke)	1M, 9M, 10M, 22M, 34M, 40M, 45M, 50M, 70M, CM, 3CM, DM, DM, MM
Strychnos nux-vomica (Fincke)	1M, 10M, 40M, 50M, CM, 2CM, DM, 980M, MM
Sulfur (Fincke)	1M, 9M, 10M, 50M, 81M, CM, 2CM, 3CM, DM, 7CM, MM, 2MM, 4MM, 5MM, 7MM, 9MM
Symphytum (Fincke)	1M, 9M, 45M, CM

Tanacetum vulgare (Fincke)	CM
Tarantula cubensis (Fincke)	1M, 9M, CM
Tarantula hispanica (Fincke)	1M, 9M, 45M, 75M, CM, 4CM
Taraxacum officinale (Fincke)	1M, 10M, 30M, CM
Tellurium metallicum (Fincke)	1M, 10M, 45M, CM, 2CM
Terebinthina larinina (Fincke)	1M, 9M
Terebinthina pini (Fincke)	900, 40M, CM
Teucrium marum (Fincke)	10M, 40M, 63M, 3CM
Thea cinensis (Fincke)	20M, CM
Theridion (Fincke)	9M, 45M, CM
Thuja occidentalis (Fincke)	1M, 9M, 10M, 15M, 50M, CM, 108M, DM, MM, 2MM
Tilia europaea (Fincke)	45M, CM
Trifolium pratense (Fincke)	10M, 45M
Trillium pendulum (Fincke)	50M
Triosteum perfoliatum (Fincke)	20M
Trombidium (Fincke)	1M, 1500, 10M, 50M, 51M, CM
Tuberculinum aviaire Nos. (Fincke)	1M, 10M, 50M, CM
Tuberculinum bovinum Nos. (Fincke)	200, 1M, 1M, 10M, 10M, 40M, 45M, CM, MM
Urginea maritima (Fincke)	900, 1M, 9M, 45M, CM
Urtica (Fincke)	1M, 10M, 10M, CM
Ustilago maydis (Fincke)	1M, 10M, 20M, CM
Uva ursi (Fincke)	10M, 50M, CM
Vaccinium (Fincke)	20M, 50M, CM
Valeriana officinalis (Fincke)	1M, 10M, 50M, CM
Variolinum (Fincke)	30, 200, 45M, 50M, CM
Veratrum album (Fincke)	1M, 10M, 50M, 55M, CM, DM, MM
Veratrum viride (Fincke)	1M, 10M, 20M, 35M, 50M, CM
Verbascum densiflorum (Fincke)	900, 1M, 10M, CM
Verbena urticaefolia (Fincke)	45M
Veronica virginica (Fincke)	1M, 4M, 10M, 20M, 50M, CM
Vespa crabro (Fincke)	CM
Vespa vulgaris (Fincke)	1M
Viburnum opulus (Fincke)	10M, 13M, 45M, CM
Vinca minor (Fincke)	45M
Viola odorata (Fincke)	50M, CM

FINCKE

Name	Rp	D		C		HV C3 Globuli	LM		Q		FC Globuli	Korsakoff Globuli
		Dilution	Globuli	Dilution	Globuli		Dilution	Globuli	Dilution	Globuli		
Cerium arsenicosum	†† *					C12 - C200	LM1 - LM8		Q1 - Q4			1M - 50M
Cerium bromatum	*					C12 - C200	LM1 - LM12		Q1 - Q3			1M - 50M
Cerium carbonicum						C12 - C200	LM1 - LM30		Q1 - Q12			1M - 50M
Cerium causticum						C12 - C200			Q1 - Q3			1M - 50M
Cerium chloratum	†					C12 - C200	LM1 - LM42		Q1 - Q6			1M - 100M
Cerium fluoratum	*					C12 - C200	LM1 - LM18		Q1 - Q3			1M - 10M
Cerium iodatum	*					C12 - C200	LM1 - LM30		Q1 - Q3			1M - 10M
Cerium lacticum						C12 - C200	LM1 - LM6		Q1 - Q6			1M - 10M
Cerium metallicum						C12 - C200	LM1 - LM40		Q1 - Q30		FC1M - FC100M	1M - 100M
Cerium nitricum						C12 - C200	LM1 - LM18		Q1 - Q6			1M - 10M
Cerium oxalicum	† *					C12 - C200	LM1 - LM16		Q1 - Q3			1M - 100M
Cerium oxydatum						C12 - C200	LM1 - LM48		Q1 - Q3			1M - 100M
Cerium phosphoricum						C12 - C200	LM1 - LM30		Q1 - Q11			1M - 50M
Cerium silicum						C12 - C200	LM1 - LM12		Q1 - Q6			1M - 50M
Cerium sulfuricum						C12 - C200	LM1 - LM30		Q1 - Q6			1M - 50M
Dysprosium arsenicosum	†† *					C12 - C200	LM1 - LM18					1M - 50M
Dysprosium bromatum	*					C12 - C200	LM1 - LM6		Q1 - Q1			1M - 10M
Dysprosium carbonicum						C12 - C200	LM1 - LM30		Q1 - Q12			1M - 10M
Dysprosium chloratum						C12 - C200	LM1 - LM36		Q1 - Q30			1M - 100M
Dysprosium fluoratum	*					C12 - C200	LM1 - LM30		Q1 - Q1			1M - 10M
Dysprosium hydroxydatum						C12 - C200	LM1 - LM6					1M - 50M
Dysprosium iodatum	*					C12 - C200	LM1 - LM30		Q1 - Q1		FC1M - FC10M	1M - 100M
Dysprosium lacticum						C12 - C200	LM1 - LM1		Q1 - Q3			1M - 1M
Dysprosium metallicum						C12 - C200	LM1 - LM30		Q1 - Q30		FC1M - FC100M	1M - 50M
Dysprosium nitricum						C12 - C200	LM1 - LM40		Q1 - Q2			1M - 50M
Dysprosium oxalicum						C12 - C200	LM1 - LM6		Q1 - Q1			1M - 10M
Dysprosium oxydatum						C12 - C200	LM1 - LM40		Q1 - Q1		FC1M - FC10M	1M - 100M
Dysprosium phosphoricum						C12 - C200	LM1 - LM29		Q1 - Q3			1M - 50M
Dysprosium silicum						C12 - C200	LM1 - LM30					1M - 50M
Dysprosium sulfuricum						C12 - C200	LM1 - LM30		Q1 - Q13			1M - 50M
Erbium arsenicosum	†† *					C12 - C200	LM1 - LM30		Q1 - Q6			1M - 10M
Erbium bromatum	*					C12 - C200	LM1 - LM6		Q1 - Q1			1M - 50M
Erbium carbonicum						C12 - C200	LM1 - LM30		Q1 - Q3			1M - 50M
Erbium chloratum						C12 - C200	LM1 - LM30		Q1 - Q6			1M - 50M
Erbium fluoratum	*					C12 - C200	LM1 - LM6		Q1 - Q1			1M - 10M
Erbium iodatum	*		C4 - C200				LM1 - LM12		Q1 - Q1			1M - 10M
Erbium lacticum						C12 - C200	LM1 - LM6		Q1 - Q1		FC1M - FC100M	1M - 10M
Erbium metallicum						C12 - C200	LM1 - LM30		Q1 - Q12		FC1M - FC100M	1M - 100M
Erbium nitricum						C12 - C200	LM1 - LM12		Q1 - Q1			1M - 10M
Erbium oxalicum						C12 - C200	LM1 - LM30		Q1 - Q1			1M - 100M

## LANTHANIDEN

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Erbium oxydatum						C12 - C200	LM1 - LM30		Q1 - Q6			1M - 50M
Erbium phosphoricum						C12 - C200	LM1 - LM40		Q1 - Q1			1M - 100M
Erbium silicum						C12 - C200	LM1 - LM30					1M - 50M
Erbium sulfuricum				C4 - C200			LM1 - LM30					1M - 50M
Europium arsenicosum	†† *					C12 - C200	LM1 - LM18		Q1 - Q7			1M - 50M
Europium bromatum	*					C12 - C200	LM1 - LM6		Q1 - Q1			1M - 10M
Europium carbonicum						C12 - C200	LM1 - LM30		Q1 - Q3			1M - 50M
Europium chloratum						C12 - C200	LM1 - LM30		Q1 - Q8			1M - 50M
Europium fluoratum	*					C12 - C200	LM1 - LM30		Q1 - Q3			1M - 50M
Europium hydroxydatum						C12 - C200	LM1 - LM6					1M - 1M
Europium iodatum	*					C12 - C200	LM1 - LM6		Q1 - Q4			1M - 10M
Europium lacticum						C12 - C200	LM1 - LM6					1M - 50M
Europium metallicum						C12 - C200	LM1 - LM30		Q1 - Q30		FC1M - FC10M	1M - 10M
Europium nitricum						C12 - C200	LM1 - LM30		Q1 - Q10			1M - 50M
Europium oxalicum						C12 - C200	LM1 - LM6					0M - 10M
Europium oxydatum						C12 - C200	LM1 - LM50		Q1 - Q5			1M - 10M
Europium phosphoricum						C12 - C200	LM1 - LM45		Q1 - Q12			1M - 100M
Europium silicum						C12 - C200	LM1 - LM30		Q1 - Q6			1M - 50M
Europium sulfuricum						C12 - C200	LM1 - LM30		Q1 - Q9			1M - 50M
Gadolinit						C12 - C200	LM1 - LM6		Q1 - Q1			1M - 1M
Gadolinium arsenicosum	†† *					C12 - C200	LM1 - LM30					1M - 50M
Gadolinium bromatum	*					C12 - C200	LM1 - LM6		Q1 - Q1			1M - 50M
Gadolinium carbonicum						C12 - C200	LM1 - LM30		Q1 - Q3			1M - 100M
Gadolinium chloratum						C12 - C200	LM1 - LM90		Q1 - Q6			1M - 100M
Gadolinium fluoratum	*					C12 - C200	LM1 - LM30		Q1 - Q1			1M - 50M
Gadolinium hydroxydatum			C10 - C200									1M - 1M
Gadolinium iodatum	*					C12 - C200	LM1 - LM30		Q1 - Q1			1M - 100M
Gadolinium lacticum						C12 - C200	LM1 - LM6					1M - 10M
Gadolinium metallicum						C12 - C200	LM1 - LM90		Q1 - Q30			1M - 100M
Gadolinium nitricum						C12 - C200	LM1 - LM30		Q1 - Q6			1M - 50M
Gadolinium oxalicum						C12 - C200	LM1 - LM6					1M - 1M
Gadolinium oxydatum						C12 - C200	LM1 - LM30		Q1 - Q1			1M - 100M
Gadolinium phosphoricum						C12 - C200	LM1 - LM30		Q1 - Q9			1M - 50M
Gadolinium silicum						C12 - C200	LM1 - LM30		Q1 - Q1			1M - 50M
Gadolinium sulfuricum						C12 - C200	LM1 - LM30		Q1 - Q6			1M - 100M
Holmium arsenicosum	†† *					C12 - C200	LM1 - LM30		Q1 - Q5			1M - 10M
Holmium bromatum	*					C12 - C200	LM1 - LM12				FC1M - FC100M	1M - 10M
Holmium carbonicum						C12 - C200	LM1 - LM60		Q1 - Q3			1M - 50M
Holmium chloratum						C12 - C200	LM1 - LM45		Q1 - Q6		FC1M - FC100M	1M - 50M
Holmium citricum						C12 - C200						1M - 1M
Holmium fluoratum	*					C12 - C200	LM1 - LM30		Q1 - Q3			1M - 50M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Holmium iodatum	*					C12 - C200	LM1 - LM30		Q1 - Q1			1M - 1M
Holmium lacticum						C12 - C200	LM1 - LM6		Q1 - Q1			1M - 10M
Holmium metallicum						C12 - C200	LM1 - LM30		Q1 - Q30		FC1M - FC100M	1M - 10M
Holmium nitricum						C12 - C200	LM1 - LM30		Q1 - Q3			1M - 10M
Holmium oxalicum						C12 - C200	LM1 - LM18		Q1 - Q1			1M - 10M
Holmium oxydatum						C12 - C200	LM1 - LM30		Q1 - Q1			1M - 50M
Holmium phosphoricum						C12 - C200	LM1 - LM30		Q1 - Q1			1M - 50M
Holmium silicum						C12 - C200	LM1 - LM30		Q1 - Q6			1M - 10M
Holmium sulfuricum						C12 - C200	LM1 - LM30		Q1 - Q4			1M - 10M
Lanthane A						C12 - C200						1M - 10M
Lanthane B						C12 - C200						1M - 10M
Lanthanum arsenicosum	†† *					C12 - C200	LM1 - LM30		Q1 - Q8			1M - 50M
Lanthanum bromatum	*					C12 - C200	LM1 - LM30		Q1 - Q3			1M - 100M
Lanthanum carbonicum	*					C12 - C200	LM1 - LM30		Q1 - Q8			1M - 100M
Lanthanum chloratum						C12 - C200	LM1 - LM18		Q1 - Q20			1M - 100M
Lanthanum fluoratum	*					C12 - C200	LM1 - LM30		Q1 - Q6			1M - 50M
Lanthanum glutaminicum				C10 - C200			LM1 - LM1		Q1 - Q1			1M - 50M
Lanthanum hydroxydatum						C12 - C200	LM1 - LM6					1M - 10M
Lanthanum iodatum	*					C12 - C200	LM1 - LM30					1M - 10M
Lanthanum lacticum						C12 - C200	LM1 - LM13		Q1 - Q3			1M - 10M
Lanthanum metallicum	*					C12 - C200	LM1 - LM30		Q1 - Q30		FC1M - FC100M	1M - 50M
Lanthanum nitricum						C12 - C200	LM1 - LM18		Q1 - Q1		FC1M - FC100M	1M - 50M
Lanthanum oxalicum						C12 - C200	LM1 - LM18		Q1 - Q1			1M - 10M
Lanthanum oxydatum						C12 - C200	LM1 - LM30		Q1 - Q9			1M - 100M
Lanthanum phosphoricum						C12 - C200	LM1 - LM36		Q1 - Q18		FC1M - FC10M	1M - 50M
Lanthanum selenicosum	† *					C12 - C200						1M - 10M
Lanthanum silicum						C12 - C200	LM1 - LM30		Q1 - Q6			1M - 50M
Lanthanum sulfuricum						C12 - C200	LM1 - LM30		Q1 - Q21			1M - 100M
Lutetium arsenicosum	†† *					C12 - C200	LM1 - LM8					1M - 1M
Lutetium bromatum	*					C12 - C200	LM1 - LM6		Q1 - Q3			1M - 10M
Lutetium carbonicum						C12 - C200	LM1 - LM12		Q1 - Q9			1M - 50M
Lutetium chloratum						C12 - C200	LM1 - LM6					1M - 10M
Lutetium fluoratum	*					C12 - C200	LM1 - LM36		Q1 - Q1			1M - 50M
Lutetium hexafluorosilicicum	*			C10 - C200								1M - 50M
Lutetium iodatum	*					C12 - C200	LM1 - LM14					1M - 1M
Lutetium lacticum				C10 - C200								1M - 1M
Lutetium metallicum						C12 - C200	LM1 - LM30		Q1 - Q30		FC1M - FC50M	1M - 50M
Lutetium nitricum						C12 - C200	LM1 - LM12					1M - 50M
Lutetium oxalicum						C12 - C200						1M - 10M
Lutetium oxydatum						C12 - C200	LM1 - LM30		Q1 - Q3			1M - 50M
Lutetium permanganicum	*			C3 - C200			LM1 - LM6					1M - 100M

## LANTHANIDEN

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Lutetium phosphoricum						C12 - C200	LM1 - LM6		Q1 - Q2			1M - 50M
Lutetium silicum						C12 - C200			Q1 - Q13		FC1M - FC50M	1M - 1M
Lutetium sulfuricum						C12 - C200	LM1 - LM12		Q1 - Q1			1M - 10M
Neodym(III) acetat						C12 - C200			Q1 - Q1	Q1 - Q1		1M - 1M
Neodymium arsenicosum	†† *					C12 - C200	LM1 - LM8		Q1 - Q10			1M - 50M
Neodymium bromatum	*					C12 - C200	LM1 - LM6		Q1 - Q3			1M - 10M
Neodymium carbonicum						C12 - C200	LM1 - LM30		Q1 - Q9			1M - 10M
Neodymium chloratum						C12 - C200	LM1 - LM12		Q1 - Q1			1M - 100M
Neodymium citricum						C12 - C200						1M - 1M
Neodymium fluoratum	*					C12 - C200	LM1 - LM30		Q1 - Q1			1M - 10M
Neodymium glutamicum						C12 - C200						1M - 10M
Neodymium hydroxydatum						C12 - C200						1M - 1M
Neodymium iodatum	*					C12 - C200	LM1 - LM18		Q1 - Q9			1M - 100M
Neodymium lacticum						C12 - C200	LM1 - LM6		Q1 - Q1			1M - 1M
Neodymium metallicum						C12 - C200	LM1 - LM30		Q1 - Q30		FC1M - FC100M	1M - 50M
Neodymium nitricum						C12 - C200	LM1 - LM30		Q1 - Q7		FC1M - FC100M	1M - 100M
Neodymium oxalicum						C12 - C200	LM1 - LM6		Q1 - Q6			1M - 10M
Neodymium oxydatum						C12 - C200	LM1 - LM30		Q1 - Q9			1M - 100M
Neodymium phosphoricum						C12 - C200	LM1 - LM30		Q1 - Q8			1M - 50M
Neodymium silicum						C12 - C200	LM1 - LM30		Q1 - Q1			1M - 1M
Neodymium sulfuricum						C12 - C200	LM1 - LM30		Q1 - Q6			1M - 50M
Neodymium tetraboricum						C12 - C200						1M - 1M
Praseodymium aceticum			D4 - D6	C3 - C30		C12 - C200	LM1 - LM1					1M - 1M
Praseodymium arsenicosum	†† *					C12 - C200	LM1 - LM6					1M - 50M
Praseodymium bromatum	*					C12 - C200	LM1 - LM9					1M - 50M
Praseodymium carbonicum						C12 - C200	LM1 - LM30		Q1 - Q16			1M - 50M
Praseodymium chloratum						C12 - C200	LM1 - LM30		Q1 - Q12			1M - 50M
Praseodymium citricum						C12 - C200						1M - 1M
Praseodymium fluoratum	*					C12 - C200	LM1 - LM30		Q1 - Q1			1M - 50M
Praseodymium glutamicum						C12 - C200						1M - 1M
Praseodymium hydroxydatum	† *			C10 - C200			LM1 - LM6		Q1 - Q1			1M - 10M
Praseodymium iodatum	*					C12 - C200	LM1 - LM6					1M - 50M
Praseodymium lacticum						C12 - C200						1M - 10M
Praseodymium metallicum						C12 - C200	LM1 - LM30		Q1 - Q30		FC1M - FC100M	1M - 50M
Praseodymium nitricum						C12 - C200	LM1 - LM18		Q1 - Q1			1M - 50M
Praseodymium oxalicum						C12 - C200	LM1 - LM7		Q1 - Q1			1M - 10M
Praseodymium oxydatum	† *		D12 - D30	C10 - C200			LM1 - LM30		Q1 - Q5			1M - 1M
Praseodymium phosphoricum	† *			C10 - C200			LM1 - LM75		Q1 - Q30		FC1M - FC10M	1M - 100M
Praseodymium silicum						C12 - C200	LM1 - LM18		Q1 - Q6			1M - 50M
Praseodymium sulfuricum						C12 - C200	LM1 - LM30		Q1 - Q9			1M - 50M
Samarium Cobaltum magnetisatum	*					C12 - C200	LM1 - LM6		Q1 - Q1			1M - 10M

Name	Rp	D		C		HV C3	LM		Q		FC	Korsakoff
		Dilution	Globuli	Dilution	Globuli	Globuli	Dilution	Globuli	Dilution	Globuli	Globuli	Globuli
Samarium Cobaltum non magnetisatum	*					C12 - C200	LM1 - LM6		Q1 - Q1			1M - 1M
Samarium aceticum						C12 - C200						1M - 10M
Samarium arsenicosum	†† *					C12 - C200	LM1 - LM30		Q1 - Q12			1M - 50M
Samarium bromatum	*					C12 - C200	LM1 - LM23		Q1 - Q4			1M - 50M
Samarium carbonicum						C12 - C200	LM1 - LM30		Q1 - Q15			1M - 50M
Samarium chloratum						C12 - C200	LM1 - LM30		Q1 - Q13		FC1M - FC10M	1M - 100M
Samarium fluoratum	*					C12 - C200	LM1 - LM30		Q1 - Q5			1M - 50M
Samarium hydroxydatum						C12 - C200	LM1 - LM6					1M - 1M
Samarium iodatum	*					C12 - C200	LM1 - LM60		Q1 - Q1		FC1M - FC100M	1M - 100M
Samarium lacticum						C12 - C200	LM1 - LM6					1M - 50M
Samarium nitricum						C12 - C200	LM1 - LM30		Q1 - Q3			1M - 50M
Samarium oxalicum						C12 - C200	LM1 - LM30		Q1 - Q1			1M - 50M
Samarium oxydatum						C12 - C200	LM1 - LM30		Q1 - Q19			1M - 100M
Samarium phosphoricum						C12 - C200	LM1 - LM55		Q1 - Q30			1M - 50M
Samarium silicum						C12 - C200	LM1 - LM30					1M - 50M
Samarium sulfuricum						C12 - C200	LM1 - LM30		Q1 - Q6			1M - 50M
Terbium aceticum						C12 - C200	LM1 - LM6		Q1 - Q1			1M - 1M
Terbium arsenicosum	†† *					C12 - C200	LM1 - LM6		Q1 - Q3		FC1M - FC50M	1M - 50M
Terbium bromatum	*					C12 - C200	LM1 - LM9		Q1 - Q1			1M - 50M
Terbium carbonicum						C12 - C200	LM1 - LM40		Q1 - Q6			1M - 50M
Terbium chloratum						C12 - C200	LM1 - LM30		Q1 - Q9			1M - 50M
Terbium citricum						C12 - C200	LM1 - LM1		Q1 - Q1			1M - 1M
Terbium fluoratum	*					C12 - C200	LM1 - LM30		Q1 - Q1			1M - 10M
Terbium hydroxydatum						C12 - C200						1M - 10M
Terbium jodatum	*					C12 - C200	LM1 - LM30		Q1 - Q1			1M - 50M
Terbium lacticum						C12 - C200	LM1 - LM30		Q1 - Q1			1M - 1M
Terbium metallicum						C12 - C200	LM1 - LM30		Q1 - Q30		FC1M - FC50M	1M - 50M
Terbium nitricum						C12 - C200	LM1 - LM18		Q1 - Q2			1M - 100M
Terbium oxalicum						C12 - C200	LM1 - LM24		Q1 - Q1			1M - 10M
Terbium oxydatum						C12 - C200	LM1 - LM45		Q1 - Q12			1M - 50M
Terbium phosphoricum						C12 - C200	LM1 - LM45		Q1 - Q9			1M - 50M
Terbium silicum						C12 - C200	LM1 - LM30		Q1 - Q1			1M - 50M
Terbium sulfuricum						C12 - C200	LM1 - LM35		Q1 - Q3		FC1M - FC10M	1M - 50M
Thulium arsenicosum	†† *					C12 - C200	LM1 - LM6		Q1 - Q9			1M - 100M
Thulium bromatum	*					C12 - C200	LM1 - LM6		Q1 - Q2			1M - 100M
Thulium carbonicum						C12 - C200	LM1 - LM30		Q1 - Q3			1M - 100M
Thulium chloratum						C12 - C200	LM1 - LM30		Q1 - Q5			1M - 100M
Thulium fluoratum	*					C12 - C200	LM1 - LM30		Q1 - Q4			1M - 100M
Thulium iodatum	*					C12 - C200	LM1 - LM30					1M - 100M
Thulium lacticum						C12 - C200	LM1 - LM6					1M - 1M
Thulium metallicum						C12 - C200	LM1 - LM30		Q1 - Q30			1M - 100M

LANTHANIDEN